

Potassium/sodium cation carriers robustly upregulate CD20 antigen by targeting MYC, and synergize with anti-CD20 immunotherapies to eliminate malignant B cells

Anna Torun,^{1*} Aleksandra Zdanowicz,^{1,2*} Nina Miazek-Zapala,¹ Piotr Zapala,¹ Bhaskar Pradhan,^{1,2} Marta Jedrzejczyk,³ Andrzej Ciechanowicz,¹ Zofia Pilch,¹ Marcin Skorzynski,¹ Mikołaj Słabicki,⁴ Grzegorz Rymkiewicz,⁵ Joanna Barankiewicz,⁶ Claudio Martines,⁷ Luca Laurenti,⁸ Marta Struga,¹ Magdalena Winiarska,¹ Jakub Golab,¹ Magdalena Kucia,¹ Mariusz Z. Ratajczak,¹ Adam Huczynski,³ Dinis P. Calado,⁹ Dimitar G. Efremov,⁷ Abdessamad Zerrouqi^{1#} and Beata Pyrzynska^{1#}

¹Medical University of Warsaw, Warsaw, Poland; ²Doctoral School, Medical University of Warsaw, Warsaw, Poland; ³Adam Mickiewicz University, Poznan, Poland; ⁴Broad Institute of MIT and Harvard, Cambridge and Dana-Farber Cancer Institute, Boston, MA, USA; ⁵Maria Skłodowska-Curie National Research Institute of Oncology, Warsaw, Poland; ⁶Institute of Hematology and Transfusion Medicine, Warsaw, Poland; ⁷Molecular Hematology Unit, International Centre for Genetic Engineering and Biotechnology, Trieste, Italy; ⁸Hematology Unit, Fondazione Policlinico Universitario A Gemelli IRCCS, Rome, Italy and ⁹The Francis Crick Institute, London, UK

**AT and AZ contributed equally as first authors.*

#BP and AZe contributed as senior authors.

Correspondence: B. Pyrzynska
beata.pyrzynska@wum.edu.pl

Received: May 13, 2024.
Accepted: December 10, 2024.
Early view: December 19, 2024.

<https://doi.org/10.3324/haematol.2024.285826>

©2025 Ferrata Storti Foundation

Published under a CC BY-NC license



Supplementary Methods

B-cell lymphoma cell lines and chemicals

The cell lines and media used in the study are listed in Suppl. Table 1 below. Appropriate media were supplemented with 10% fetal bovine serum (Fisher Scientific, cat. # SH3007203), penicillin (100 units/ml), and streptomycin (100 µg/ml). All cell lines were regularly tested negative for mycoplasma contamination.

Suppl. Table 1. Cell lines used in the study.

Cell line	Medium
Burkitt lymphoma cell lines: Raji (RRID:CVCL_0511), CA46 (RRID:CVCL_1101), Daudi (RRID:CVCL_0008), Ramos (RRID:CVCL_0597), and BL41 (RRID:CVCL_1087)	RPMI 1640 (Corning, cat. # 10-040-CVR) with 10% FBS
DLBCL cell lines: OCI-Ly1 (RRID:CVCL_1879), OCI-Ly7 (RRID:CVCL_1881), HBL-1 (RRID:CVCL_4213), and U2932 (RRID:CVCL_1896) (kindly provided by Prof. M.A. Shipp)	IMDM (Thermo Fisher Scientific, cat # 31980030) with 10% FBS
P493-6 lymphoblastoid cell line (RRID:CVCL_6783)	RPMI-1640 with 10% tet-system approved FBS (Thermo Fisher Scientific, cat. # A4736201)
HEK 293T (RRID:CVCL_0063)	DMEM (Corning, cat. # 10-013-CVR) with 10% FBS

The *MYC* translocation status in the Burkitt lymphoma and DLBCL cell lines used in this study is presented in Suppl. Table 2 below.

Suppl. Table 2. *MYC* gene rearrangement status in cell lines used in the study.

Cell line	<i>MYC</i> rearrangement	Source
Raji	Yes/ t(8;14)	Taub et al., 1982 [1]; Li et al., 2019 [2]
CA46	Yes/ t(8;14)	Showe et al., 1985 [3]; Khaira et al., 1998 [4]
Daudi	Yes/ t(8;14)	Veronese et al., 1995 [5]
Ramos	Yes/ t(8;14)	Wiman et al., 1984 [6]; Li et al., 2019 [2]
BL41	Yes/ t(8;14)	Torsteinsdottir et al., 1989 [7]
OCI-Ly1	Gene amplification	Mehra et al., 2002 [8]; Li et al., 2019 [2]

OCI-Ly7	Rearrangement 8q24.21	Chang et al., 1995 [9]; Mehra et al., 2002 [8]; Dharanipragada & Parekh, 2023 [10]
HBL-1	No	Li et al., 2019 [2]
U2932	No	Li et al., 2019 [2]

Cation carriers were purchased from Sigma-Aldrich as sodium salts. Salinomycin (SAL; cat. # S4526), monensin (MON; cat. # M5273), narasin (NAR; cat. # N1271), nigericin (NIG; cat. # N7143), and lasalocid A (cat. # 73996) were dissolved either in methanol or ethanol, while A23187 (cat. # C7522) and ionomycin calcium salt (cat. # I0634) were dissolved in DMSO. MYC inhibitor (10058-F4; cat. # S7153), SGK1 inhibitor (EMD638683; cat. # S8824) and NLRP3 inhibitor (MCC950; cat. # S8930) were purchased from Selleckchem and dissolved in DMSO. Rituximab (RTX) was purchased from Roche, while Ofatumumab (OFA; cat. # ICH4027) was purchased from Ichorbio. Propidium iodide (PI; Sigma-Aldrich, cat. # P4170) and puromycin dihydrochloride (Thermo Fisher Scientific, cat. # A111380) were dissolved in water. Carboxyfluorescein succinimidyl ester (CFSE; eBioscience, cat. # 65-0850-84) and actinomycin D (Sigma-Aldrich, cat. # A9415) were dissolved in DMSO.

Staining of cells for flow cytometry

For flow cytometry analysis of cell surface antigens, $2-3 \times 10^5$ cells were incubated with saturating amounts of the following antibodies recognizing human antigens: anti-CD20 (BD Biosciences, clone L27, cat. # 345792 and 345793), anti-CD19-APC (BD Pharmingen, cat. # 555415), anti-CD40-PE (Thermo Fisher Scientific, cat. # MA1-19776), anti-CD46-FITC (BD Biosciences, cat. # 555949), anti-CD47-PE/Cy7 (eBioscience, cat. # 25-0479-42), anti-CD54-PE (BD Pharmingen, cat. # 555511), anti-CD55-FITC (BD Biosciences, cat. # 555693), anti-CD80-PE/Cy5 (BioLegend, cat. # 305209), anti-CD86-PE (BioLegend, cat. # 305405), anti-CD155-APC (BioLegend, cat. # 337617), anti-HLA-ABC-PE (eBioscience, cat. # 12-9983-42), anti-ULBP2/5/6-BV421 (BD OptiBuild, cat. # 748128). The corresponding fluorochrome-conjugated IgG1 (Becton Dickinson) was used as isotype control. After 30 min incubation at 4°C, washing with PBS, and staining with either propidium iodide (PI, 4 µg/ml) or Zombie-NIR Dye (BioLegend, cat. # 423106), the cells were acquired using either FACS Canto II, FACS Verse (Becton Dickinson), CytoFLEX (Beckman Coulter) or CellStream (Cytek Biosciences) cytometers. The mean fluorescence intensity (MFI) of Zombie-NIR-negative or PI-negative cells served as a measure for Ab binding on a per-cell basis. To quantify the number of CD20 molecules on Raji and P493-6 cells, the beads labeled with the known number of PE molecules (BD Quantibrite PE Phycoerythrin Fluorescence Quantitation Kit; BD Biosciences, cat. # 340495) were acquired in the same experiments as anti-CD20-PE-stained cells, and the number of CD20 molecules was calculated according to the manufacturer's recommendations. For flow cytometry data visualization, some plots were generated using the FlowJo software (BD, FlowJo v10.7.1). The intracellular staining of MYC was performed with an anti-MYC-AF647 antibody (Abcam, cat. # 190560), using the True-Nuclear™ Transcription Factor Buffer Set (BioLegend, cat. # 424401), according to the manufacturer's recommendations. The anti-CD20 CAR expression was detected by the staining of transduced T cells with the recombinant biotinylated Protein L (2 µg/ml; Thermo Fisher Scientific, cat. # 29997) followed by incubation with Streptavidin-PE (1 µg/ml; eBioscience, cat. # 12-4317-87) and analysis of the percentage of PE-positive cells.

Human DLBCL patient samples

The diffuse large B cell lymphoma (DLBCL) cases were routinely diagnosed at the Maria Skłodowska-Curie National Research Institute of Oncology in Warsaw, Poland. The diagnosis of DLBCL, NOS, FL G3B and DLBCL/HGBL/DH-BCL2+ were established according to the WHO-HAEM5, based on histopathologic/immunohistochemical examination, with flow-cytometry analysis (FCM), classical cytogenetics (CC), including karyotyping and fluorescence in situ hybridization (FISH), material obtained by fine needle aspiration biopsy (FNAB). DLBCL samples, verified by FCM and CC, were also obtained by FNAB of lymph nodes or extranodal lesions as previously described [11]. The diagnostic algorithm for detecting *MYC* gene rearrangement by FCM (CD38 overexpression on lymphoma cells), classical cytogenetic methods, and material obtained using FNAB have been described previously [11]. Suppl. Table 3 presents the status of *MYC* translocations in primary DLBCL cells.

Suppl. Table 3. *MYC* translocation status in DLBCL samples used in the study.

Diagnosis Nodal (N) vs. extranodal (E)	GCB vs. Non-GCB	Site of FNAB/FCM/ CC	<i>MYC</i> R by CD38 FCM overexpression	<i>MYC</i> R by CC (FISH and karyotyping)
(N) DLBCL, NOS/FL G3B	GCB	cLN	yes	yes
(N) DLBCL, NOS	GCB	ingLN	no	no
(E) DLBCL, NOS	GCB	TG	no	no
(N) DLBCL, NOS	non-GCB	abLN	no	no
(N) DLBCL, NOS	non-GCB	cLN	no	no
(N) DLBCL, NOS	GCB and non-GCB	axLN	no	no
(N/E) DLBCL, NOS	GCB	cLN	no	no
(N) DLBCL, NOS	non-GCB	axLN	no	no
(N) DLBCL, NOS	GCB	cLN	no	no
(N) DLBCL/HGBL/DH-BCL2+	GCB	cLN	yes	yes

Diagnosis: DLBCL, NOS – Diffuse Large B-cell Lymphoma, not otherwise specified, FL G3B, – Follicular lymphoma, high-grade G3B, DLBCL/HGBL/DH-BCL2+ – Diffuse large B-cell Lymphoma / High-grade B-cell lymphoma with *MYC* and *BCL2* double hit rearrangements.

The cell of origin: GCB – Germinal Center B-cell-like; non-GCB – non-Germinal Center B-cell-like; GCB and non-GCB – intermediate between GCB and non-GCB.

Site of FANB/FCM/CC – site of fine needle aspiration biopsy (FNAB) for flow cytometry (FCM) and classical cytogenetic (CC) analysis, LN – Lymph Node: c, cervical, ing, inguinal, ax, axillary; ab – abdominal; TG – thyroid gland.

*MYC*R – *MYC* gene rearrangement; FISH – Fluorescence In Situ Hybridization.

Complement-dependent cytotoxicity (CDC) assays

CDC assays were performed with therapeutic anti-CD20 antibodies, either RTX or OFA. Cells (1×10^5) were seeded into a 96-well plate in FBS-free RPMI 1640 medium. RTX or OFA (working concentration range 1-100 $\mu\text{g/ml}$) and human AB serum (as a source of complement; 10% final conc.) were added to cells. After a 1-h incubation, PI (final conc. 4 $\mu\text{g/ml}$) was added, and cell viability was analyzed using the flow cytometry and presented as a percentage of controls (cells treated with cation carriers but not incubated with the therapeutic antibody).

Western blotting

The whole-cell protein extracts were prepared by lysing cells with a buffer containing 1% Triton X-100, 50 mM HEPES (pH 7.4), 150 mM NaCl, 5 mM EDTA, and 10% glycerol supplemented freshly with phosphatase and protease inhibitor cocktails. Protein concentration was measured with Pierce BCA Protein Assay Kit (Thermo Fisher Scientific). Samples of 1-25 µg total protein were subjected to SDS-PAGE. Resolved proteins were transferred to nitrocellulose membrane (Whatman), probed with specific antibodies, and detected with the Odyssey imaging system (LI-COR Biosciences). The following primary antibodies were used: anti-AKT (pan, clone 40D4), anti-phospho-AKT (Ser473, clone D9E), anti-FOXO1 (clone C29H4), anti-phospho-FOXO1 (Ser256, polyclonal), anti-MYC (clone D84C12), and anti-SGK1 (clone D27C11), all from Cell Signaling Technology. Anti-CD20 (polyclonal) Ab was purchased from Abcam. For equal loading control, the blots were re-probed with either anti- α -tubulin (clone 11H10, Cell Signaling Technology), anti- β -tubulin (clone D-10), or anti-GAPDH (clone 0411), both from Santa Cruz Biotechnology. After the overnight incubation at 4°C either in the presence of 5% BSA or 5% nonfat dry milk, the secondary HRP-conjugated anti-mouse or anti-rabbit IgG antibodies (Jackson ImmunoResearch) were applied for 1 h. The chemiluminescence reaction for HRP was developed using the luminol-based chemiluminescence reagent Super Signal West Femto Substrate (Thermo Fisher Scientific, cat. # 34095) and visualized with Odyssey Fc (LI-COR). Densitometric analysis of CD20, phospho-AKT, phospho-FOXO1, MYC, and SGK1 was performed using the Image Studio Software.

RNA-seq and bioinformatics analysis

RNA was isolated from Raji cells pretreated with SAL (0.5 µM), MON (0.1 µM), or corresponding vehicle (in two biological replicates each) for 18 h using a High Pure RNA Isolation Kit (Roche). The quality of samples was initially checked on 1% agarose gel. Further sample quantity, purity and integrity assessment with the Agilent TapeStation system, RNA-seq library preparation with TruSeq Stranded mRNA Library kit (Illumina), library normalization, sequencing with HiSeq XTen platform in a PE 2x150bp format, with at least 10 million reads and bioinformatics analysis (mapping, alignment, differential expression) were commercially provided by Omega Bioservices. The reference genome UCSC hg19, the BamStats summary method, Isis analysis software (version 2.6.25.19), BEDTools (version 2.17.0), Picard (version 1.128), and DESeq2 (version 1.6.3) were used. The annotation gene count was 26,364, while the assessed gene count was 10,280. The differential expression analysis (with q value cut-off <0.05) was accessed through Illumina's Basespace webportal (<https://basespace.illumina.com/>). Additionally, the prediction of transcription factor/miRNA binding sites in the regulatory elements of the differentially expressed target genes has been performed to select these transcription factors and miRNAs, whose activity was commonly changed by both SAL and MON (GSEA/MSigDB website v6.3).

Quantitative Real-time PCR

Total RNA was isolated with a High Pure Isolation Kit (Roche, cat. # 11828665001). For cDNA synthesis, random nonamers (cat. # R7647), oligo(dT)₂₃ primers (cat. # O4387), and M-MLV reverse transcriptase (cat. # M1302) were purchased from Sigma-Aldrich and used according to the manufacturer's instructions. LightCycler 480 II thermocycler (Roche) was used to run quantitative PCR with LightCycler® Fast Start DNA Master PLUS SYBRGreen I (Roche, cat. # 03515869001) and specific intron-spanning primers (Suppl. Table 4 below).

Suppl. Table 4. Primers used in qRT-PCR

Target	Forward primer	Reverse primer
<i>MS4A1</i>	GAATGGGCTCTTCCACATTGCC	TCTCCGTTGCTGCCAGGAGT
<i>MS4A1</i> (variant 1-specific)	GGCCTTGGAGACTCAGATCC	TGTCAGTCTCTTCCCCACAGA
<i>MS4A1</i> (variant 3-specific)	CCTTGGAGACTCAGGAGTTTG	AGGGCCTTTCATTGGCTCTG
<i>PTPN6</i>	TTGACCACAGCCGAGTGATCCT	CTGGCGATGTAGGTCTTAGCGT
<i>IL7R</i>	ATCGCAGCACTCACTGACCTGT	TCAGGCACTTTACCTCCACGAG
<i>SGK1</i>	GGGAGCTGTCTTGTATGAGATG	TGGAGAGGCTTGTTCAAGATG
<i>PLK1</i>	TTCCTGAATGAAGATCTGGAG	AACAAGGTATACATGATACACC
<i>TNFAIP3</i>	GCGAGCGAGCCCGAC	TTGTGCTCTCCAACACCTCTC
<i>GAPDH</i>	GTCTCCTCTGACTTCAACAGCG	ACCACCCTGTTGCTGTAGCCAA
<i>RPL29</i>	CAGCTCAGGCTCCCAAAC	GCACCAGTCCTTCTGTCTCTC

Analysis was performed using the relative quantification (RQ) method and normalization *versus* endogenous controls: *GAPDH* and *RPL29* (2 minus delta CT method).

The FAM-labelled TaqMan gene expression assays (Thermo Fisher Scientific, cat. # 4331182) were used for quantification of the following mRNAs: *MS4A1* (assay ID: Hs00544819_m1), *MYC* (assay ID: Hs00905030_m1), *GAPDH* (assay ID: Hs02786624_g), and *RPL29* (assay ID: Hs00988959_g). The qRT-PCR reactions were performed according to the manufacturer's recommendations using the TaqMan Fast Advanced Master Mix (Thermo Fisher Scientific, cat. # 4444557).

Quantification of DNA binding of MYC

The nuclear lysates were isolated from Raji cells treated for 12-18 h with either SAL, MON, or corresponding vehicles using the Nuclear Extract Kit (Active Motif, cat. # 40010). Five μg of proteins from the nuclear extract were then applied to TransAM c-Myc ELISA (Active Motif, cat. # 43396) to estimate the binding of MYC to its target DNA motif, according to the manufacturer's recommendations. The results were quantified by measuring the optical density (OD) at 450 nm.

CUT&RUN MYC-DNA interaction assay

Raji cells (2.5×10^5 /sample) were treated with either SAL (0.25 μM) or the corresponding vehicle for 18 h. Cells were fixed with 0.1% formaldehyde and immobilized on Concanavalin A-coated magnetic beads according to the manufacturer's recommendations (CUT&RUN Assay Kit; Cell Signaling, cat. # 86652). Next, digitonin-permeabilized cells were incubated with either ChIP-grade anti-MYC antibody (Abcam, cat. # ab32072; clone Y69) or control rabbit IgG overnight at

4°C with rotation. The chromatin fragmented by the MNase enzyme was then purified with DNA Purification Spin Columns (Cell Signaling, cat. # 14209). The qRT-PCR was next run with the pair of the following primers specific to the sequence in MS4A1 promoter: forward – 5'-AGTGAAGCCAGAAGGTAAAAGT-3'; reverse – 5'-GCTACCTTAATTAGAAGAAGAACTTC-3' to quantify the MYC binding.

Analysis of cell cycle

For cell cycle analysis, Raji cells were plated in a 24-well plate (1.5×10^5 cells/well) and treated with either SAL (0.25 or 0.5 μ M), MON (0.05 or 0.1 μ M), or the corresponding vehicles. At 24 or 48 h after the treatment, cells were centrifuged and resuspended in ice-cold 70% ethanol. After the overnight fixation at 4°C, the cells were treated with PI/RNase Staining Buffer (BD Pharmingen, cat. # 550825) for 30 min. The DNA content was evaluated by flow cytometry according to the manufacturer's recommendations.

Animal studies

For all experiments, 6-8 week-old Fox Chase SCID females (CB17/Icr-Prkdc^{scid}/IcrIcoCrI) were obtained from Charles River Laboratories. Mice were inoculated subcutaneously with 3×10^6 Raji cells in 50% Matrigel (Corning, cat. # 356231) and randomly assigned to experimental groups. Mice were intraperitoneally (i.p.) treated with either SAL (2.5 mg/kg), MON (1 mg/kg), or a corresponding volume of DMSO every second day starting on day 5, while rituximab (10 mg/kg) was applied every second day starting on day 9 after inoculation of tumor cells. Tumor volume was calculated using the formula $(L \times W \times W)/2$, where L corresponds to tumor length while W corresponds to tumor width. Mice were sacrificed on days 30-32, and the tumors were isolated and weighed. All *in vivo* experiments followed the guidelines and were approved by the local Ethics Committee.

Synthesis of SAL derivatives

General procedures


All reagents and solvents used to synthesize SAL derivatives were obtained from Merck or Trimen Chemicals. CD₃CN, CD₂Cl₂, and CD₆ spectral grades solvents were stored over 3 Å molecular sieves for several days. Reaction mixtures were stirred using Teflon-coated magnetic stir bars and were monitored by thin-layer chromatography (TLC) using aluminum-backed plates (Merck 60F₂₅₄). TLC plates were visualized by UV light (254 nm), followed by treatment with phosphomolybdic acid (PMA, 5% in absolute EtOH) and gentle heating. Products of the reactions were purified using CombiFlash[®] Rf+ Lumen Flash Chromatography System (Teledyne Isco) with integrated ELS and UV detectors and Electrospray Ionization (ESI) mass spectroscopy. All solvents used in flash chromatography were of HPLC grade. Solvents were removed using a rotary evaporator.

NMR spectra were recorded on a Varian 400 (¹H NMR at 403 MHz, ¹³C NMR at 101 MHz, ¹⁹F 379 MHz) magnetic resonance spectrometer. ¹H NMR spectra are reported in chemical shifts downfield from TMS using the respective residual solvent peak as internal standard (C₆D₆ δ 7.15 ppm; CD₂Cl₂ δ 5.32 ppm; CDCl₃ δ 7.26 ppm) ¹H NMR spectra are reported as follows: chemical shift (δ , ppm), multiplicity (s = singlet, d = doublet, q = quartet, dd = doublet of doublets, dt = doublet of triplets, dq = doublet of quartets, ddd = doublet of doublet of doublets, ddt = doublet of

doublet of triplets, dddd = doublet of doublet of doublet of doublets, m = multiplet), coupling constant(s) in Hz, and integration. Significant peaks are reported within the overlapping ~2.00–0.50 ppm region of the ^1H NMR spectra. The ^{13}C NMR spectra are reported in chemical shifts downfield from TMS using the respective residual solvent peak as internal standard (C_6D_6 δ 128.62 ppm; CD_2Cl_2 δ 53.84 ppm; CDCl_3 δ 77.36 ppm). Line broadening parameters were 0.5 or 1.0 Hz, while the error of chemical shift value was 0.1 ppm. The ^{31}P NMR spectra are reported in chemical shifts. The electrospray ionization (ESI) high-resolution mass spectra were recorded on a QTOF (Impact HD, Bruker Daltonics) mass spectrometer in the positive ion detection mode. Samples were prepared in dry acetonitrile. The mass range for ESI experiments was from $m/z = 400$ to $m/z = 1300$.

SAL was isolated as sodium salt from commercially available veterinary premix SACOX®, using the procedure described previously [12]. After that, the isolated sodium salt of **SAL** was dissolved in CH_2Cl_2 and vigorously extracted with a layer of aqueous sulphuric acid (pH 1.0). Then, the organic layer containing **SAL** was washed with distilled water, and CH_2Cl_2 was evaporated under reduced pressure to dryness, giving **SAL** as clear oil. After the 3-times repeated evaporation with *n*-pentane, this oil was transformed into a white amorphous solid. The spectral properties of **SAL** were in agreement with the previously published data.

Five analogs of **SAL** have been synthesized by chemical modification at the C1 or C20 position (**Scheme 1**).



Scheme 1. Synthesis of **SAL** derivatives.

By modifying the carboxyl group of **SAL**, we have obtained **SAL** derivatives **1**, **2**, and **3**. These derivatives are already known in the literature, and their synthetic procedures were described

elsewhere [13-15]. SAL derivatives **4** and **5** have been obtained as a result of multi-step synthesis, according to methods described by Li et al., 2018 [16] and then by Antoszczak et al., 2023 [17]. To obtain these derivatives, it was mandatory to block the carboxyl group at the C1 position and then conduct the Mitsunobu reaction. This led to the conversion of the hydroxyl group at the C20 position to the azide group with an inverted absolute configuration. The procedures for both reactions were described previously in detail [18]. The next step was reducing the azide group to an amine group using the Staudinger reaction [16]. Then, the reaction between the respective isocyanate and the amine group led to corresponding urea analogs, the SAL derivatives **4** and **5** [17].

To confirm the structures of synthesized products, we used spectroscopic (NMR) and spectrometric (ESI-MS) methods (data not shown).

Detailed procedures

Synthesis of 2,2,2-trifluoroethyl ester of salinomycin - derivative 1

To a stirred solution of **SAL** (1.0 eq.) in anhydrous CH₂Cl₂, the following reagents were added at intervals of 15 minutes: 1,3-dicyclohexylcarbodiimide (DCC) (1.5 eq.), 4-(piperidine-4-yl)pyridine (PPy) (0.5 eq.), 2,2,2-trifluoroethanol (7.5 eq.) and catalytic *p*-toluenesulfonic acid (pTSA). The reaction mixture was stirred at 0 °C for 6 h, then for 18 h at room temperature. The formed by-product 1,3-dicyclohexylurea (DCU), which was insoluble in CH₂Cl₂, was filtered off. The filtrate was concentrated in vacuo and purified chromatographically on silica gel using the CombiFlash®Rf+ system (ethyl acetate/chloroform 0→50%) to give the pure product **1** as a clear oil. After repeated evaporation with *n*-pentane three times, the oily product was completely converted into a white amorphous solid. Yield: 71%. ¹H NMR (400 MHz, C₆D₆) δ 6.12 (dd, *J* = 10.7, 1.5 Hz, 1H), 5.78 (dd, *J* = 10.7, 2.3 Hz, 1H), 5.25 (dq, *J* = 13.1, 8.9 Hz, 1H), 4.96 (dq, *J* = 13.1, 8.8 Hz, 1H), 4.31 (dd, *J* = 10.0, 5.7 Hz, 1H), 4.21 (dt, *J* = 9.1, 1.9 Hz, 1H), 4.14 (d, *J* = 9.1 Hz, 1H), 4.06 (dd, *J* = 10.9, 5.9 Hz, 1H), 3.85–3.72 (m, 2H), 3.69 (dd, *J* = 9.7, 2.3 Hz, 1H), 3.58 (dd, *J* = 10.3, 2.4 Hz, 1H), 3.12 (dq, *J* = 10.0, 7.2 Hz, 1H), 2.94 (td, *J* = 11.1, 4.0 Hz, 1H), 2.75 (d, *J* = 5.9 Hz, 1H), 2.62 (dt, *J* = 9.8, 2.6 Hz, 1H), 2.48 (dt, *J* = 13.4, 9.8 Hz, 1H), 2.35 (s, 1H), 2.24 (ddq, *J* = 14.4, 9.7, 7.2 Hz, 1H), 2.11–1.95 (m, 2H), 1.89 (ddd, *J* = 13.1, 6.7, 4.0 Hz, 1H), 1.80–0.50 (m, 49H) ppm; ¹³C NMR (101 MHz, C₆D₆) δ 212.9, 172.9, 133.5, 120.5, 106.6, 98.9, 88.1, 79.3, 77.0, 74.05, 74.01, 71.8, 70.3, 69.1, 67.5, 60.8, 60.5, 55.3, 48.6, 47.0, 40.4, 38.4, 36.8, 36.6, 34.1, 32.8, 30.9, 30.3, 29.1, 28.1, 26.1, 25.8, 22.5, 22.4, 22.1, 19.6, 18.2, 17.2, 15.6, 14.3, 14.1, 13.9, 13.4, 11.4, 10.9, 7.7, 6.3 ppm, one signal overlapped; ESI MS (*m/z*): [M+Na]⁺ Calcd for C₄₄H₇₁F₃NaO₁₁⁺ 855.5; Found 855.

Synthesis of 2,2,2-trifluoroethyl amide of salinomycin - derivative 2

A solution of **SAL** (1.0 eq.), 1,3-dicyclohexylcarbodiimide (DCC) (1.2 eq.), and 2,2,2-trifluoroethylamine (2.5 eq.) in 40 mL of CH₂Cl₂, as well as 1-hydroxy benzotriazole hydrate (HOBt) (0.5 eq.) dissolved in 5 mL of THF were mixed and stirred at 0 °C for 1h. Then, the reaction mixture was stirred at room temperature for 24 hours. Next, the reaction mixture was concentrated under reduced pressure to produce yellow oil. Purification on silica gel using the CombiFlash®Rf+ system (EtOAc/CHCl₃ 0→50%) gave the pure product **2** as a colorless oil. After thrice evaporation to dryness with *n*-pentane, the oil was transformed into a white amorphous solid. Yield: 80%. ¹H NMR (403 MHz, CD₂Cl₂) δ 7.05 (dd, *J* = 6.8, 6.0 Hz, 1H), 6.12 (dd, *J* = 10.7, 2.2 Hz, 1H), 5.97 (dd, *J* = 10.7, 1.6 Hz, 1H), 4.47 (dddd, *J* = 19.4, 15.2, 9.7, 7.8 Hz, 1H), 4.21–4.07

(m, 2H), 4.04–3.99 (m, 1H), 3.98–3.91 (m, 1H), 3.86 (d, $J = 7.5$ Hz, 1H), 3.80 (q, $J = 6.8$ Hz, 1H), 3.75 (dd, $J = 10.1, 2.5$ Hz, 1H), 3.68 (dd, $J = 9.9, 2.5$ Hz, 1H), 3.63 (dd, $J = 11.0, 3.2$ Hz, 1H), 2.98 (dq, $J = 9.4, 7.3$ Hz, 1H), 2.71–2.63 (m, 1H), 2.53 (dt, $J = 8.5, 2.7$ Hz, 1H), 2.44 (s, 1H), 2.40 (d, $J = 8.5$ Hz, 1H), 2.33 (dt, $J = 12.6, 10.1$ Hz, 1H), 2.18 (ddd, $J = 12.5, 9.8, 2.7$ Hz, 1H), 1.95 (ddd, $J = 12.5, 8.9, 2.6$ Hz, 1H), 1.91–0.82 (m, 45H), 0.77 (d, $J = 7.0$ Hz, 3H), 0.72 (d, $J = 6.7$ Hz, 3H) ppm; ^{13}C NMR (101 MHz, CD_2Cl_2) δ 213.5, 176.4, 134.1, 126.7, 124.0, 120.4, 106.8, 99.1, 89.2, 80.2, 77.3, 75.9, 74.8, 71.2, 70.9, 69.5, 67.3, 53.6, 48.6, 46.8, 40.8, 40.4, 40.1, 39.8, 38.6, 37.3, 36.6, 32.9, 31.0, 30.4, 29.5, 28.6, 27.1, 26.0, 22.3, 22.2, 20.7, 17.9, 17.3, 15.8, 15.0, 14.7, 14.4, 11.7, 11.5, 8.6, 6.5. One signal overlapping; ^{19}F NMR (379 MHz, CD_2Cl_2) δ –73.01, –73.04, –73.07 ppm; ESI MS (m/z): $[\text{M}+\text{Na}]^+$ Calcd for $\text{C}_{44}\text{H}_{72}\text{F}_3\text{NNaO}_{10}$ 855; Found 855.

Synthesis of propargyl ester of salinomycin - derivative 3

To a solution of **SAL** (1.0 eq.) in anhydrous toluene, DBU (1.7 eq.) was added, and the mixture was stirred and heated at 90°C for 20 minutes. Then, propargyl bromide (2.2 eq.) was added, and the reaction mixture was stirred at 90°C for 5h. After cooling, the mixture was concentrated in vacuo and purified chromatographically on silica gel using the CombiFlash[®]Rf+ system to give the pure product **3** as a clear oil. After thrice evaporation to dryness with n-pentane, the oily product was wholly converted into a white amorphous solid. Yield: 88%. ^1H NMR (400 MHz, C_6D_6) δ 6.13 (dd, $J = 10.7, 1.3$ Hz, 1H), 5.83 (dd, $J = 10.8, 2.2$ Hz, 1H), 5.36–5.20 (m, 2H), 4.41–4.32 (m, 1H), 4.26–4.12 (m, 2H), 4.08 (dd, $J = 11.1, 6.0$ Hz, 1H), 3.84–3.75 (m, 2H), 3.72 (dd, $J = 9.7, 2.3$ Hz, 1H), 3.64 (dd, $J = 10.4, 2.4$ Hz, 1H), 3.14 (dq, $J = 10.1, 7.2$ Hz, 1H), 3.00 (d, $J = 5.4$ Hz, 1H), 2.94 (td, $J = 11.2, 4.1$ Hz, 1H), 2.66 (dt, $J = 9.7, 2.7$ Hz, 1H), 2.55–2.43 (m, 1H), 2.28 (ddq, $J = 14.4, 9.8, 7.2$ Hz, 1H), 2.08 (d, $J = 3.1$ Hz, 1H), 2.05 (t, $J = 2.5$ Hz, 1H), 1.90 (dtd, $J = 13.5, 6.7, 4.0$ Hz, 1H), 1.80–0.50 (m, 51H) ppm; ^{13}C NMR (101 MHz, C_6D_6) δ 212.7, 173.9, 133.3, 120.7, 106.5, 99.0, 87.9, 79.0, 78.5, 77.0, 74.7, 74.3, 74.0, 71.7, 70.3, 69.2, 67.7, 55.9, 52.5, 48.5, 47.3, 40.5, 38.6, 36.8, 36.7, 33.1, 30.9, 30.3, 29.3, 28.1, 26.1, 25.8, 22.7, 22.1, 19.6, 18.4, 17.3, 15.6, 14.3, 14.1, 13.3, 11.6, 10.9, 7.6, 6.3 ppm; ESI MS (m/z): $[\text{M}+\text{Na}]^+$ Calcd for $\text{C}_{45}\text{H}_{72}\text{NaO}_{11}^+$ 811.5; Found 811.

Synthesis of C20-benzylurea of C20-epi-aminosalinomycin - derivative 4

To a solution of C20-epi-aminosalinomycin (1.0 eq.) in anhydrous CH_2Cl_2 , benzyl isocyanate (3.0 eq.) was added dropwise under stirring at room temperature. The reaction was stirred overnight, then washed with Na_2CO_3 (0.1 M aq.), and the organic layers were concentrated in vacuo. Purification on silica gel using the CombiFlash[®]Rf+ system (0 → 40% acetone/chloroform) gave the pure urea **4** as a clear oil. After evaporation to dryness with n-pentane three times, the oily product was wholly converted into a white amorphous solid. Yield: 86%. ^1H NMR (401 MHz, CDCl_3) δ 7.41 – 7.26 (m, 5H), 6.29 (dd, $J = 9.5, 7.0$ Hz, 1H), 5.81 (d, $J = 9.5$ Hz, 1H), 5.56 (d, $J = 9.8$ Hz, 1H), 4.60 (dd, $J = 14.3, 7.6$ Hz, 1H), 4.34 (dd, $J = 9.8, 7.0$ Hz, 1H), 4.16 – 4.09 (m, 2H), 4.01 (dd, $J = 10.9, 5.2$ Hz, 1H), 3.91 (d, $J = 10.4$ Hz, 1H), 3.75 (dt, $J = 11.0, 4.4$ Hz, 3H), 3.39 (t, $J = 6.8$ Hz, 1H), 3.04 (td, $J = 11.3, 3.9$ Hz, 1H), 2.71 (ddd, $J = 13.3, 12.3, 5.0$ Hz, 2H), 2.65 – 2.55 (m, 1H), 2.17 – 2.02 (m, 2H), 1.97 – 0.63 (m, 53H); ^{13}C NMR (101 MHz, CDCl_3) δ 219.18, 176.86, 160.10, 139.31, 133.09, 131.02, 128.29 (2C), 128.10 (2C), 126.91, 109.86, 95.70, 86.18, 75.06, 72.56, 71.94, 71.16, 71.04, 68.15, 55.04, 51.05, 48.74, 47.03, 44.61, 39.40, 36.59, 35.59, 35.34, 33.90, 32.48, 30.33, 29.66, 29.35, 27.99, 25.75, 22.12, 21.52, 20.97, 19.92, 18.10, 17.77, 16.08, 14.10, 13.23, 12.55, 11.93, 11.83, 7.29, 6.38 ppm; ESI MS (m/z): $[\text{M}+\text{H}]^+$ Calcd for $\text{C}_{50}\text{H}_{78}\text{N}_2\text{NaO}_{11}^+$ 905.5; Found 906.

Synthesis of C20-n-octyl urea of salinomycin - **derivative 5**

To a solution of C20-epi-aminosalinomycin (1.0 eq.) in anhydrous CH₂Cl₂, octyl isocyanate (3.0 eq.) was added dropwise under stirring at room temperature. The reaction was stirred overnight, then washed with Na₂CO₃ (0.1 M aq.), and the organic layers were concentrated in vacuo. Purification on silica gel using the CombiFlash[®]Rf+ system (0 → 40% acetone/chloroform) gave the pure urea **5** as a clear oil. Then, the oily product was wholly converted into a white amorphous solid by three times evaporation with n-pentane. Yield: 95%. ¹H NMR (401 MHz, CDCl₃) δ 6.29 (dd, J = 9.5, 6.9 Hz, 1H), 5.80 (d, J = 9.5 Hz, 1H), 5.37 (d, J = 10.0 Hz, 1H), 4.30 (dd, J = 9.9, 6.9 Hz, 1H), 4.11 (d, J = 7.5 Hz, 1H), 3.93 – 3.87 (m, J = 10.6, 6.1 Hz, 2H), 3.73 (qu, J = 14.7, 7.6 Hz, 2H), 3.63 (d, J = 4.4 Hz, 1H), 3.40 – 3.35 (m, J = 10.2 Hz, 1H), 3.31 (qu, J = 13.0, 6.6 Hz, 1H), 3.13 (t, 2H), 3.06 – 2.96 (m, J = 11.2, 3.8 Hz, 2H), 2.77 – 2.68 (m, 2H), 2.61 – 2.51 (m, 1H), 2.18 – 0.71 (m, 65H) ppm; ¹³C NMR (101 MHz, CDCl₃) δ 218.69, 176.83, 160.26, 132.91, 131.25, 109.91, 95.74, 86.16, 75.02, 72.57, 71.97, 71.08, 71.05, 67.78, 55.06, 51.03, 48.63, 47.01, 40.73, 40.47, 39.44, 36.65, 35.48, 35.36, 33.96, 32.59, 31.91, 31.85, 31.77, 29.67, 27.94, 27.05, 26.88, 25.71, 22.64, 22.61, 22.19, 21.57, 20.95, 19.94, 18.15, 17.63, 16.10, 14.10, 14.06, 13.24, 12.74, 11.94, 11.87, 7.31, 6.39 ppm; ESI MS (m/z): [M+H]⁺ Calcd for C₅₁H₈₈N₂NaO₁₁⁺ 927.6; Found 928.

Statistics

Results were plotted with GraphPad Prism, and statistical significance was assessed by appropriate tests provided in Figure legends. The *p*-values were marked with the asterisks on the charts (**p*<0.05, ***p*<0.01, ****p*<0.001, *****p*<0.0001).

References

1. Taub, R., et al., *Translocation of the c-myc gene into the immunoglobulin heavy chain locus in human Burkitt lymphoma and murine plasmacytoma cells*. Proc Natl Acad Sci U S A, 1982. **79**(24): p. 7837-41.
2. Li, W., et al., *Targeting MYC activity in double-hit lymphoma with MYC and BCL2 and/or BCL6 rearrangements with epigenetic bromodomain inhibitors*. J Hematol Oncol, 2019. **12**(1): p. 73.
3. Showe, L.C., et al., *Cloning and sequencing of a c-myc oncogene in a Burkitt's lymphoma cell line that is translocated to a germ line alpha switch region*. Mol Cell Biol, 1985. **5**(3): p. 501-9.
4. Khaira, P., C.D. James, and M. Leffak, *Amplification of the translocated c-myc genes in three Burkitt lymphoma cell lines*. Gene, 1998. **211**(1): p. 101-8.
5. Veronese, M.L., et al., *Detection of myc translocations in lymphoma cells by fluorescence in situ hybridization with yeast artificial chromosomes*. Blood, 1995. **85**(8): p. 2132-8.
6. Wiman, K.G., et al., *Activation of a translocated c-myc gene: role of structural alterations in the upstream region*. Proc Natl Acad Sci U S A, 1984. **81**(21): p. 6798-802.
7. Torsteinsdottir, S., et al., *Reversion of tumorigenicity and decreased agarose clonability after EBV conversion of an IgH/myc translocation-carrying BL line*. Int J Cancer, 1989. **43**(2): p. 273-8.
8. Mehra, S., et al., *Molecular cytogenetic characterization of non-Hodgkin lymphoma cell lines*. Genes Chromosomes Cancer, 2002. **33**(3): p. 225-34.

9. Chang, H., et al., *p53 mutations, c-myc and bcl-2 rearrangements in human non-Hodgkin's lymphoma cell lines*. Leuk Lymphoma, 1995. **19**(1-2): p. 165-71.
10. Dharanipragada, P. and N. Parekh, *In Silico Identification and Functional Characterization of Genetic Variations across DLBCL Cell Lines*. Cells, 2023. **12**(4).
11. Rymkiewicz, G., et al., *A comprehensive flow-cytometry-based immunophenotypic characterization of Burkitt-like lymphoma with 11q aberration*. Mod Pathol, 2018. **31**(5): p. 732-743.
12. Huczynski, A., et al., *Synthesis and antimicrobial activity of amide derivatives of polyether antibiotic-salinomycin*. Bioorg Med Chem Lett, 2012. **22**(14): p. 4697-702.
13. Kuran, D., et al., *Ester derivatives of salinomycin efficiently eliminate breast cancer cells via ER-stress-induced apoptosis*. Eur J Pharmacol, 2021. **893**: p. 173824.
14. Sulik, M., et al., *Antibacterial activity of singly and doubly modified salinomycin derivatives*. Bioorg Med Chem Lett, 2020. **30**(9): p. 127062.
15. Sulik, M., et al., *Synthesis and Anticancer Activity of Dimeric Polyether Ionophores*. Biomolecules, 2020. **10**(7).
16. Li, Y., et al., *Synthesis and biological evaluation of 20-epi-amino-20-deoxysalinomycin derivatives*. Eur J Med Chem, 2018. **148**: p. 279-290.
17. Antoszczak, M., et al., *Synthesis of urea and thiourea derivatives of C20-epi-aminosalinomycin and their activity against Trypanosoma brucei*. Eur J Med Chem, 2023. **250**: p. 115241.
18. Shi, Q., et al., *Discovery of a (19)F MRI sensitive salinomycin derivative with high cytotoxicity towards cancer cells*. Chem Commun (Camb), 2016. **52**(29): p. 5136-9.

Supplementary Legends for Figures and Tables

Suppl. Figure 1. Effects of selected cation carriers on both surface and total levels of CD20 antigen.

(A) Analysis of levels of surface CD20 upon treatment of Raji cells with selected concentrations of either salinomycin (SAL), monensin (MON), narasin (NAR), nigericin (NIG), or corresponding vehicles (-). The number of CD20 molecules present on the surface of cells was quantified with flow cytometry in alive cells (Zombie-NIR-negative events), stained with anti-CD20-PE antibody. The beads labeled with the known number of PE molecules (BD Quantibrite PE Phycoerythrin Fluorescence Quantitation Kit) were acquired in the same experiments, allowing the calculation of CD20 molecule numbers according to the manufacturer's recommendations. **(B)** Total levels of CD20 protein were analyzed by Western blotting in extracts from Raji cells treated as in (A). GAPDH levels were used as a loading control. Results from 3 experiments were quantified, calculated as fold change increase (+/-SD) upon treatment with ionophores *versus* treatment with corresponding vehicles, and presented below the Western blotting images.

Suppl. Figure 2. Effects of lasalocid, A23187, and ionomycin on the levels of surface CD20 and cell viability.

Chemical structures **(A)**, levels of surface CD20 **(B)**, and viability **(C)** of Raji cells treated with increasing concentrations of either lasalocid (upper panels), A23187 (middle panels), or ionomycin (lower panels). The surface CD20 and viability of cells were estimated as in Fig. 1.

Suppl. Figure 3. Upregulation of surface CD20 by salinomycin and monensin in primary CLL and DLBCL cells.

(A) Viability of DLBCL (left panel) and CLL (right panel) cells treated *ex vivo* for 48 hours with increasing concentrations of either SAL (0.25-1 μ M) or MON (0.025-0.25 μ M), respectively. The percentage of viable cells (Zombie-NIR-negative events) was normalized to the percentage of viable cells in samples treated with the corresponding vehicle. **(B)** Examples of graphs generated using the FlowJo software depicting the flow cytometry analysis of surface levels of CD20 antigen in primary CLL cells upon the treatment with either SAL (0.5 μ M; in dark blue), MON (0.1 μ M; in bright blue) or corresponding vehicles (in grey) for 48 hours. CLL samples were stained with a mix of anti-CD19-APC and anti-CD20-FITC antibodies. Zombie-NIR was used to stain the dead cells. The plots in the left panels visualize the gating of the CD19-positive population, followed by analysis for the CD20 levels (right panels). **(C)** Changes in cell surface levels of CD20 antigen in primary CLL cells (samples from Fig. 1D, n=13) pretreated *ex vivo* for 48 hours with MON (0.05 and 0.1 μ M). The MFI values of anti-CD20-FITC were transformed to log₂ values to visualize each sample on the same axis.

Suppl. Figure 4. Salinomycin and monensin influence the levels of tumor cell antigens involved in regulating complement's and NK cell activity. (A, B) The flow cytometry analysis of complement inhibitors, namely CD55 **(A)** and CD46 **(B)**, on the surface of Raji cells treated with either SAL (0.25 and 0.5 μ M; left panels) or MON (0.05 and 0.1 μ M; right panels) for 48 h. **(C-E)** The validation of changes in the levels of selected surface antigens detected in Raji cells by proteomics analysis. Cells pretreated with either SAL (left panels) or MON (right panels) were incubated with the following antibodies: anti-CD40 (TNF5) **(C)**, anti-ICAM1 **(D)**, and anti-CD47 **(E)**. In addition, other surface antigens known to influence NK cell activity were analyzed **(F)** upon the treatment of Raji with either SAL (0.25 μ M) or MON (0.05 μ M) for 48h, including CD80 (left panel), CD155 and ULBP-2/5/6 (middle panels), and CD86 (right panel).

Suppl. Figure 5. Salinomycin and monensin increase CD20 levels and rituximab efficacy in a panel of Burkitt lymphoma cell lines. The left panels present flow cytometry analysis of surface levels of CD20 antigen (MFI of anti-CD20-FITC antibody) in Burkitt lymphoma cell lines, such as CA46 **(A)**, Daudi **(B)**, Ramos **(C)**, and BL41 **(D)** pretreated with either SAL (0.05-1 μ M), MON (0.01-0.1 μ M) or corresponding vehicles for 48 h. The right panels present the response of Burkitt lymphoma cell lines to rituximab in CDC assays upon pretreatment of cells with either SAL or vehicle (at two selected concentrations).

Suppl. Figure 6. The effect of stable knockout of the MS4A1 gene on complement- and NK cells-dependent elimination of tumor cells by rituximab.

(A) Generation of clones of Raji cells with a stable knockout of the *MS4A1* gene. Raji cells were stably transduced with sgRNA targeting the *MS4A1* gene (encoding CD20) using the CRISPR/Cas9 genome editing technology. The left panel presents the Western blotting detection of CD20 in the extracts from clones of Raji cells genetically modified with either empty vector (clones 1-3) or sgMS4A1 (clones 2, 4, and 10). These clones were also mixed (1:1:1) and called either “Empty v.-mix” or “sgMS4A1-mix”, respectively. The right panel presents the surface level of CD20 antigen estimated with flow cytometry in Raji cell clones and their mixes (as above), transduced with either empty vector or sgMS4A1 and treated with SAL for 48 h. **(B)** Complement-dependent cytotoxicity (CDC) assays were performed with Raji cells, either Empty vector - mix (left panel) or sgMS4A1 – mix (right panel) pretreated with SAL (0.25 μ M or 0.5 μ M) for 48 h

followed by the treatment with increasing concentrations of rituximab. **(C)** Antibody-dependent cellular cytotoxicity (ADCC) assays testing the cytotoxicity of NK cells towards Raji cells pretreated with either SAL (dark blue bars) or vehicle (grey bars) for 48 h, followed by staining of Raji cells with CFSE and co-incubation with unstained donor-derived NK cells for 3 h, in the absence or presence of rituximab (RTX; 0.03 µg/ml). The survival of CFSE-positive Raji cells was assessed with PI, and presented as a percentage of control cells (Raji not incubated with NK cells). The ADCC assays were performed with either Empty vector-mix or sgMS4A1-mix Raji cells. Graphs show data from 3 experiments (NK cells isolated from 3 donors).

Suppl. Figure 7. Inhibition of NLRP3 inflammasome does not affect the cation carrier-induced upregulation of CD20 antigen. Raji cells were pretreated for 30 min with NLRP3 inhibitor (MCC950) at a concentration of either 10 µM (left panel) or 20 µM (right panel), followed by 48 h-long treatment with cation carriers, namely nigericin (NIG; 1 µM; brown bars), SAL (0.5 µM; dark blue bars) or MON (0.1 µM; bright blue bars). Surface CD20 was estimated by flow cytometry. MFIs of anti-CD20-PE or anti-CD20-FITC were calculated as fold change *versus* MFI values of control cells (treated with DMSO and vehicle).

Suppl. Figure 8. Upregulation of different variants of MS4A1 mRNA by salinomycin and monensin. Raji cells were pretreated with either SAL (0.25 µM), MON (0.05 µM) or corresponding vehicle for 18 h, followed by RNA isolation, cDNA synthesis and RT-PCR analysis of MS4A1 mRNA using pairs of primers specific for either transcript variant 1 (MS4A1-V1; NM_152866.3; left panel), variant 3 (MS4A1-V3; NM_021950.4; middle panel) or pair of primers recognizing all transcript variants (right panel).

Suppl. Figure 9. The effects of cation carriers on the MYC-dependent cellular functions. (A) The quantification of MYC protein levels by Western blotting analysis in both Raji cells (left graph) and P493-6 cell line (right graph), pretreated with either SAL, MON, or vehicle (-) for 18 h. The graphs summarize the quantification from 4 Western blotting images (including the images presented in Fig. 7B). **(B)** Quantification of the binding of MYC to its target E-box DNA motif using the TransAM MYC ELISA. The nuclear extracts obtained from Raji cells treated with either SAL (0.25 µM), MON (0.1 µM), or vehicle for 12-18 h were applied on the ELISA plate. The values corresponding to the binding of MYC in SAL- or MON-treated cells are normalized to the values corresponding to the vehicle-treated cells and are presented as fold change. **(C)** The differential expression heatmap with RNA-seq data listing the genes involved in the G2/M checkpoint (according to GSEA analysis; Hallmark – G2M checkpoint) and presents the fold change of their expression in Raji cells treated for 18 h with either SAL (0.5 µM) or MON (0.1 µM). The downregulation of all listed genes reached statistical significance (q value <0.05) upon the treatment with MON and exhibited a downregulation tendency (without statistical significance) upon the treatment with SAL. **(D)** The cell cycle pie charts depicting changes in cell cycle phases upon treating Raji cells with either SAL (0.25 and 0.5 µM; top panel) or MON (0.05 and 0.1 µM) for 48 h. The numbers represent the percentage of cells in a particular cell cycle phase.

Suppl. Figure 10. The effect of salinomycin and monensin on the level of surface CD20 depends on the status of MYC expression. (A) Examples of histograms generated using the FlowJo software depicting the flow cytometry analysis of surface levels of CD20 antigen in the P493-6 cell line with MYC Tet-OFF system. The histograms on the left present CD20 levels in cells treated with either SAL (0.25 µM; in dark blue), doxycycline (DOX, 0.1 µg/ml; in orange),

or both (in dark red) for 48 h and stained with anti-CD20-PE antibody. The analogous histograms on the right present results from cells treated with either MON (0.05 μ M; in blue), DOX (in orange), or both (in red). **(B)** The bars show the number of CD20 molecules present on the surface of P493-6 cells (treated as in (A), right panel) and quantified based on the comparison to the fluorescence intensity of the beads labeled with the known number of PE molecules (BD Quantibrite PE Phycoerythrin Fluorescence Quantitation Kit), according to the manufacturer's recommendations.

Suppl. Figure 11. Effect of selected derivatives of salinomycin on the level of surface CD20 antigen and AKT/FOXO1 signaling. **(A)** Chemical structures of salinomycin and its selected derivatives 2, 3, and 4, with position C1 marked in red and position C20 marked in blue, were visualized using ChemDraw Ultra 12.0. **(B)** Flow cytometry analysis of surface levels of CD20 antigen in Raji cells treated with the increasing concentrations of SAL derivatives (range 0.01-2.5 μ M). The graphs represent the fold change of MFI values, normalized to the average values from cells treated with the vehicle at low (L), medium (M), and high (H) concentrations. **(C)** Western blotting analysis of both phosphorylated and total protein levels of AKT and FOXO1 in Raji cells, pretreated with either SAL, its derivatives (der. 1, 2, 3, 4, or 5), or vehicle (-) for 18 h. The level of GAPDH was used as a loading control. The quantification of the levels of p-AKT (graph in the middle) and p-FOXO1 (right graph) in SAL- or derivatives-treated cells is presented as a fold change *versus* levels in vehicle-treated cells (quantification from 3 experiments).

Suppl. Figure 12. Effect of selected signaling pathways on the expression of CD20.

(A-B) Transient ablation of *MYC* in Raji cells. **(A)** Western blotting analysis of *MYC* in extracts from Raji cells mock-nucleofected or genome-edited with sgMYC, followed by treatment with either SAL (0.25 μ M) or vehicle (Veh.) for 18 h. GAPDH was used as a loading control. **(B)** Flow cytometry analysis of surface CD20 on Raji cells mock-nucleofected or genome-edited with sgMYC, followed by treatment with either SAL (0.25 μ M), MON (0.05 μ M), or corresponding vehicles for 48 h. Data was presented as a fold change of MFI, normalized to the mock-nucleofected, vehicle-treated cells. **(C-D)** Transient ablation of *SGK1* in Raji cells. The experiments were performed, and the results were presented analogously to A and B. **(E)** Flow cytometry analysis of surface CD20 on Raji cells pretreated with either EMD638683 (EMD; 25-50 μ M) or DMSO for 1 h, followed by the treatment with either SAL (0.25 μ M) or vehicle for next 48 h. The cell culture medium with fresh compounds was exchanged after 24 h. Data was presented as a fold change of MFI, normalized to the DMSO plus vehicle-treated cells.


Suppl. Table 5. The MFI values for CD20 antigen staining in CLL samples treated with increasing concentrations of monensin. The primary CLL cells (samples from Fig. 1D, n=13) were pretreated *ex vivo* for 48 hours with MON (concentration range 0.025-0.25 μ M). The cells stained with a mix of anti-CD19-APC Ab, anti-CD20-FITC Ab, and Zombie-NIR were analyzed with flow cytometry. The raw MFI values corresponding to anti-CD20-FITC signals in the Zombie-NIR-negative/ CD19-positive cell populations are presented for each sample.

Suppl. Table 6. The differential expression analysis of genes expressed in Raji cells pretreated with either salinomycin or the control vehicle. The table lists the genes identified by RNA-seq analysis of 0.5 μ M SAL- and control vehicle-treated Raji cells (two biological replicates for each treatment), followed by the differential expression analysis (SAL *versus*


control). The “log₂ (fold change)” values represent the magnitude of SAL-induced changes in the expression of genes, while the q values represent the statistical significance of these changes.

Suppl. Figure 1.

A.






B.






Suppl. Figure 2.


A.



B.




C.




Suppl. Figure 3.


A.




B.




C.



Suppl. Figure 4.




Suppl. Figure 5.




Suppl. Figure 6.


A.




B.




C.



Suppl. Figure 7.




Suppl. Figure 8.




Suppl. Figure 9.


A.




B.





C.



D.




Suppl. Figure 10.




Suppl. Figure 11.



A.




B.



C.



Suppl. Figure 12.



Suppl. Table 5. The MFI values for CD20 antigen staining in CLL samples treated with increasing concentrations of MON.

Sample code	Vehicle	MON (0.025 μ M)	MON (0.05 μ M)	MON (0.1 μ M)	MON (0.25 μ M)
G101	151	271	257	278	284
G160	227	425	437	450	406
G364	1544	3126	3196	3209	3127
G365	257	626	719	799	975
G374	2458	3450	4182	4309	4353
G401	173	327	359	407	526
G429	447	564	665	672	710
G441	376	746	779	846	922
G449	203	372	412	414	439
G450	1707	2146	2118	2074	2065
G453	360	609	674	743	795
G454	429	1022	1187	1267	1351
GD1	109	179	187	198	217

Suppl. Table 6. The differential expression analysis of genes expressed in Raji cells pretreated with either salinomycin or the control vehicle.

Gene	Mean Count	log2(Fold Change)	Std. Err. log2(Fold Change)	q Value
A1BG-AS1	10.04	0.14	0.2	9.89e-1
A4GALT	411.98	-0.09	0.23	9.90e-1
AAAS	610.65	-0.11	0.22	9.90e-1
AACS	100.3	0.03	0.24	9.93e-1
AAGAB	410.92	0.03	0.21	9.93e-1
AAK1	96.5	-0.4	0.24	8.23e-1
AAMP	878.54	-0.08	0.21	9.90e-1
AAR2	366.39	-0.22	0.22	9.54e-1
AARS	2019.48	0.48	0.18	3.49e-1
AARS2	289.06	-0.24	0.22	9.49e-1
AASDH	116.89	0.37	0.24	8.52e-1
AASDHPPT	654.98	0.18	0.21	9.78e-1
AATF	1469.83	-0.27	0.19	8.74e-1
ABAT	45.18	0.01	0.25	9.97e-1
ABCA1	241.27	0.34	0.22	8.49e-1
ABCA11P	52.16	0.2	0.25	9.86e-1
ABCA5	19.28	0.26	0.24	9.47e-1
ABCA6	10.89	0.02	0.21	9.95e-1
ABCA7	510.94	0.09	0.22	9.90e-1
ABCB10	369.16	0.2	0.22	9.68e-1
ABCB6	20.41	-0.09	0.23	9.90e-1
ABCB7	149.01	0.3	0.23	9.20e-1
ABCB8	338.42	-0.32	0.25	9.21e-1
ABCB9	42.99	-0.35	0.25	8.91e-1
ABCC1	1076.02	-0.18	0.19	9.72e-1
ABCC10	72.83	-0.21	0.25	9.81e-1
ABCC4	271.64	0.16	0.23	9.87e-1
ABCC5	330.1	0.17	0.21	9.81e-1
ABCD1	21.88	0.01	0.24	9.96e-1
ABCD3	413.17	0.2	0.22	9.66e-1
ABCD4	214.84	0.13	0.22	9.90e-1
ABCE1	2681.08	-0.11	0.19	9.90e-1
ABCF1	1816.71	-0.4	0.19	6.03e-1
ABCF2	1759.61	-0.18	0.18	9.61e-1
ABCF3	397.09	0	0.21	9.98e-1
ABHD11	124.69	0.13	0.24	9.90e-1
ABHD12	143.2	0.36	0.23	8.49e-1
ABHD13	98.17	0.22	0.25	9.72e-1
ABHD14B	204.13	-0.35	0.23	8.47e-1
ABHD15	89.57	0.11	0.25	9.90e-1
ABHD16A	126.63	0.07	0.24	9.93e-1
ABHD17A	196.7	0.01	0.24	9.97e-1
ABHD17B	136.68	0.28	0.24	9.47e-1
ABHD17C	75.13	0.3	0.25	9.47e-1
ABHD2	350.21	-0.04	0.21	9.93e-1
ABHD3	209.42	0.2	0.22	9.73e-1
ABHD4	90.04	0.17	0.25	9.88e-1
ABHD5	87.22	0.08	0.25	9.91e-1
ABHD6	142.54	0.54	0.23	5.33e-1
ABI1	774.71	0.23	0.2	9.47e-1
ABI2	519.32	-0.17	0.2	9.80e-1
ABI3	502.13	-0.37	0.23	8.40e-1
ABL1	528.73	-0.26	0.21	9.33e-1
ABL2	451.34	-0.17	0.21	9.81e-1
ABLIM1	259.21	-0.03	0.22	9.93e-1
ABR	1384.41	-0.26	0.19	8.94e-1
ABRACL	96.74	0.58	0.24	4.84e-1
ABT1	270.78	-0.16	0.23	9.87e-1
ABTB1	18.55	0.1	0.23	9.90e-1
ABTB2	38.43	-0.19	0.25	9.87e-1
ACAA1	171.98	0.04	0.23	9.93e-1
ACAA2	158.58	0.49	0.23	6.03e-1
ACACA	1300.97	0.06	0.19	9.92e-1
ACACB	250.17	0.18	0.22	9.83e-1
ACAD10	100.84	0.04	0.24	9.93e-1
ACAD11	10.55	-0.13	0.21	9.90e-1
ACAD8	122.65	0.11	0.24	9.90e-1
ACAD9	587.4	-0.39	0.2	7.03e-1
ACADM	1214.95	0.29	0.19	8.61e-1
ACADS	18.98	-0.22	0.23	9.59e-1
ACADSB	376.74	-0.15	0.21	9.87e-1
ACADVL	1368.96	-0.01	0.2	9.96e-1
ACAP1	399.6	-0.13	0.23	9.90e-1
ACAP2	544.71	0.22	0.21	9.49e-1
ACAP3	185.3	-0.32	0.24	9.12e-1
ACAT1	446.79	0.12	0.21	9.90e-1
ACAT2	293	-0.17	0.21	9.86e-1
ACBD3	445.44	0.32	0.21	8.52e-1
ACBD4	70.06	-0.23	0.25	9.72e-1
ACBD5	165.46	0.17	0.23	9.87e-1
ACBD6	227.33	0.12	0.22	9.90e-1
ACBD7	22.65	-0.19	0.24	9.86e-1

ACD	209.68	-0.27	0.24	9.49e-1
ACER3	138.89	0.11	0.24	9.90e-1
ACIN1	2653.82	-0.37	0.2	7.04e-1
ACKR3	103.7	-0.09	0.24	9.90e-1
ACKR4	51.41	-0.49	0.25	6.87e-1
ACLY	3997.44	-0.39	0.19	6.07e-1
ACO1	157.51	0.14	0.23	9.90e-1
ACO2	1658.11	-0.04	0.19	9.93e-1
ACOT13	76.09	0.24	0.25	9.60e-1
ACOT7	648.88	0.12	0.2	9.90e-1
ACOT8	76.32	-0.15	0.25	9.90e-1
ACOT9	137.52	-0.04	0.23	9.93e-1
ACOX1	168.53	0.06	0.23	9.93e-1
ACOX3	77.99	0.11	0.25	9.90e-1
ACP1	491.87	0.14	0.2	9.88e-1
ACP2	34.36	-0.42	0.25	8.17e-1
ACPP	13.93	-0.21	0.22	9.66e-1
ACRC	26.42	0.13	0.25	9.90e-1
ACSF2	50.22	-0.19	0.25	9.87e-1
ACSF3	259.05	0.06	0.23	9.93e-1
ACSL1	670.74	0.1	0.2	9.90e-1
ACSL3	562.33	-0.21	0.2	9.54e-1
ACSL4	1208.39	-0.02	0.2	9.95e-1
ACSL5	587.14	0.19	0.2	9.60e-1
ACSS1	524.89	-0.14	0.21	9.90e-1
ACTA2	30.28	0.02	0.25	9.96e-1
ACTB	21086.2	-0.08	0.18	9.90e-1
ACTG1	5576.93	-0.37	0.19	7.04e-1
ACTL6A	678.98	0.06	0.2	9.92e-1
ACTN4	2590.08	-0.49	0.2	4.40e-1
ACTR10	198.75	0.5	0.23	5.86e-1
ACTR1A	639.6	-0.11	0.2	9.90e-1
ACTR1B	200.3	0.1	0.23	9.90e-1
ACTR2	3787.51	0.04	0.19	9.93e-1
ACTR3	1687.64	0.25	0.19	9.12e-1
ACTR3B	246.74	0.05	0.22	9.93e-1
ACTR5	161.91	0.08	0.23	9.90e-1
ACTR6	160.79	0.24	0.23	9.54e-1
ACTR8	249.61	-0.07	0.22	9.90e-1
ACVR1B	80.82	0.06	0.25	9.93e-1
ACVR2B	30.73	-0.01	0.25	9.97e-1
ACY3	40.16	-0.15	0.25	9.90e-1
ACYP1	42.9	0.29	0.25	9.47e-1
ACYP2	18.87	0.23	0.23	9.60e-1
ADA	292	0.44	0.21	6.14e-1
ADAL	125.76	0.07	0.24	9.93e-1
ADAM10	515.48	0.12	0.21	9.90e-1
ADAM11	14.89	-0.08	0.22	9.90e-1
ADAM15	678.58	-0.4	0.24	8.03e-1
ADAM17	452.27	0.21	0.21	9.58e-1
ADAM19	362.88	0.09	0.21	9.90e-1
ADAM1A	45.18	0.03	0.25	9.93e-1
ADAM22	208.12	0.11	0.23	9.90e-1
ADAM23	115.82	-0.17	0.24	9.87e-1
ADAM28	87.08	-0.32	0.25	9.20e-1
ADAM8	12.74	-0.11	0.21	9.90e-1
ADAM9	542.7	0.39	0.21	7.22e-1
ADAMDEC1	43.11	0.31	0.25	9.42e-1
ADAR	3749.25	-0.2	0.18	9.47e-1
ADAT1	177.79	0.07	0.23	9.91e-1
ADAT2	236.2	0.25	0.22	9.47e-1
ADAT3	11.36	-0.08	0.21	9.90e-1
ADCK1	104.98	-0.16	0.24	9.89e-1
ADCK2	268.55	0.03	0.23	9.93e-1
ADCK3	238.62	0.1	0.23	9.90e-1
ADCK4	196.79	-0.4	0.24	8.17e-1
ADCK5	54.24	-0.05	0.25	9.93e-1
ADCY3	842.89	-0.21	0.21	9.57e-1
ADCY7	203.08	0.09	0.23	9.90e-1
ADD1	613.9	-0.18	0.2	9.73e-1
ADD3	1064.84	0.31	0.2	8.41e-1
ADGRE5	114.54	-0.14	0.24	9.90e-1
ADGRF3	26.41	0.06	0.25	9.93e-1
ADGRG5	27.22	-0.6	0.25	4.62e-1
ADGRL1	282.47	-0.43	0.23	7.41e-1
ADH5	521.69	0.34	0.2	8.11e-1
ADI1	457.32	0.4	0.2	6.80e-1
ADIPOR1	912.9	-0.16	0.19	9.80e-1
ADIPOR2	657.87	0.09	0.19	9.90e-1
ADK	329.64	0.33	0.22	8.52e-1
ADM5	105.9	-0.19	0.25	9.87e-1
ADNP	1746.19	0.15	0.2	9.87e-1
ADNP2	255.9	-0.24	0.22	9.49e-1

ADO	248.94	0.06	0.22	9.93e-1
ADORA2A	11.06	-0.09	0.21	9.90e-1
ADORA2B	36.72	-0.06	0.25	9.93e-1
ADPGK	425.15	-0.02	0.2	9.95e-1
ADPRHL1	38.57	-0.01	0.25	9.96e-1
ADPRHL2	202.65	-0.07	0.23	9.93e-1
ADPRM	25.8	0.06	0.25	9.93e-1
ADRBK1	1160.04	-0.27	0.21	9.30e-1
ADRBK2	646.82	0.05	0.2	9.93e-1
ADRM1	1134.46	-0.5	0.23	5.86e-1
ADSL	896.33	0.18	0.19	9.68e-1
ADSS	564.6	0.13	0.2	9.90e-1
AEBP2	447.69	-0.11	0.21	9.90e-1
AEN	507.82	-0.37	0.22	7.99e-1
AES	912.58	-0.16	0.21	9.87e-1
AFAP1	14.13	0.56	0.22	4.14e-1
AFAP1-AS1	139.51	-0.11	0.23	9.90e-1
AFF1	325.61	-0.47	0.22	5.91e-1
AFF2	387.83	-0.5	0.21	4.68e-1
AFF3	665.27	-0.38	0.19	6.79e-1
AFF4	612.22	0.08	0.21	9.90e-1
AFG3L1P	357.25	0.05	0.21	9.93e-1
AFG3L2	1350.74	0.15	0.19	9.81e-1
AFMID	427.91	-0.06	0.2	9.93e-1
AFTPH	413.53	0.06	0.21	9.93e-1
AGA	69.61	0.47	0.25	7.13e-1
AGAP2	291.31	-0.26	0.23	9.47e-1
AGAP3	432.21	-0.32	0.23	8.78e-1
AGAP4	33.21	-0.07	0.25	9.93e-1
AGAP5	34.46	-0.05	0.25	9.93e-1
AGAP6	199.04	-0.12	0.22	9.90e-1
AGBL5	495.13	-0.28	0.21	9.10e-1
AGER	58.18	-0.01	0.25	9.96e-1
AGFG1	819.44	-0.04	0.21	9.93e-1
AGFG2	83.01	-0.35	0.25	8.91e-1
AGK	309.19	0.04	0.22	9.93e-1
AGL	424.25	-0.04	0.21	9.93e-1
AGO1	1409.21	-0.01	0.19	9.96e-1
AGO2	485.79	-0.19	0.2	9.65e-1
AGO3	244.02	0.08	0.22	9.90e-1
AGPAT1	339.16	-0.26	0.23	9.47e-1
AGPAT2	139.32	0.04	0.24	9.93e-1
AGPAT3	857.48	-0.04	0.2	9.93e-1
AGPAT4	71	0.08	0.25	9.92e-1
AGPAT5	734.3	0.27	0.2	9.10e-1
AGPAT6	802.32	0.2	0.19	9.53e-1
AGP5	389.28	-0.05	0.21	9.93e-1
AGRN	12.06	-0.03	0.21	9.93e-1
AGTPBP1	407.69	0.34	0.22	8.41e-1
AGTRAP	87.59	-0.28	0.25	9.47e-1
AHCTF1	1899.45	-0.09	0.2	9.90e-1
AHCTF1P1	33.27	0	0.25	9.99e-1
AHCY	4221.98	-0.18	0.2	9.68e-1
AHCYL1	761.15	0.08	0.19	9.90e-1
AHCYL2	170.1	0.1	0.23	9.90e-1
AHDC1	116.84	-0.29	0.25	9.47e-1
AHI1	220.56	-0.01	0.23	9.96e-1
AHRR	26.26	-0.11	0.25	9.90e-1
AHSA1	2100.92	-0.28	0.18	8.53e-1
AHSA2	209.56	-0.04	0.22	9.93e-1
AICDA	152	-0.74	0.23	1.20e-1
AIDA	286.19	-0.09	0.22	9.90e-1
AIFM1	715.44	0.2	0.19	9.56e-1
AIFM2	24.11	-0.13	0.25	9.90e-1
AIG1	13.78	0.02	0.22	9.93e-1
AIM1	1388.73	0.06	0.19	9.91e-1
AIM2	249.78	0.09	0.22	9.90e-1
AIMP1	453.92	-0.09	0.21	9.90e-1
AIMP2	549.21	-0.03	0.2	9.93e-1
AIP	277.95	0.12	0.22	9.90e-1
AK2	4623.63	-0.35	0.18	6.87e-1
AK3	617.7	-0.04	0.21	9.93e-1
AK4	4125.54	-0.1	0.18	9.90e-1
AK6	199.37	0.33	0.23	8.76e-1
AK9	34.58	0.13	0.25	9.90e-1
AKAP1	1479.49	-0.31	0.19	8.14e-1
AKAP10	211.59	0.05	0.23	9.93e-1
AKAP11	667.44	0.24	0.21	9.47e-1
AKAP13	1164.56	-0.04	0.19	9.93e-1
AKAP17A	584.76	-0.03	0.22	9.93e-1
AKAP8	431.03	-0.17	0.2	9.81e-1
AKAP8L	412.74	-0.1	0.21	9.90e-1
AKAP9	561.76	-0.06	0.21	9.91e-1

AKIP1	24.27	0.12	0.25	9.90e-1
AKIRIN1	521.62	0.07	0.2	9.91e-1
AKIRIN2	557.87	0.36	0.2	7.57e-1
AKNA	1469.31	-0.55	0.22	4.11e-1
AKR1A1	845.6	0.34	0.2	8.03e-1
AKR1B1	838.39	0.21	0.19	9.49e-1
AKR7A2	254.2	0.15	0.22	9.87e-1
AKT1	1091.4	-0.21	0.21	9.56e-1
AKT1S1	553.81	-0.26	0.22	9.42e-1
AKT2	1279.08	-0.54	0.22	4.40e-1
AKTIP	36.47	0.12	0.25	9.90e-1
ALAD	179.6	-0.1	0.23	9.90e-1
ALAS1	381.49	0.1	0.21	9.90e-1
ALCAM	258.82	0.34	0.22	8.53e-1
ALDH16A1	374.23	-0.11	0.25	9.90e-1
ALDH18A1	1635.08	-0.11	0.18	9.90e-1
ALDH1B1	205.17	-0.32	0.22	8.69e-1
ALDH1L1	70.31	0.27	0.25	9.49e-1
ALDH4A1	32.1	0.01	0.25	9.97e-1
ALDH5A1	1552.62	0.48	0.18	3.52e-1
ALDH6A1	138.44	0.37	0.23	8.41e-1
ALDH9A1	373.25	0.36	0.21	8.04e-1
ALDOA	7839.85	-0.14	0.19	9.87e-1
ALDOC	244.79	-0.06	0.22	9.93e-1
ALG1	271.57	0.12	0.21	9.90e-1
ALG10	76.55	-0.1	0.25	9.90e-1
ALG10B	150.28	0.21	0.23	9.74e-1
ALG11	30.95	0.04	0.25	9.93e-1
ALG12	104.09	-0.05	0.25	9.93e-1
ALG13	281.1	0.15	0.22	9.88e-1
ALG14	32.21	0.37	0.25	8.64e-1
ALG2	224.66	0.08	0.22	9.90e-1
ALG3	562.95	-0.22	0.21	9.54e-1
ALG5	138.3	0.23	0.24	9.61e-1
ALG6	218.67	0.04	0.23	9.93e-1
ALG8	392.99	0.34	0.22	8.38e-1
ALG9	177.46	0.13	0.23	9.90e-1
ALKBH1	134.96	0.06	0.23	9.93e-1
ALKBH2	132.93	-0.01	0.23	9.97e-1
ALKBH3	92.89	0.1	0.25	9.90e-1
ALKBH4	81.04	-0.31	0.25	9.33e-1
ALKBH5	661.97	0.13	0.2	9.89e-1
ALKBH6	81.3	-0.54	0.25	5.94e-1
ALKBH7	54.58	0.1	0.25	9.90e-1
ALKBH8	148.16	0.15	0.24	9.90e-1
ALMS1	706.79	-0.22	0.21	9.49e-1
ALMS1-IT1	12.73	-0.33	0.22	8.53e-1
ALOX12-AS1	11.1	0.07	0.21	9.91e-1
ALOX12B	28.05	-0.23	0.25	9.66e-1
ALOX5	847	-0.45	0.2	5.79e-1
ALOX5AP	390.96	0.15	0.21	9.87e-1
ALPK1	142.05	0.12	0.24	9.90e-1
ALS2	145.83	0.06	0.23	9.93e-1
ALYREF	800.88	0.57	0.2	2.45e-1
AMBRA1	330.35	-0.3	0.23	9.12e-1
AMD1	1901.85	-0.1	0.2	9.90e-1
AMDHD2	141.56	-0.41	0.25	8.17e-1
AMFR	1120.54	0.7	0.19	3.33e-2
AMH	98.21	-0.25	0.25	9.58e-1
AMIGO3	53.53	-0.2	0.25	9.86e-1
AMMECR1	222.66	0	0.22	9.98e-1
AMMECR1L	151.85	-0.07	0.23	9.91e-1
AMN1	32.77	-0.11	0.25	9.90e-1
AMPD2	492.15	-0.27	0.22	9.39e-1
AMPD3	45.58	-0.24	0.25	9.66e-1
AMT	17.65	0.19	0.23	9.82e-1
AMZ1	26.87	0.03	0.25	9.93e-1
AMZ2	368.45	-0.09	0.21	9.90e-1
AMZ2P1	84.56	0.16	0.25	9.90e-1
ANAPC1	1022.79	-0.06	0.19	9.91e-1
ANAPC10	67.43	0.2	0.25	9.86e-1
ANAPC11	54.9	0.14	0.25	9.90e-1
ANAPC13	365.82	0.41	0.21	6.87e-1
ANAPC15	233.65	-0.12	0.23	9.90e-1
ANAPC16	318.13	0.46	0.21	5.91e-1
ANAPC2	270.32	-0.14	0.23	9.90e-1
ANAPC4	341.69	0.17	0.21	9.83e-1
ANAPC5	1524.68	0.32	0.19	8.21e-1
ANAPC7	653.17	0.04	0.2	9.93e-1
ANGEL1	325.01	-0.23	0.21	9.49e-1
ANGEL2	225.4	0.09	0.22	9.90e-1
ANGPTL6	25.03	0.06	0.25	9.93e-1
ANK1	26.55	0.07	0.25	9.93e-1

ANK2	137.99	0.38	0.23	8.29e-1
ANKFY1	730.76	0.05	0.19	9.93e-1
ANKH	263.87	0.01	0.21	9.96e-1
ANKHD1	12.08	0.04	0.21	9.93e-1
ANKHD1-EIF4EBP3	32.77	-0.26	0.25	9.54e-1
ANKIB1	504.4	0.09	0.21	9.90e-1
ANKLE1	825.39	-0.29	0.21	9.04e-1
ANKLE2	590.53	0.2	0.2	9.58e-1
ANKMY1	130.09	-0.07	0.24	9.92e-1
ANKMY2	45.35	-0.15	0.25	9.90e-1
ANKRA2	36.27	0.21	0.25	9.80e-1
ANKRD10	176.55	0.48	0.23	6.37e-1
ANKRD11	1165.08	-0.21	0.2	9.50e-1
ANKRD12	392.36	-0.12	0.22	9.90e-1
ANKRD13A	1333.32	0.25	0.19	9.14e-1
ANKRD13B	394.26	-0.43	0.22	6.87e-1
ANKRD13C	234.86	0.02	0.22	9.93e-1
ANKRD13D	139.5	-0.25	0.24	9.49e-1
ANKRD16	81.63	0.08	0.25	9.91e-1
ANKRD17	2484.5	-0.31	0.18	8.09e-1
ANKRD23	27.3	-0.02	0.25	9.96e-1
ANKRD26	322.03	0	0.21	9.99e-1
ANKRD27	1009.35	0.07	0.19	9.90e-1
ANKRD28	937.41	0.29	0.2	8.64e-1
ANKRD32	166.59	-0.06	0.23	9.93e-1
ANKRD33B	596.02	0.48	0.2	4.62e-1
ANKRD34A	36.35	-0.29	0.25	9.47e-1
ANKRD36	80.93	-0.29	0.25	9.47e-1
ANKRD36B	50.25	-0.06	0.25	9.93e-1
ANKRD36BP2	241.48	0.02	0.22	9.93e-1
ANKRD36C	52.05	-0.43	0.25	8.08e-1
ANKRD39	64.95	0.03	0.25	9.93e-1
ANKRD40	751.49	-0.08	0.2	9.90e-1
ANKRD42	37.98	-0.14	0.25	9.90e-1
ANKRD44	199.38	0	0.23	9.99e-1
ANKRD46	129.81	-0.01	0.24	9.98e-1
ANKRD49	132.67	0.08	0.23	9.90e-1
ANKRD52	1059.6	-0.62	0.22	2.52e-1
ANKRD54	197.75	-0.15	0.23	9.90e-1
ANKS1A	274.13	-0.36	0.22	8.12e-1
ANKS3	45.03	-0.26	0.25	9.52e-1
ANKS6	415.11	-0.03	0.2	9.93e-1
ANKZF1	201.2	-0.05	0.22	9.93e-1
ANLN	577.57	-0.08	0.2	9.90e-1
ANO10	21.8	0.11	0.24	9.90e-1
ANO6	220.85	-0.06	0.22	9.93e-1
ANO8	102.82	0.04	0.24	9.93e-1
ANP32A	3759.79	-0.32	0.18	7.56e-1
ANP32B	3721.91	0.2	0.18	9.47e-1
ANP32E	2927.07	-0.03	0.19	9.93e-1
ANXA11	465.17	-0.15	0.21	9.88e-1
ANXA2	48.6	0.04	0.25	9.93e-1
ANXA4	222.94	-0.08	0.22	9.90e-1
ANXA5	319.63	0.07	0.21	9.91e-1
ANXA6	456.92	0.33	0.2	8.30e-1
ANXA7	703.32	0.14	0.2	9.88e-1
AOC2	14.32	-0.07	0.23	9.92e-1
AP1AR	282.11	0.51	0.22	5.42e-1
AP1B1	1284.81	-0.37	0.22	7.99e-1
AP1G1	1252.76	-0.11	0.19	9.90e-1
AP1G2	703.72	-0.18	0.21	9.74e-1
AP1M1	418.6	-0.23	0.22	9.52e-1
AP1S1	267.67	0.04	0.21	9.93e-1
AP1S2	192.02	0.33	0.24	8.82e-1
AP1S3	223.23	-0.13	0.22	9.90e-1
AP2A1	756.98	-0.32	0.22	8.66e-1
AP2A2	361.96	0.12	0.21	9.90e-1
AP2B1	1255.07	0.1	0.19	9.90e-1
AP2M1	1169.54	-0.2	0.19	9.51e-1
AP2S1	170.5	0.11	0.23	9.90e-1
AP3B1	470.52	0.13	0.2	9.90e-1
AP3D1	1518.76	-0.11	0.19	9.90e-1
AP3M1	811.38	-0.08	0.2	9.90e-1
AP3M2	105.34	0.2	0.24	9.81e-1
AP3S1	267.5	0.47	0.23	6.07e-1
AP4B1	228.07	0.25	0.22	9.47e-1
AP4E1	100.77	0.19	0.24	9.87e-1
AP4M1	66.59	-0.11	0.25	9.90e-1
AP4S1	43.89	-0.18	0.25	9.87e-1
AP5B1	413.93	-0.4	0.22	7.57e-1
AP5M1	392.88	0.23	0.22	9.49e-1
AP5S1	67.52	-0.11	0.25	9.90e-1
AP5Z1	290.3	-0.28	0.24	9.47e-1

APAF1	92.9	0.11	0.25	9.90e-1
APBA3	134.96	-0.03	0.25	9.93e-1
APBB1IP	847.83	-0.4	0.19	6.07e-1
APBB2	155.26	-0.07	0.23	9.91e-1
APC	509.39	-0.17	0.21	9.80e-1
APEH	1131.97	-0.1	0.21	9.90e-1
APEX1	2857.51	-0.05	0.18	9.93e-1
APEX2	331.69	0.02	0.21	9.95e-1
APH1A	809.06	-0.01	0.21	9.96e-1
API5	1188.6	-0.14	0.2	9.87e-1
APIP	268.76	0.51	0.22	5.32e-1
APLF	49.36	0.39	0.25	8.51e-1
APLP2	1442.58	0.09	0.19	9.90e-1
APMAP	342.75	0.12	0.21	9.90e-1
APOA1BP	232.48	-0.36	0.23	8.38e-1
APOBEC3B	62.74	1.19	0.25	1.51e-3
APOBEC3C	220.58	-0.06	0.23	9.93e-1
APOBEC3D	42.47	0.3	0.25	9.47e-1
APOBEC3F	123.36	0.43	0.24	7.57e-1
APOBEC3G	325.71	0.65	0.21	1.54e-1
APOBR	109.85	-0.39	0.25	8.45e-1
APOL1	10.84	-0.11	0.21	9.90e-1
APOL2	160.25	-0.09	0.23	9.90e-1
APOL3	287.13	0.04	0.22	9.93e-1
APOL6	141.31	-0.08	0.24	9.91e-1
APOLD1	40.39	0.29	0.25	9.47e-1
APOM	11.72	0.09	0.21	9.90e-1
APOO	93.89	0.13	0.24	9.90e-1
APOOL	268.31	0.05	0.22	9.93e-1
APOPT1	100.38	0.1	0.24	9.90e-1
APBP2	215.98	0.2	0.22	9.74e-1
APPL1	910.39	0.01	0.2	9.96e-1
APPL2	72.16	0.29	0.25	9.47e-1
APRT	217.46	-0.29	0.25	9.47e-1
APTR	73.62	0.08	0.25	9.91e-1
APTX	341.5	0.08	0.21	9.90e-1
AQR	725.53	0.05	0.2	9.93e-1
ARAF	477.01	-0.16	0.21	9.87e-1
ARAP1	880.14	-0.32	0.23	8.91e-1
ARAP2	164.93	-0.05	0.23	9.93e-1
ARCN1	1215.26	0.16	0.19	9.81e-1
AREL1	375.48	-0.02	0.21	9.95e-1
ARF1	2249.28	-0.29	0.19	8.53e-1
ARF3	1718.54	-0.32	0.19	8.10e-1
ARF4	717.3	-0.07	0.19	9.90e-1
ARF5	475.27	0.07	0.22	9.90e-1
ARF6	914.27	0.01	0.19	9.96e-1
ARFGAP1	554.73	-0.25	0.23	9.49e-1
ARFGAP2	594.48	-0.06	0.21	9.93e-1
ARFGAP3	186.72	0.52	0.23	5.37e-1
ARFGEF1	561.35	0.22	0.21	9.49e-1
ARFGEF2	1539.78	0.21	0.19	9.49e-1
ARFIP1	135.47	0.11	0.24	9.90e-1
ARFIP2	364.13	-0.14	0.21	9.88e-1
ARFRP1	408.87	0.11	0.22	9.90e-1
ARG2	50.56	0.16	0.25	9.90e-1
ARGLU1	774.93	-0.13	0.2	9.90e-1
ARHGAP1	516.1	-0.27	0.21	9.12e-1
ARHGAP10	116.05	-0.3	0.24	9.36e-1
ARHGAP11A	1434.17	-0.26	0.19	8.80e-1
ARHGAP11B	77.39	-0.08	0.25	9.91e-1
ARHGAP12	179.44	0.17	0.23	9.87e-1
ARHGAP15	81.63	-0.17	0.25	9.89e-1
ARHGAP17	724.85	0.33	0.2	8.04e-1
ARHGAP18	36.22	0.04	0.25	9.93e-1
ARHGAP19	357.95	0.06	0.21	9.92e-1
ARHGAP21	414.77	-0.26	0.21	9.30e-1
ARHGAP24	57.2	-0.06	0.25	9.93e-1
ARHGAP25	220.32	-0.05	0.22	9.93e-1
ARHGAP26	210.74	-0.12	0.22	9.90e-1
ARHGAP27	232.96	-0.39	0.24	8.12e-1
ARHGAP30	2087.67	-0.4	0.22	7.57e-1
ARHGAP32	14.15	-0.08	0.23	9.90e-1
ARHGAP33	122.1	-0.46	0.25	7.49e-1
ARHGAP35	1102.68	-0.4	0.19	6.22e-1
ARHGAP39	50.52	-0.01	0.25	9.97e-1
ARHGAP4	558.08	-0.08	0.23	9.90e-1
ARHGAP44	74.29	0.01	0.25	9.96e-1
ARHGAP5	304.36	-0.2	0.22	9.66e-1
ARHGAP9	39.07	0.17	0.25	9.89e-1
ARHGDIA	2344.86	-0.24	0.24	9.56e-1
ARHGDIB	2741.18	-0.35	0.18	6.87e-1
ARHGEF1	897.53	-0.19	0.21	9.72e-1

ARHGEF12	188.4	0.33	0.23	8.68e-1
ARHGEF18	1272.45	-0.22	0.21	9.49e-1
ARHGEF2	1216.44	-0.3	0.2	8.53e-1
ARHGEF26	57.71	-0.1	0.25	9.90e-1
ARHGEF3	14.68	-0.22	0.23	9.59e-1
ARHGEF39	135.53	-0.14	0.23	9.90e-1
ARHGEF6	436.44	-0.28	0.2	9.04e-1
ARHGEF7	565.76	0.18	0.2	9.66e-1
ARHGEF9	121.6	0.07	0.24	9.93e-1
ARID1A	2308.95	-0.48	0.19	3.77e-1
ARID1B	811.18	-0.09	0.19	9.90e-1
ARID2	414.88	-0.13	0.21	9.90e-1
ARID3A	34.47	0.01	0.25	9.96e-1
ARID3B	20.11	-0.28	0.24	9.47e-1
ARID4A	309.68	-0.24	0.21	9.47e-1
ARID4B	543.87	0.07	0.2	9.90e-1
ARID5A	77.14	-0.31	0.25	9.42e-1
ARID5B	13.21	0.28	0.21	9.12e-1
ARIH1	621.48	0.18	0.21	9.74e-1
ARIH2	1308.34	-0.02	0.19	9.94e-1
ARL1	183.97	-0.02	0.23	9.93e-1
ARL11	101.86	0.05	0.24	9.93e-1
ARL13B	114.37	-0.06	0.24	9.93e-1
ARL14EP	338.76	0.13	0.22	9.90e-1
ARL15	139.89	-0.33	0.24	8.91e-1
ARL16	106.14	0.01	0.24	9.96e-1
ARL17A	37.79	-0.12	0.25	9.90e-1
ARL2	89.15	-0.08	0.25	9.90e-1
ARL2BP	414.18	-0.12	0.2	9.90e-1
ARL3	127.33	-0.26	0.24	9.49e-1
ARL4A	45.06	0.03	0.25	9.93e-1
ARL5A	897.86	0.02	0.21	9.96e-1
ARL5B	177.22	0.4	0.23	7.87e-1
ARL6	36	-0.22	0.25	9.77e-1
ARL6IP1	1162.36	0.36	0.2	7.35e-1
ARL6IP4	466.81	-0.12	0.23	9.90e-1
ARL6IP5	204.43	0.14	0.22	9.90e-1
ARL6IP6	177.86	0.5	0.23	5.84e-1
ARL8A	167.38	0.1	0.24	9.90e-1
ARL8B	587.05	0.31	0.21	8.64e-1
ARMC1	610.22	0.18	0.21	9.79e-1
ARMC10	787.73	0.43	0.21	6.49e-1
ARMC2	34.27	0.13	0.25	9.90e-1
ARMC5	89.4	-0.15	0.25	9.90e-1
ARMC6	591.37	-0.15	0.23	9.88e-1
ARMC7	64.03	-0.35	0.25	8.92e-1
ARMC8	318.03	0	0.22	9.98e-1
ARMC9	65.53	0.25	0.25	9.59e-1
ARMCX6	26.08	-0.28	0.25	9.47e-1
ARMT1	213.55	-0.15	0.22	9.88e-1
ARNT	250.58	-0.09	0.22	9.90e-1
ARPC1A	1030.42	-0.07	0.19	9.90e-1
ARPC1B	2146.49	0.15	0.2	9.86e-1
ARPC2	2420.22	0.1	0.18	9.90e-1
ARPC3	963.13	0.33	0.2	7.97e-1
ARPC4	196.51	-0.02	0.23	9.96e-1
ARPC5	789.36	0.02	0.2	9.95e-1
ARPC5L	233.43	0.42	0.22	6.87e-1
ARPP19	1886.3	-0.03	0.2	9.93e-1
ARRB2	303.18	-0.3	0.22	8.80e-1
ARRDC1	149.31	-0.26	0.25	9.54e-1
ARRDC1-AS1	122.87	-0.26	0.25	9.49e-1
ARRDC2	150	-0.04	0.24	9.93e-1
ARRDC3	60.49	-0.37	0.25	8.64e-1
ARSA	133.52	-0.4	0.25	8.40e-1
ARSB	114.32	0.08	0.24	9.90e-1
ARSG	44.01	0.08	0.25	9.91e-1
ARSK	49.19	0.09	0.25	9.90e-1
ARV1	75.08	0.28	0.25	9.47e-1
ARVCF	26.07	-0.1	0.24	9.90e-1
ASAH1	659.46	0.7	0.21	8.70e-2
ASAP1	640.88	-0.09	0.2	9.90e-1
ASAP3	75.73	-0.32	0.25	9.16e-1
ASB1	320.82	-0.05	0.21	9.93e-1
ASB13	444.97	-0.1	0.21	9.90e-1
ASB16-AS1	83.38	-0.38	0.25	8.45e-1
ASB6	164.02	-0.32	0.23	8.92e-1
ASB7	148.2	0.18	0.23	9.86e-1
ASB8	156.45	-0.09	0.23	9.90e-1
ASCC1	259.8	0.09	0.22	9.90e-1
ASCC2	526.35	-0.02	0.2	9.93e-1
ASCC3	1497.27	0.04	0.2	9.93e-1
ASF1A	416.76	-0.04	0.22	9.93e-1

ASF1B	481.74	0.16	0.21	9.87e-1
ASH1L	489.9	0.05	0.2	9.93e-1
ASH1L-AS1	14.05	0.1	0.22	9.90e-1
ASH2L	332.27	0.25	0.21	9.45e-1
ASL	119.08	-0.03	0.24	9.93e-1
ASMTL	536.94	-0.19	0.21	9.77e-1
ASMTL-AS1	36.01	-0.18	0.25	9.87e-1
ASNA1	359.87	-0.04	0.21	9.93e-1
ASNS	1119.68	1.35	0.2	0.00e+0
ASNSD1	581.65	-0.11	0.2	9.90e-1
ASPH	216.36	0.01	0.23	9.96e-1
ASPHD2	105.07	0.14	0.24	9.90e-1
ASPM	1195.86	-0.06	0.21	9.91e-1
ASPSCR1	146.88	0.09	0.24	9.90e-1
ASTE1	67.01	-0.03	0.25	9.93e-1
ASTN2	18.49	0.07	0.24	9.93e-1
ASUN	948.3	-0.05	0.19	9.93e-1
ASXL1	1441.95	-0.14	0.19	9.87e-1
ASXL2	570.15	-0.16	0.2	9.81e-1
ASZ1	10.04	0.13	0.21	9.90e-1
ATAD1	512.44	0.18	0.21	9.80e-1
ATAD2	1454.34	0.09	0.2	9.90e-1
ATAD2B	278.3	-0.21	0.22	9.63e-1
ATAD3A	749.52	-0.43	0.24	7.41e-1
ATAD3B	539.46	-0.45	0.23	6.79e-1
ATAD5	386.98	-0.04	0.22	9.93e-1
ATAT1	109.03	-0.14	0.24	9.90e-1
ATE1	485.87	0.27	0.21	9.10e-1
ATF1	266.41	0.22	0.22	9.58e-1
ATF2	353.69	-0.02	0.22	9.95e-1
ATF4	2190.87	0.34	0.18	7.36e-1
ATF5	277.07	0.63	0.24	3.33e-1
ATF6	492.55	0.14	0.2	9.87e-1
ATF6B	985.52	-0.32	0.21	8.48e-1
ATF7	301.79	-0.2	0.21	9.67e-1
ATF7IP	815.32	-0.27	0.19	8.91e-1
ATG101	204.96	-0.22	0.24	9.66e-1
ATG12	194.76	0.19	0.23	9.80e-1
ATG13	550.03	0.22	0.2	9.49e-1
ATG14	104.26	0.05	0.24	9.93e-1
ATG16L1	191.62	0.13	0.22	9.90e-1
ATG16L2	115.26	-0.16	0.24	9.90e-1
ATG2A	331.23	-0.34	0.23	8.56e-1
ATG2B	558.9	0.11	0.21	9.90e-1
ATG3	732.15	0.31	0.2	8.52e-1
ATG4A	93.16	-0.03	0.24	9.93e-1
ATG4B	423.18	-0.1	0.21	9.90e-1
ATG4C	196.66	0.15	0.23	9.90e-1
ATG4D	114.65	-0.09	0.25	9.90e-1
ATG5	311.88	0.15	0.22	9.88e-1
ATG7	87.4	0.14	0.25	9.90e-1
ATG9A	369.25	-0.3	0.22	8.92e-1
ATG9B	11.21	-0.32	0.21	8.56e-1
ATHL1	425.58	-0.25	0.24	9.49e-1
ATIC	1660.58	0.02	0.19	9.93e-1
ATL2	497.4	0.24	0.21	9.47e-1
ATL3	295.77	0.02	0.21	9.93e-1
ATM	575.83	0.21	0.21	9.58e-1
ATMIN	690.75	0.32	0.21	8.50e-1
ATN1	701.08	-0.62	0.24	3.64e-1
ATOX1	162.9	-0.08	0.24	9.90e-1
ATP10D	232.93	-0.07	0.22	9.91e-1
ATP11A	373.04	-0.07	0.21	9.90e-1
ATP11B	507.05	0.27	0.21	9.12e-1
ATP11C	513.58	0.12	0.21	9.90e-1
ATP13A1	987.96	-0.24	0.21	9.47e-1
ATP13A2	93.86	0.23	0.25	9.66e-1
ATP13A3	1809.88	0.17	0.2	9.80e-1
ATP1A1	2854.62	0.02	0.18	9.94e-1
ATP1A1-AS1	10.67	0.11	0.21	9.90e-1
ATP1A3	994.03	-0.44	0.21	6.07e-1
ATP1B1	37.82	0.18	0.25	9.87e-1
ATP1B3	608.38	0.28	0.2	8.68e-1
ATP2A1	10.25	-0.08	0.21	9.90e-1
ATP2A1-AS1	37.77	-0.3	0.25	9.45e-1
ATP2A2	3822.78	0.13	0.18	9.88e-1
ATP2A3	3485.85	-0.09	0.21	9.90e-1
ATP2B1	940.39	-0.01	0.2	9.98e-1
ATP2B4	714.95	-0.07	0.19	9.90e-1
ATP2C1	391.72	0.4	0.22	7.38e-1
ATP5A1	3971.74	0.29	0.18	8.39e-1
ATP5B	5737.77	0.22	0.18	9.25e-1
ATP5C1	1061.43	0.1	0.2	9.90e-1

ATP5D	319.58	0.15	0.23	9.90e-1
ATP5E	16.45	0.08	0.23	9.90e-1
ATP5F1	1276.44	0.25	0.19	9.12e-1
ATP5G1	604.54	-0.23	0.2	9.47e-1
ATP5G2	678.54	-0.12	0.21	9.90e-1
ATP5G3	857.56	0.08	0.19	9.90e-1
ATP5H	389.29	0.14	0.2	9.89e-1
ATP5I	211.2	0	0.22	9.98e-1
ATP5J	706.36	-0.3	0.19	8.41e-1
ATP5J2	570.45	-0.46	0.2	5.45e-1
ATP5L	649.17	-0.04	0.19	9.93e-1
ATP5O	774.84	0.33	0.19	7.97e-1
ATP5S	43.32	-0.09	0.25	9.90e-1
ATP5SL	283.64	-0.17	0.23	9.87e-1
ATP6AP1	358.29	0.05	0.21	9.93e-1
ATP6AP2	339.98	0.37	0.21	7.85e-1
ATP6V0A1	1035.74	0.11	0.2	9.90e-1
ATP6V0A2	639.42	0.04	0.2	9.93e-1
ATP6V0B	621.61	-0.11	0.22	9.90e-1
ATP6V0C	614.93	0.04	0.22	9.93e-1
ATP6V0D1	300.59	0.18	0.21	9.80e-1
ATP6V0E1	322.36	-0.21	0.21	9.59e-1
ATP6V0E2	154.98	-0.27	0.24	9.47e-1
ATP6V1A	1091.55	-0.08	0.19	9.90e-1
ATP6V1B1-AS1	23.44	-0.28	0.25	9.47e-1
ATP6V1B2	532.92	0.19	0.2	9.61e-1
ATP6V1C1	713.79	0.14	0.2	9.87e-1
ATP6V1D	143.86	0.22	0.24	9.66e-1
ATP6V1E1	377.11	0.27	0.21	9.12e-1
ATP6V1E2	10.82	0.24	0.21	9.47e-1
ATP6V1F	541.32	-0.34	0.23	8.56e-1
ATP6V1G1	422.01	0.03	0.2	9.93e-1
ATP6V1G2	16.39	0.31	0.23	9.08e-1
ATP6V1H	181.04	0.41	0.23	7.56e-1
ATP7A	90.2	0.11	0.25	9.90e-1
ATP8A1	972.19	0.74	0.21	6.62e-2
ATP8B3	22.85	-0.1	0.24	9.90e-1
ATP9B	77	0.22	0.25	9.77e-1
ATPAF1	133.61	0.13	0.24	9.90e-1
ATPAF2	188.09	-0.19	0.23	9.80e-1
ATPIF1	434.04	-0.36	0.21	7.80e-1
ATR	825.15	0.05	0.2	9.93e-1
ATRAID	283.78	0.06	0.22	9.93e-1
ATRIIP	148.83	-0.03	0.23	9.93e-1
ATRX	799.76	-0.06	0.2	9.93e-1
ATXN10	925.22	0.28	0.19	8.73e-1
ATXN1L	402.76	-0.35	0.21	8.23e-1
ATXN2	657.96	-0.5	0.19	3.77e-1
ATXN2L	3031.91	-0.21	0.21	9.58e-1
ATXN3	164.47	0.19	0.23	9.83e-1
ATXN7	370	0.04	0.21	9.93e-1
ATXN7L2	117.98	-0.2	0.25	9.86e-1
ATXN7L3	514.22	-0.18	0.22	9.80e-1
ATXN7L3B	532.4	0.08	0.2	9.90e-1
AUH	71.96	0.39	0.25	8.41e-1
AUNIP	117.42	-0.16	0.24	9.88e-1
AUP1	1297.1	-0.24	0.21	9.47e-1
AURKA	361.17	-0.32	0.21	8.44e-1
AURKAIP1	266.73	-0.11	0.21	9.90e-1
AURKB	560.81	-0.13	0.2	9.90e-1
AUTS2	607.34	-0.21	0.2	9.54e-1
AVEN	98.09	0.32	0.24	9.12e-1
AVIL	10.8	0.18	0.21	9.80e-1
AVL9	710.81	0.27	0.2	9.04e-1
AXIN1	641.74	-0.18	0.22	9.81e-1
AXIN2	15.69	0.13	0.23	9.90e-1
AZI2	136.79	0.31	0.24	9.12e-1
AZIN1	1817.96	0.06	0.19	9.90e-1
B2M	2746.07	0.34	0.19	7.23e-1
B3GALNT2	219.66	0.01	0.23	9.96e-1
B3GALT6	177.65	0.24	0.23	9.49e-1
B3GAT3	195.31	-0.15	0.24	9.90e-1
B3GLCT	123.03	-0.17	0.24	9.87e-1
B3GNT2	166.09	0.06	0.24	9.93e-1
B3GNTL1	49.86	0.26	0.25	9.56e-1
B4GALNT1	111.6	-0.48	0.25	6.83e-1
B4GALT1	696.84	-0.2	0.19	9.49e-1
B4GALT2	666.56	-0.39	0.22	7.57e-1
B4GALT3	333.3	-0.1	0.22	9.90e-1
B4GALT4	78.91	0.24	0.25	9.60e-1
B4GALT5	817.62	0.32	0.19	8.07e-1
B4GALT7	105.57	-0.09	0.25	9.90e-1
B4GAT1	84.27	-0.25	0.25	9.57e-1

B9D1	58	-0.08	0.25	9.91e-1
B9D2	11.9	0.02	0.22	9.96e-1
BABAM1	613.14	-0.05	0.21	9.93e-1
BACE2	16.66	0.27	0.23	9.47e-1
BACH1	167.91	0.52	0.24	5.76e-1
BACH2	47.17	-0.23	0.25	9.66e-1
BAD	58.22	-0.33	0.25	9.23e-1
BAG1	815.37	0.45	0.19	5.27e-1
BAG2	299.93	-0.08	0.21	9.90e-1
BAG3	13.76	-0.27	0.22	9.42e-1
BAG4	259.68	-0.09	0.22	9.90e-1
BAG5	720.5	-0.05	0.19	9.93e-1
BAG6	2455.14	-0.46	0.23	6.54e-1
BAHD1	509.78	-0.52	0.22	5.29e-1
BAK1	176.58	-0.43	0.24	7.49e-1
BANF1	804.08	-0.05	0.19	9.93e-1
BANK1	129.62	-0.08	0.24	9.90e-1
BANP	123.3	-0.04	0.24	9.93e-1
BAP1	589.39	-0.08	0.21	9.90e-1
BARD1	320.41	0.1	0.22	9.90e-1
BASP1	921.43	0.26	0.19	9.08e-1
BATF	15.97	-0.03	0.23	9.93e-1
BAX	285	-0.1	0.24	9.90e-1
BAZ1A	1942.32	-0.44	0.18	4.78e-1
BAZ1B	2646.27	-0.11	0.18	9.90e-1
BAZ2A	2234.46	-0.56	0.19	2.15e-1
BAZ2B	59.38	-0.11	0.25	9.90e-1
BBC3	40.14	0.23	0.25	9.72e-1
BBIP1	67.11	0.01	0.25	9.96e-1
BBS1	43.93	-0.03	0.25	9.93e-1
BBS10	80.15	0.12	0.25	9.90e-1
BBS12	20.17	0.21	0.24	9.74e-1
BBS2	106.59	0.34	0.24	8.73e-1
BBS4	77.51	0.19	0.25	9.86e-1
BBS5	21.98	-0.14	0.24	9.90e-1
BBS7	133.48	0.26	0.24	9.47e-1
BBS9	40.13	0.28	0.25	9.49e-1
BBX	526.89	-0.1	0.21	9.90e-1
BCAP29	166.19	0.16	0.24	9.89e-1
BCAP31	440.44	0.03	0.22	9.93e-1
BCAR3	32.08	0.1	0.25	9.90e-1
BCAS2	274.2	0.13	0.22	9.90e-1
BCAS3	26.44	0.16	0.25	9.90e-1
BCAS4	253.83	-0.2	0.23	9.80e-1
BCAT1	2489.84	0.38	0.19	6.59e-1
BCAT2	270	-0.13	0.23	9.90e-1
BCCIP	807.72	-0.01	0.2	9.96e-1
BCDIN3D	37.73	0.14	0.25	9.90e-1
BCKDHA	328.43	-0.03	0.22	9.93e-1
BCKDHB	284.44	0.09	0.22	9.90e-1
BCKDK	306.82	-0.23	0.23	9.58e-1
BCL10	126.08	0.11	0.24	9.90e-1
BCL11A	488.73	-0.01	0.2	9.96e-1
BCL2	161.87	0.72	0.23	1.34e-1
BCL2A1	76.67	0.54	0.25	5.91e-1
BCL2L1	521.44	-0.4	0.22	7.41e-1
BCL2L11	871.11	0.16	0.19	9.81e-1
BCL2L12	209.42	-0.45	0.24	7.31e-1
BCL2L13	499.96	0.13	0.2	9.90e-1
BCL3	146.1	0.08	0.25	9.91e-1
BCL6	2157.64	-0.22	0.2	9.49e-1
BCL7A	1015.31	-0.28	0.19	8.69e-1
BCL7B	422.15	-0.17	0.22	9.87e-1
BCL9	335.08	-0.56	0.23	4.15e-1
BCL9L	694.41	-0.63	0.24	3.41e-1
BCLAF1	2887.65	-0.12	0.19	9.90e-1
BCOR	961.71	-0.16	0.2	9.81e-1
BCORL1	97.58	-0.41	0.25	8.20e-1
BCR	258.8	-0.19	0.23	9.81e-1
BCS1L	374.34	-0.07	0.21	9.90e-1
BDH1	440.05	0	0.22	9.99e-1
BDH2	48.54	0.14	0.25	9.90e-1
BDP1	1238.87	-0.18	0.2	9.68e-1
BECN1	531.71	0.04	0.2	9.93e-1
BEND3	296.48	-0.28	0.21	9.12e-1
BEND4	580.98	-0.14	0.21	9.88e-1
BET1	166.52	0.49	0.23	6.14e-1
BET1L	603.86	-0.14	0.21	9.90e-1
BFAR	505.05	-0.1	0.2	9.90e-1
BFS2P	32.63	0.45	0.25	7.57e-1
BHLHE40	43.15	0.53	0.25	6.07e-1
BICC1	106.61	-0.38	0.24	8.40e-1
BICD1	219.92	-0.09	0.22	9.90e-1

BICD2	445.93	-0.23	0.2	9.47e-1
BID	249.8	0.1	0.22	9.90e-1
BIK	115.48	-0.36	0.25	8.66e-1
BIN3	163.87	-0.07	0.23	9.91e-1
BIRC2	231.11	0.33	0.23	8.73e-1
BIRC3	7335.76	0.07	0.19	9.90e-1
BIRC5	785.72	-0.03	0.19	9.93e-1
BIRC6	1262.18	0.04	0.2	9.93e-1
BISPR	94.76	0.01	0.25	9.96e-1
BLCAP	578.03	0.13	0.2	9.90e-1
BLK	1523.09	-0.25	0.2	9.25e-1
BLM	382.49	-0.18	0.21	9.77e-1
BLMH	829.16	0.01	0.19	9.96e-1
BLNK	416.07	0.32	0.2	8.41e-1
BLOC1S1	16.13	-0.05	0.23	9.93e-1
BLOC1S2	144.77	0.37	0.24	8.41e-1
BLOC1S3	73.34	-0.04	0.25	9.93e-1
BLOC1S4	24.78	0.09	0.25	9.90e-1
BLOC1S6	608.88	0.03	0.21	9.93e-1
BLVRB	63.99	0.09	0.25	9.90e-1
BLZF1	62.78	0.07	0.25	9.93e-1
BMF	95.02	0.49	0.24	6.59e-1
BMI1	18.5	-0.15	0.23	9.90e-1
BMP1	68.73	-0.1	0.25	9.90e-1
BMP2K	1197.37	0.3	0.2	8.52e-1
BMP7	1614.5	-0.35	0.19	7.13e-1
BMPR1A	131.84	0.24	0.24	9.59e-1
BMPR2	157.71	-0.2	0.23	9.80e-1
BMS1	1220.99	-0.19	0.19	9.54e-1
BMS1P20	255.9	-0.1	0.22	9.90e-1
BMS1P4	33.24	-0.02	0.25	9.95e-1
BNC2	26.18	-0.61	0.25	4.44e-1
BNIP1	59.79	0.17	0.25	9.90e-1
BNIP2	503.37	0.06	0.2	9.92e-1
BNIP3L	422.75	0.54	0.21	4.11e-1
BOD1	217.32	0.22	0.22	9.58e-1
BOD1L1	792.14	0.04	0.2	9.93e-1
BOLA3	115.36	-0.22	0.24	9.66e-1
BOP1	616.7	-0.46	0.22	6.14e-1
BORA	221.54	-0.04	0.22	9.93e-1
BPGM	77.99	0	0.25	9.99e-1
BPHL	89.14	-0.04	0.25	9.93e-1
BPNT1	580.98	0.12	0.2	9.90e-1
BPTF	3273.36	-0.24	0.19	9.23e-1
BRAF	236.28	0.01	0.22	9.96e-1
BRAP	308.44	0.02	0.21	9.96e-1
BRAT1	477.9	-0.23	0.24	9.59e-1
BRCA1	1409.15	0.04	0.19	9.93e-1
BRCA2	447.03	-0.09	0.21	9.90e-1
BRCC3	408.49	-0.07	0.21	9.91e-1
BRD1	287.34	0.1	0.21	9.90e-1
BRD2	2905.88	-0.32	0.2	8.28e-1
BRD3	339.65	-0.07	0.21	9.90e-1
BRD4	1476.81	-0.31	0.2	8.41e-1
BRD7	1246.98	-0.01	0.19	9.96e-1
BRD8	610.68	-0.23	0.2	9.47e-1
BRD9	348.07	-0.09	0.21	9.90e-1
BRE	126.5	0.08	0.24	9.90e-1
BRF1	155.96	-0.34	0.24	8.68e-1
BRF2	49.35	-0.02	0.25	9.95e-1
BRI3	57.66	0.69	0.25	3.05e-1
BRI3BP	392.54	-0.28	0.21	9.10e-1
BRICD5	11.63	-0.29	0.21	9.03e-1
BRIP1	229.04	0.04	0.23	9.93e-1
BRIX1	591.25	-0.03	0.2	9.93e-1
BRK1	443.73	0.22	0.2	9.49e-1
BRMS1	345.41	-0.13	0.22	9.90e-1
BRMS1L	120.22	0.11	0.24	9.90e-1
BROX	244.27	0.11	0.22	9.90e-1
BRPF1	229.42	-0.11	0.23	9.90e-1
BRPF3	468.36	-0.22	0.21	9.50e-1
BRWD1	715.07	0.22	0.21	9.56e-1
BRWD3	275.57	-0.14	0.22	9.90e-1
BSCL2	28.37	-0.32	0.25	9.23e-1
BSDC1	451.97	0	0.22	9.98e-1
BSG	1296.25	-0.24	0.2	9.42e-1
BSN	126.43	0.04	0.25	9.93e-1
BST2	368.97	-0.19	0.22	9.74e-1
BTAF1	976.62	0.14	0.2	9.88e-1
BTBD1	1698.73	0.27	0.19	8.80e-1
BTBD10	163.31	0.18	0.23	9.86e-1
BTBD2	820.23	-0.14	0.22	9.90e-1
BTBD6	118.2	-0.03	0.24	9.93e-1

BTBD7	304.3	0.16	0.21	9.87e-1
BTBD9	48.65	-0.11	0.25	9.90e-1
BTF3	2658.59	0.06	0.18	9.91e-1
BTF3L4	554.08	0.28	0.21	8.97e-1
BTG1	160.13	0.53	0.23	5.37e-1
BTG2	1006.71	-0.41	0.2	6.07e-1
BTG3	116.42	0.32	0.24	9.05e-1
BTk	1479.16	-0.12	0.18	9.90e-1
BTN2A1	138.31	-0.14	0.23	9.90e-1
BTN2A2	299.18	0.29	0.22	9.08e-1
BTN3A1	166.56	-0.04	0.23	9.93e-1
BTN3A2	285.43	-0.06	0.21	9.93e-1
BTN3A3	100.67	0.06	0.24	9.93e-1
BTRC	239.31	0	0.22	9.98e-1
BUB1	797.39	-0.23	0.2	9.49e-1
BUB1B	1478.21	-0.19	0.19	9.54e-1
BUB3	1025.56	0.37	0.2	7.06e-1
BUD13	327.88	-0.34	0.21	8.30e-1
BUD31	528.51	0.26	0.2	9.19e-1
BYSL	365.66	-0.27	0.22	9.39e-1
BZRAP1	27.62	-0.3	0.24	9.25e-1
BZRAP1-AS1	253.05	-0.22	0.22	9.58e-1
BZW1	1412.68	0.02	0.19	9.93e-1
BZW2	977.89	0.22	0.19	9.47e-1
C10orf12	129.2	-0.14	0.24	9.90e-1
C10orf2	915.32	-0.44	0.2	5.91e-1
C10orf25	15.32	0.02	0.23	9.96e-1
C10orf32	28.51	0.13	0.25	9.90e-1
C10orf76	260.83	-0.07	0.21	9.91e-1
C10orf88	52.83	-0.17	0.25	9.89e-1
C10orf91	23.28	-0.04	0.24	9.93e-1
C11orf1	147.14	-0.11	0.23	9.90e-1
C11orf24	266.47	-0.09	0.22	9.90e-1
C11orf30	286.15	-0.14	0.21	9.90e-1
C11orf31	70.61	-0.14	0.25	9.90e-1
C11orf49	131.38	-0.22	0.23	9.66e-1
C11orf54	148.24	0.21	0.24	9.73e-1
C11orf57	450.96	-0.38	0.2	7.27e-1
C11orf58	1144.66	0.1	0.19	9.90e-1
C11orf68	100.48	-0.04	0.25	9.93e-1
C11orf71	54.57	0.12	0.25	9.90e-1
C11orf73	113.38	0	0.24	9.98e-1
C11orf80	27.36	-0.14	0.25	9.90e-1
C11orf84	245.41	-0.34	0.24	8.73e-1
C11orf95	204.2	-0.13	0.23	9.90e-1
C12orf10	231	0.01	0.22	9.96e-1
C12orf29	296.92	-0.23	0.22	9.49e-1
C12orf4	186.34	0.23	0.23	9.58e-1
C12orf43	207.76	-0.24	0.22	9.49e-1
C12orf45	118.81	0.02	0.24	9.96e-1
C12orf49	879.31	-0.22	0.19	9.47e-1
C12orf57	52.28	0.27	0.25	9.49e-1
C12orf65	121.75	-0.01	0.24	9.96e-1
C12orf66	131.99	0.05	0.23	9.93e-1
C12orf73	57.18	-0.06	0.25	9.93e-1
C12orf75	145.37	0.51	0.24	5.91e-1
C12orf76	14.53	0.51	0.23	5.47e-1
C12orf77	44.83	0.72	0.25	2.59e-1
C14orf1	258.14	-0.12	0.21	9.90e-1
C14orf119	121.69	0.09	0.24	9.90e-1
C14orf132	12.48	-0.13	0.22	9.90e-1
C14orf142	165.7	0.11	0.23	9.90e-1
C14orf159	479.68	0.02	0.2	9.94e-1
C14orf166	955.73	0.16	0.19	9.81e-1
C14orf169	203.54	-0.17	0.23	9.87e-1
C14orf2	270.2	0.03	0.22	9.93e-1
C14orf79	11.44	0.15	0.22	9.87e-1
C14orf80	149.08	-0.14	0.25	9.90e-1
C14orf93	65.81	0.02	0.25	9.94e-1
C15orf39	1222.71	-0.48	0.23	6.07e-1
C15orf40	50.48	0.12	0.25	9.90e-1
C15orf41	25.13	-0.17	0.25	9.88e-1
C15orf57	60.44	-0.06	0.25	9.93e-1
C15orf61	18.19	0.25	0.24	9.49e-1
C16orf13	227.55	-0.19	0.24	9.85e-1
C16orf46	29.83	0.07	0.25	9.93e-1
C16orf52	52.77	0	0.25	9.98e-1
C16orf54	57.83	-0.28	0.25	9.47e-1
C16orf58	307.11	-0.05	0.23	9.93e-1
C16orf59	157.69	-0.41	0.25	8.25e-1
C16orf62	201.45	0.3	0.23	9.08e-1
C16orf70	245.66	-0.03	0.22	9.93e-1
C16orf72	335.3	0.24	0.21	9.47e-1

C16orf87	160.48	0.25	0.23	9.49e-1
C16orf91	81.17	-0.21	0.25	9.80e-1
C16orf93	23.09	0.12	0.25	9.90e-1
C16orf95	10.49	0	0.21	1.00e+0
C17orf51	139.6	-0.27	0.24	9.47e-1
C17orf53	120.2	-0.02	0.24	9.93e-1
C17orf58	85.56	0.22	0.25	9.72e-1
C17orf59	26.59	-0.01	0.25	9.96e-1
C17orf62	414.72	0.13	0.22	9.90e-1
C17orf75	144.45	0.19	0.24	9.82e-1
C17orf80	292.47	-0.01	0.21	9.96e-1
C17orf85	574.89	0.08	0.2	9.90e-1
C17orf89	79.76	0.61	0.25	4.44e-1
C17orf96	270.32	-0.27	0.24	9.48e-1
C17orf97	145.47	-0.56	0.24	5.32e-1
C18orf21	107.52	0.2	0.24	9.80e-1
C18orf25	246.6	0.16	0.23	9.87e-1
C18orf54	75.66	0.26	0.25	9.54e-1
C18orf8	277.71	0.27	0.22	9.42e-1
C19orf12	68.78	0.03	0.25	9.93e-1
C19orf24	168.24	-0.34	0.23	8.66e-1
C19orf25	131.37	-0.38	0.25	8.64e-1
C19orf38	11.4	-0.05	0.21	9.93e-1
C19orf43	603.91	-0.01	0.22	9.96e-1
C19orf44	63.59	0.03	0.25	9.93e-1
C19orf47	192.02	-0.34	0.24	8.80e-1
C19orf48	1025.16	-0.19	0.23	9.81e-1
C19orf52	45.65	0.03	0.25	9.93e-1
C19orf53	257.62	-0.26	0.23	9.47e-1
C19orf54	220.03	-0.07	0.24	9.93e-1
C19orf57	51.69	-0.13	0.25	9.90e-1
C19orf60	71.67	0.04	0.25	9.93e-1
C19orf66	116.31	-0.28	0.24	9.47e-1
C19orf68	69.1	-0.63	0.25	4.17e-1
C19orf70	58.47	-0.21	0.25	9.82e-1
C1D	181.43	0.05	0.24	9.93e-1
C1GALT1	206.19	0.04	0.23	9.93e-1
C1GALT1C1	68.38	0.04	0.25	9.93e-1
C1orf109	229.01	-0.13	0.22	9.90e-1
C1orf112	143.08	0.14	0.23	9.90e-1
C1orf122	57.7	0.07	0.25	9.93e-1
C1orf123	212.52	0.27	0.22	9.42e-1
C1orf131	193.36	-0.28	0.23	9.34e-1
C1orf159	102.01	-0.36	0.25	8.73e-1
C1orf174	183.24	0.24	0.23	9.49e-1
C1orf186	62.5	0.2	0.25	9.83e-1
C1orf198	96.36	-0.15	0.24	9.90e-1
C1orf21	65.77	-0.26	0.25	9.49e-1
C1orf216	68.52	0.2	0.25	9.81e-1
C1orf220	11.21	-0.02	0.21	9.93e-1
C1orf27	125.49	-0.03	0.25	9.93e-1
C1orf35	48.16	-0.11	0.25	9.90e-1
C1orf43	1113.4	0.12	0.19	9.90e-1
C1orf50	65.29	-0.14	0.25	9.90e-1
C1orf52	115.57	0.19	0.24	9.82e-1
C1orf74	63.73	0.06	0.25	9.93e-1
C1QBP	1995.58	0.41	0.19	5.83e-1
C1QTNF9B-AS1	23.06	-0.27	0.25	9.49e-1
C20orf196	63.22	0.3	0.25	9.47e-1
C20orf24	69.53	-0.47	0.25	7.21e-1
C20orf27	498.77	-0.44	0.24	7.29e-1
C20orf96	21.07	-0.16	0.24	9.89e-1
C21orf2	36.51	0.18	0.25	9.87e-1
C21orf33	650.1	0.44	0.2	5.86e-1
C21orf58	171.19	-0.36	0.25	8.69e-1
C21orf59	570.22	0.19	0.2	9.63e-1
C21orf91	567.46	0.12	0.2	9.90e-1
C22orf29	283.9	-0.22	0.22	9.56e-1
C22orf34	126.55	-0.07	0.24	9.92e-1
C22orf39	122.57	0.24	0.24	9.54e-1
C22orf46	134.76	-0.35	0.24	8.73e-1
C2CD2L	117.59	-0.11	0.24	9.90e-1
C2CD3	433.37	-0.13	0.2	9.90e-1
C2CD5	341.66	0.27	0.21	9.23e-1
C2orf15	16.57	0.03	0.23	9.93e-1
C2orf42	64.92	0.07	0.25	9.93e-1
C2orf44	434.07	-0.2	0.21	9.66e-1
C2orf47	100.81	0.05	0.24	9.93e-1
C2orf49	224.92	-0.18	0.22	9.86e-1
C2orf68	158.36	-0.07	0.23	9.93e-1
C2orf69	212.73	0.15	0.23	9.89e-1
C2orf74	89.58	0.05	0.25	9.93e-1
C2orf76	22.1	-0.11	0.24	9.90e-1

C2orf81	58.91	0.22	0.25	9.74e-1
C3orf17	321.02	0.46	0.22	6.03e-1
C3orf18	28.92	-0.01	0.25	9.96e-1
C3orf20	56.28	0.09	0.25	9.90e-1
C3orf38	134.25	-0.02	0.23	9.95e-1
C3orf58	204.51	0.07	0.23	9.92e-1
C3orf62	45.39	0.05	0.25	9.93e-1
C3orf67	14.64	-0.11	0.23	9.90e-1
C4orf27	112.68	0.08	0.24	9.91e-1
C4orf29	138.96	0.17	0.24	9.88e-1
C4orf3	213.96	0.03	0.22	9.93e-1
C4orf32	693.78	-0.5	0.21	5.09e-1
C4orf33	29.79	0.23	0.25	9.68e-1
C4orf46	349.21	0.26	0.22	9.47e-1
C5	25.6	-0.07	0.25	9.93e-1
C5orf15	262.44	-0.32	0.22	8.64e-1
C5orf22	223.49	0.03	0.22	9.93e-1
C5orf24	339.3	0.26	0.22	9.47e-1
C5orf28	57.03	0.34	0.25	9.07e-1
C5orf30	218.27	0.18	0.22	9.86e-1
C5orf34	81.2	0.11	0.25	9.90e-1
C5orf42	66.34	-0.01	0.25	9.98e-1
C5orf45	55.72	0.06	0.25	9.93e-1
C5orf51	486.91	0.15	0.21	9.87e-1
C5orf66	11.55	0.19	0.21	9.74e-1
C6orf1	69.16	-0.11	0.25	9.90e-1
C6orf106	1284.44	-0.12	0.2	9.90e-1
C6orf120	208.26	0.23	0.23	9.56e-1
C6orf136	198.4	-0.41	0.24	7.79e-1
C6orf203	118.7	0	0.24	9.98e-1
C6orf223	149.66	-0.47	0.25	7.04e-1
C6orf47	78.19	-0.03	0.25	9.93e-1
C6orf48	211.9	0.24	0.23	9.50e-1
C6orf62	545.11	0.47	0.21	5.86e-1
C6orf89	517.79	0.17	0.2	9.80e-1
C7orf13	25.82	-0.01	0.25	9.98e-1
C7orf25	83.72	0.16	0.25	9.90e-1
C7orf26	274.38	0.13	0.21	9.90e-1
C7orf31	88.73	0.14	0.25	9.90e-1
C7orf43	167.88	-0.06	0.24	9.93e-1
C7orf49	287.91	0.18	0.21	9.80e-1
C7orf50	171.56	-0.21	0.24	9.74e-1
C7orf60	49.2	0.28	0.25	9.49e-1
C7orf73	456.38	-0.01	0.2	9.96e-1
C8orf33	420.45	-0.43	0.2	6.03e-1
C8orf37	67.74	-0.18	0.25	9.88e-1
C8orf44	13.92	0	0.22	9.98e-1
C8orf58	10.85	-0.05	0.21	9.93e-1
C8orf59	76.82	0.06	0.25	9.93e-1
C8orf82	51.87	-0.16	0.25	9.90e-1
C9orf114	591.47	-0.29	0.23	9.23e-1
C9orf116	14.55	0.22	0.23	9.60e-1
C9orf142	81.44	-0.25	0.25	9.60e-1
C9orf156	75.73	0.03	0.25	9.93e-1
C9orf16	121.8	-0.1	0.19	9.90e-1
C9orf172	22.16	-0.17	0.24	9.87e-1
C9orf3	21.18	0.11	0.24	9.90e-1
C9orf40	111.56	0.18	0.24	9.87e-1
C9orf41	300.6	-0.02	0.22	9.94e-1
C9orf69	231.86	-0.32	0.25	9.20e-1
C9orf72	89.77	0.3	0.25	9.42e-1
C9orf78	1120.6	-0.5	0.19	3.77e-1
C9orf85	55.86	0.04	0.25	9.93e-1
C9orf89	24.51	0.04	0.24	9.93e-1
C9orf9	11.28	0.02	0.21	9.96e-1
C9orf91	365.71	0.16	0.21	9.86e-1
CA11	31.09	-0.28	0.25	9.47e-1
CA5B	29.83	0.04	0.25	9.93e-1
CA5BP1	54.66	-0.08	0.25	9.91e-1
CAAP1	230.82	-0.04	0.22	9.93e-1
CAB39	819.04	0.43	0.21	6.11e-1
CAB39L	84.59	-0.29	0.25	9.47e-1
CABIN1	813.16	-0.42	0.21	6.79e-1
CABLES2	281.73	-0.14	0.21	9.90e-1
CACFD1	11.57	0.02	0.21	9.94e-1
CACNB1	186.22	-0.46	0.24	7.06e-1
CACNB4	42.78	0.28	0.25	9.49e-1
CACTIN	318.59	-0.32	0.23	8.73e-1
CACUL1	437.45	0.08	0.21	9.90e-1
CACYBP	1330.29	-0.16	0.19	9.80e-1
CAD	1968.94	-0.29	0.2	8.73e-1
CADPS	190.26	0.18	0.22	9.86e-1
CALCOCO1	76.27	0.44	0.25	7.66e-1

CALCOCO2	253.77	0.42	0.22	6.86e-1
CALM1	1611.18	0.08	0.19	9.90e-1
CALM2	2164.63	0.35	0.2	7.56e-1
CALM3	1928.21	-0.12	0.19	9.90e-1
CALML4	91.21	-0.18	0.24	9.87e-1
CALR	7513.78	0.01	0.18	9.96e-1
CALU	1305.85	-0.03	0.19	9.93e-1
CAMK1D	165.56	0.16	0.23	9.88e-1
CAMK2D	341.81	-0.05	0.21	9.93e-1
CAMK2G	300.91	-0.09	0.21	9.90e-1
CAMKK1	51.86	-0.46	0.25	7.41e-1
CAMKK2	764.28	-0.24	0.19	9.25e-1
CAMKMT	54.38	0.18	0.25	9.87e-1
CAMLG	226.47	0.49	0.22	5.79e-1
CAMSAP1	782.73	-0.14	0.19	9.87e-1
CAMSAP2	364.55	-0.24	0.21	9.47e-1
CAMSAP3	10.28	-0.04	0.21	9.93e-1
CAMTA1	127.49	0.25	0.24	9.50e-1
CAMTA2	370.61	-0.33	0.24	8.91e-1
CAND1	1740.03	0.2	0.2	9.57e-1
CANT1	236.13	-0.14	0.23	9.90e-1
CANX	7611.17	0.17	0.18	9.72e-1
CAP1	3103.94	-0.13	0.18	9.87e-1
CAPN1	569.74	-0.27	0.22	9.33e-1
CAPN10	118.75	-0.29	0.25	9.47e-1
CAPN10-AS1	41.61	-0.09	0.25	9.90e-1
CAPN15	599.8	-0.21	0.24	9.73e-1
CAPN7	359.85	0.2	0.21	9.66e-1
CAPNS1	902.28	-0.08	0.19	9.90e-1
CAPRIN1	4417.36	-0.1	0.19	9.90e-1
CAPRIN2	36.66	0.1	0.25	9.90e-1
CAPZA1	1870.2	0.28	0.2	8.73e-1
CAPZA2	553.7	0.25	0.21	9.42e-1
CAPZB	1071.18	-0.08	0.19	9.90e-1
CARD11	1532.81	0.15	0.19	9.87e-1
CARD6	30.75	-0.28	0.25	9.47e-1
CARD8	137.35	0.34	0.24	8.69e-1
CARD8-AS1	43.12	0.03	0.25	9.93e-1
CARF	36.75	0.22	0.25	9.80e-1
CARHSP1	194.27	0.04	0.23	9.93e-1
CARM1	1884.79	-0.37	0.2	6.90e-1
CARS	361.56	0.61	0.21	2.15e-1
CARS2	347.55	-0.04	0.21	9.93e-1
CASC11	222.4	0.33	0.22	8.64e-1
CASC3	1275.99	-0.21	0.19	9.49e-1
CASC4	491.61	0.3	0.21	8.79e-1
CASC5	607.53	-0.08	0.21	9.90e-1
CASD1	220.82	0.28	0.23	9.33e-1
CASK	233.54	-0.07	0.22	9.92e-1
CASP2	1025.38	-0.09	0.19	9.90e-1
CASP3	205.32	0.18	0.22	9.81e-1
CASP4	30.08	-0.02	0.25	9.95e-1
CASP7	222.3	0.02	0.22	9.93e-1
CASP8	177.75	0.01	0.23	9.96e-1
CASP8AP2	558.82	0.02	0.2	9.93e-1
CASP9	92	-0.29	0.25	9.47e-1
CAST	695.5	0.27	0.21	9.19e-1
CASZ1	170.73	-0.41	0.23	7.44e-1
CAT	457.38	-0.09	0.2	9.90e-1
CBFA2T2	256.42	0.01	0.22	9.96e-1
CBFA2T3	15.95	0.05	0.23	9.93e-1
CBFB	1074.04	0.19	0.2	9.66e-1
CBL	482.74	-0.27	0.2	9.06e-1
CBLB	203.04	0	0.22	9.98e-1
CBLL1	788.54	-0.21	0.19	9.49e-1
CBLN3	68.69	0.38	0.25	8.52e-1
CBR4	159.88	0.06	0.23	9.93e-1
CBS	942.72	-0.05	0.21	9.93e-1
CBWD1	411.76	-0.32	0.2	8.40e-1
CBWD2	161.91	-0.17	0.23	9.87e-1
CBWD3	10.09	0.04	0.21	9.93e-1
CBWD5	195.55	-0.52	0.23	5.45e-1
CBWD6	13.6	0.11	0.22	9.90e-1
CBX1	887.68	0.05	0.19	9.93e-1
CBX2	452.62	-0.38	0.22	7.97e-1
CBX3	2647.66	0.17	0.19	9.74e-1
CBX4	230.16	-0.12	0.23	9.90e-1
CBX5	2067.32	0.07	0.18	9.90e-1
CBX6	1522.4	-0.04	0.24	9.93e-1
CBX7	142.51	0.07	0.25	9.93e-1
CBX8	71.62	-0.34	0.25	9.10e-1
CBY1	27.81	0.07	0.25	9.92e-1
CC2D1A	483.43	-0.48	0.22	5.94e-1

CC2D1B	266.47	0.07	0.22	9.91e-1
CCAR1	1757.3	-0.33	0.19	7.49e-1
CCAR2	1873.82	-0.36	0.21	7.57e-1
CCBL1	125.39	-0.33	0.24	9.06e-1
CCBL2	102.21	0.33	0.25	9.10e-1
CCDC101	171.1	0.12	0.23	9.90e-1
CCDC102A	62.18	-0.14	0.25	9.90e-1
CCDC106	150.1	-0.1	0.25	9.90e-1
CCDC107	41.95	-0.02	0.25	9.96e-1
CCDC109B	361.36	0.54	0.22	4.46e-1
CCDC112	72.54	-0.21	0.25	9.80e-1
CCDC115	103.79	-0.52	0.25	6.03e-1
CCDC117	716.93	-0.09	0.21	9.90e-1
CCDC12	317.47	-0.24	0.24	9.58e-1
CCDC122	43.86	-0.11	0.25	9.90e-1
CCDC124	512.09	-0.19	0.23	9.81e-1
CCDC125	156.05	0.02	0.23	9.95e-1
CCDC126	39.18	0.23	0.25	9.71e-1
CCDC127	76.55	0.32	0.25	9.23e-1
CCDC130	113.24	-0.22	0.25	9.74e-1
CCDC134	37.88	-0.23	0.25	9.73e-1
CCDC136	15.08	0.1	0.22	9.90e-1
CCDC137	309.73	-0.16	0.23	9.88e-1
CCDC138	119.48	0.4	0.24	8.10e-1
CCDC14	485.21	0.2	0.2	9.58e-1
CCDC142	81.43	-0.19	0.25	9.87e-1
CCDC146	18.37	0.31	0.24	9.12e-1
CCDC15	68.74	-0.2	0.25	9.86e-1
CCDC150	54.31	0.37	0.25	8.68e-1
CCDC157	12.26	-0.03	0.22	9.93e-1
CCDC159	13.11	0.13	0.22	9.90e-1
CCDC163P	45.57	-0.06	0.25	9.93e-1
CCDC167	168.4	-0.08	0.23	9.90e-1
CCDC17	18.24	0.06	0.24	9.93e-1
CCDC171	48.82	0.08	0.25	9.91e-1
CCDC174	194.89	-0.14	0.22	9.90e-1
CCDC176	17.66	0.07	0.23	9.91e-1
CCDC18	331.52	0.07	0.22	9.90e-1
CCDC183-AS1	158.31	-0.74	0.24	1.79e-1
CCDC186	227.4	0.16	0.23	9.88e-1
CCDC22	115.02	-0.17	0.25	9.88e-1
CCDC24	22.83	-0.27	0.24	9.47e-1
CCDC25	512.79	0.06	0.2	9.91e-1
CCDC28A	74.75	0.19	0.25	9.87e-1
CCDC28B	342.51	0.17	0.23	9.87e-1
CCDC34	162.34	-0.16	0.23	9.88e-1
CCDC43	423.2	0.03	0.2	9.93e-1
CCDC47	1179.43	-0.1	0.19	9.90e-1
CCDC50	141.58	0.25	0.24	9.49e-1
CCDC51	259.03	-0.11	0.22	9.90e-1
CCDC53	48.55	0.23	0.25	9.73e-1
CCDC57	73.91	0.02	0.25	9.95e-1
CCDC58	295.39	-0.14	0.21	9.90e-1
CCDC59	325.56	-0.29	0.21	8.80e-1
CCDC6	1079.72	-0.25	0.2	9.31e-1
CCDC61	62.18	-0.38	0.25	8.56e-1
CCDC62	10.16	0.11	0.21	9.90e-1
CCDC64	345.52	-0.05	0.22	9.93e-1
CCDC66	163.01	-0.05	0.24	9.93e-1
CCDC69	1642.43	-0.28	0.19	8.53e-1
CCDC71	173.56	-0.35	0.23	8.64e-1
CCDC71L	38.8	0.1	0.25	9.90e-1
CCDC74A	150.55	-0.08	0.24	9.90e-1
CCDC74B	38.14	0.25	0.25	9.59e-1
CCDC77	172.39	0.11	0.23	9.90e-1
CCDC78	132.6	-0.02	0.24	9.95e-1
CCDC82	377.2	0.11	0.21	9.90e-1
CCDC84	25.03	-0.09	0.25	9.90e-1
CCDC85A	173.8	-0.22	0.23	9.66e-1
CCDC85B	96.28	-0.05	0.25	9.93e-1
CCDC86	810.99	-0.49	0.2	4.59e-1
CCDC88A	1867.69	-0.1	0.2	9.90e-1
CCDC88B	596.51	-0.15	0.24	9.90e-1
CCDC88C	1184.12	-0.27	0.2	8.91e-1
CCDC9	70.09	-0.01	0.25	9.98e-1
CCDC90B	194.2	-0.03	0.23	9.93e-1
CCDC91	80.67	0.09	0.25	9.90e-1
CCDC92	104.05	0.16	0.24	9.89e-1
CCDC93	176.16	0.16	0.23	9.88e-1
CCDC94	283.06	-0.24	0.23	9.52e-1
CCDC97	286.29	-0.28	0.23	9.42e-1
CCHCR1	160.75	-0.06	0.24	9.93e-1
CCL22	388.99	-0.86	0.21	1.34e-2

CCM2	411.61	0.01	0.21	9.96e-1
CCNA2	1507.01	-0.02	0.19	9.93e-1
CCNB1	878.2	0.01	0.2	9.96e-1
CCNB1IP1	341.99	0.69	0.21	1.22e-1
CCNB2	556.04	0.1	0.2	9.90e-1
CCNC	1162.61	0.16	0.21	9.87e-1
CCND1	26.02	0.02	0.25	9.93e-1
CCND3	1227.81	-0.16	0.21	9.87e-1
CCNDBP1	148.3	0.25	0.23	9.49e-1
CCNE1	160.35	0.05	0.23	9.93e-1
CCNE2	234.19	-0.06	0.22	9.93e-1
CCNF	616.53	-0.19	0.2	9.64e-1
CCNG1	610.99	0.35	0.21	8.16e-1
CCNG2	266.47	0.48	0.22	5.84e-1
CCNH	222.62	0.02	0.23	9.94e-1
CCNI	1804.42	0.15	0.19	9.86e-1
CCNJ	63.5	-0.14	0.25	9.90e-1
CCNK	532.03	-0.4	0.2	6.69e-1
CCNL1	417.16	0.23	0.21	9.47e-1
CCNL2	405.29	0.04	0.21	9.93e-1
CCNT1	665.55	0.09	0.2	9.90e-1
CCNT2	220.32	0.05	0.23	9.93e-1
CCNY	441.62	0.1	0.21	9.90e-1
CCNYL1	298.05	0.29	0.22	9.10e-1
CCP110	473.98	0.11	0.21	9.90e-1
CCPG1	41.67	0.11	0.25	9.90e-1
CCR7	323.56	0.29	0.21	8.94e-1
CCS	65.35	-0.21	0.25	9.80e-1
CCSAP	122.83	0.22	0.24	9.66e-1
CCSER2	348.33	-0.13	0.22	9.90e-1
CCT2	2573.14	-0.05	0.18	9.92e-1
CCT3	3645.56	-0.15	0.18	9.80e-1
CCT4	2425.41	-0.24	0.18	9.07e-1
CCT5	4240.72	-0.17	0.18	9.66e-1
CCT6A	3478.83	-0.1	0.19	9.90e-1
CCT6B	10.61	0.24	0.21	9.47e-1
CCT6P1	73.07	0.13	0.25	9.90e-1
CCT6P3	23.17	0.15	0.25	9.90e-1
CCT7	4124.2	-0.1	0.18	9.90e-1
CCT8	2612.03	0.22	0.2	9.47e-1
CCZ1	247.65	0.57	0.22	3.64e-1
CCZ1B	213.35	-0.01	0.22	9.96e-1
CD151	185.18	-0.33	0.23	8.73e-1
CD164	1388.71	0.35	0.2	7.70e-1
CD180	752.08	0.78	0.19	1.49e-2
CD19	1355.16	-0.25	0.21	9.47e-1
CD22	3411.47	1.2	0.19	0.00e+0
CD27	1049.52	-0.33	0.2	8.30e-1
CD2AP	756.99	-0.18	0.21	9.80e-1
CD2BP2	785.18	-0.26	0.22	9.47e-1
CD320	411.37	-0.47	0.23	6.14e-1
CD37	1278.28	-0.1	0.21	9.90e-1
CD38	552.53	-0.26	0.2	9.23e-1
CD3EAP	527.38	-0.74	0.22	8.56e-2
CD40	385.8	0.17	0.21	9.81e-1
CD46	360.92	0.29	0.21	9.06e-1
CD47	554.38	0.36	0.21	8.04e-1
CD48	456.45	0.76	0.2	3.35e-2
CD52	49.39	-0.52	0.25	6.28e-1
CD53	1467.35	0.6	0.19	1.25e-1
CD55	270.37	0.23	0.22	9.49e-1
CD58	109.21	0.45	0.25	7.41e-1
CD63	207.02	0.13	0.22	9.90e-1
CD68	23.33	-0.05	0.25	9.93e-1
CD69	42.17	0.72	0.25	2.52e-1
CD70	460.82	0.12	0.22	9.90e-1
CD72	153.89	0.78	0.23	8.70e-2
CD74	22623.61	-0.03	0.18	9.93e-1
CD79A	2589.91	-0.28	0.22	9.30e-1
CD79B	1871.78	-0.13	0.19	9.88e-1
CD80	94.65	0.09	0.24	9.90e-1
CD81	1001.79	0.03	0.21	9.93e-1
CD82	523.36	-0.11	0.23	9.90e-1
CD83	871.6	0.76	0.19	1.86e-2
CD84	625.5	-0.18	0.2	9.72e-1
CD86	261.26	0.11	0.22	9.90e-1
CD99	188.74	0.14	0.24	9.90e-1
CD99L2	192.12	-0.03	0.23	9.93e-1
CD99P1	43.74	-0.21	0.25	9.81e-1
CDADC1	34.57	0.04	0.25	9.93e-1
CDAN1	137.2	-0.28	0.24	9.47e-1
CDC123	1221.45	-0.04	0.19	9.93e-1
CDC14A	48.75	0.19	0.25	9.87e-1

CDC16	569.28	0.3	0.2	8.61e-1
CDC20	1114.12	-0.43	0.19	5.45e-1
CDC23	433.74	-0.01	0.21	9.98e-1
CDC25A	659.67	-0.1	0.19	9.90e-1
CDC25B	939.55	-0.58	0.19	2.07e-1
CDC25C	37.76	0	0.25	9.99e-1
CDC26	118.83	-0.08	0.24	9.90e-1
CDC27	917.99	-0.07	0.2	9.90e-1
CDC34	269.51	0.07	0.23	9.93e-1
CDC37	1751	-0.21	0.2	9.49e-1
CDC37L1	87.85	-0.03	0.25	9.93e-1
CDC40	471.17	0.08	0.21	9.90e-1
CDC42	1252.29	-0.05	0.19	9.93e-1
CDC42BPG	75.48	-0.3	0.25	9.47e-1
CDC42EP2	44.13	-0.44	0.25	7.88e-1
CDC42EP3	176.12	-0.06	0.23	9.93e-1
CDC42SE1	590.99	0.13	0.2	9.90e-1
CDC42SE2	805.59	0.07	0.2	9.90e-1
CDC45	466.07	0.28	0.2	8.76e-1
CDC5L	867.35	0.04	0.19	9.93e-1
CDC6	1016.49	0.18	0.19	9.59e-1
CDC7	507.75	-0.06	0.2	9.93e-1
CDC73	447.95	0.09	0.21	9.90e-1
CDCA2	394.05	-0.08	0.21	9.90e-1
CDCA3	316.65	-0.24	0.21	9.47e-1
CDCA4	241.21	0.04	0.22	9.93e-1
CDCA5	782.24	-0.13	0.2	9.90e-1
CDCA7	1168.17	0.17	0.19	9.72e-1
CDCA7L	945.05	0.05	0.2	9.93e-1
CDCA8	1243.5	-0.36	0.19	7.13e-1
CDIPT	195.26	0.09	0.24	9.90e-1
CDK1	790.97	-0.04	0.2	9.93e-1
CDK10	266.8	-0.26	0.23	9.47e-1
CDK11A	52.47	-0.03	0.25	9.93e-1
CDK11B	297.15	-0.07	0.22	9.92e-1
CDK12	2139.48	-0.38	0.18	6.07e-1
CDK13	816.14	-0.03	0.2	9.93e-1
CDK14	928.69	-0.06	0.2	9.93e-1
CDK16	723.92	-0.31	0.21	8.68e-1
CDK17	221.5	0.46	0.23	6.52e-1
CDK18	358.64	-0.33	0.23	8.73e-1
CDK19	378.57	0.16	0.21	9.87e-1
CDK2	620.73	-0.08	0.2	9.90e-1
CDK2AP2	431.07	0.7	0.2	7.89e-2
CDK4	1006.05	-0.05	0.19	9.93e-1
CDK5	198.16	0.01	0.22	9.96e-1
CDK5R1	30.66	-0.03	0.25	9.93e-1
CDK5RAP1	384.26	-0.07	0.2	9.90e-1
CDK5RAP2	654.13	-0.07	0.2	9.90e-1
CDK5RAP3	1416	0.03	0.19	9.93e-1
CDK6	2053.06	-0.08	0.19	9.90e-1
CDK7	196.51	0.24	0.22	9.49e-1
CDK8	225.14	0.09	0.22	9.90e-1
CDK9	462.28	-0.25	0.21	9.39e-1
CDKAL1	135.39	0.16	0.23	9.89e-1
CDKL1	43.79	-0.42	0.25	8.29e-1
CDKL3	14.85	-0.07	0.23	9.91e-1
CDKL5	24.2	-0.41	0.25	8.10e-1
CDKN1A	209.2	0.23	0.24	9.61e-1
CDKN1B	115.44	0.21	0.24	9.74e-1
CDKN2A	176.3	-0.16	0.23	9.87e-1
CDKN2AIP	225.51	0.13	0.22	9.90e-1
CDKN2AIPNL	168.88	-0.12	0.23	9.90e-1
CDKN2C	404.76	-0.49	0.22	5.45e-1
CDKN2D	25.29	-0.03	0.25	9.93e-1
CDKN3	277.87	-0.15	0.22	9.87e-1
CDON	31.85	-0.01	0.25	9.97e-1
CDPF1	63.87	-0.09	0.25	9.90e-1
CDR2	276.42	0.19	0.21	9.75e-1
CDS2	1072.54	-0.21	0.19	9.47e-1
CDT1	487.69	0.08	0.22	9.90e-1
CDV3	3609.47	0.23	0.18	9.20e-1
CDYL	200.14	-0.07	0.22	9.92e-1
CEACAM1	20.24	-0.1	0.24	9.90e-1
CEBPB	38.73	0.22	0.25	9.80e-1
CEBPB-AS1	14.09	0.01	0.23	9.96e-1
CEBPG	351.16	0.6	0.21	2.68e-1
CEBPZ	1301.14	-0.17	0.19	9.77e-1
CEBPZOS	376.22	-0.26	0.22	9.47e-1
CECR1	54.45	0.05	0.25	9.93e-1
CECR5	527.92	-0.08	0.23	9.90e-1
CECR7	110.81	-0.32	0.25	9.10e-1
CEL	11.87	-0.04	0.22	9.93e-1

CELF1	2233.97	-0.27	0.18	8.64e-1
CELSR1	52.15	0.27	0.25	9.49e-1
CELSR3	178.31	-0.22	0.24	9.72e-1
CENPA	98.95	0.1	0.24	9.90e-1
CENPB	309.49	-0.23	0.23	9.54e-1
CENPBD1	53	-0.01	0.25	9.96e-1
CENPBD1P1	150.08	-0.22	0.24	9.66e-1
CENPC	276.77	0.05	0.22	9.93e-1
CENPE	1000.46	-0.24	0.2	9.42e-1
CENPF	2839.59	-0.16	0.19	9.81e-1
CENPH	299.92	0.42	0.22	6.87e-1
CENPI	117.28	-0.04	0.24	9.93e-1
CENPJ	304.28	-0.04	0.22	9.93e-1
CENPK	174.09	0.21	0.24	9.80e-1
CENPL	126.29	-0.11	0.24	9.90e-1
CENPM	220.94	-0.35	0.25	8.90e-1
CENPN	334.77	0.19	0.22	9.80e-1
CENPO	384.22	-0.16	0.21	9.86e-1
CENPP	84.88	0.15	0.25	9.90e-1
CENPQ	67.68	0.33	0.25	9.20e-1
CENPT	365.68	-0.44	0.23	6.87e-1
CENPU	383.65	0.28	0.22	9.17e-1
CENPV	224.92	0.38	0.23	8.10e-1
CENPW	77.76	0.25	0.25	9.58e-1
CEP104	372.74	0.1	0.21	9.90e-1
CEP112	30.48	-0.14	0.25	9.90e-1
CEP120	250	0.37	0.22	7.96e-1
CEP126	64.16	0.09	0.25	9.90e-1
CEP128	372.11	-0.59	0.21	2.47e-1
CEP131	149.37	-0.01	0.25	9.97e-1
CEP135	491.3	0.13	0.21	9.90e-1
CEP152	521.92	0.07	0.21	9.90e-1
CEP162	167.44	0.16	0.23	9.89e-1
CEP164	376.4	-0.22	0.22	9.58e-1
CEP170	500.49	0.04	0.21	9.93e-1
CEP19	43.43	0	0.25	9.99e-1
CEP192	439.35	0.23	0.21	9.49e-1
CEP250	1016.63	-0.12	0.19	9.90e-1
CEP290	368.52	-0.03	0.22	9.93e-1
CEP295	135.43	-0.15	0.24	9.90e-1
CEP350	617.63	0.08	0.21	9.90e-1
CEP41	371.58	-0.03	0.21	9.93e-1
CEP44	100.54	0.29	0.25	9.47e-1
CEP55	586.02	-0.05	0.2	9.93e-1
CEP57	416.96	0.5	0.22	5.58e-1
CEP57L1	135.81	0.12	0.24	9.90e-1
CEP63	298.11	-0.09	0.21	9.90e-1
CEP68	385.28	-0.14	0.21	9.88e-1
CEP70	12.1	-0.19	0.22	9.74e-1
CEP72	95.27	-0.02	0.24	9.93e-1
CEP76	107.18	0.23	0.24	9.66e-1
CEP78	223.45	0.13	0.22	9.90e-1
CEP83	237.45	0.18	0.23	9.87e-1
CEP85	479.36	-0.2	0.21	9.61e-1
CEP85L	94.07	0.07	0.24	9.93e-1
CEP89	68.32	0.01	0.25	9.98e-1
CEP95	333.45	0.05	0.22	9.93e-1
CEP97	216.34	0.03	0.23	9.93e-1
CEPT1	483.53	0.42	0.21	6.37e-1
CERCAM	13.71	-0.04	0.22	9.93e-1
CERK	488.75	-0.2	0.2	9.59e-1
CERS2	993.37	0.02	0.19	9.94e-1
CERS4	673.32	0.39	0.2	6.54e-1
CERS5	160.41	0.03	0.23	9.93e-1
CES2	275.26	-0.2	0.23	9.74e-1
CES3	48.44	-0.18	0.25	9.87e-1
CETN2	180.51	0.2	0.23	9.74e-1
CETN3	100.06	0.26	0.24	9.49e-1
CFAP20	320.14	-0.21	0.21	9.58e-1
CFAP36	115.5	0.19	0.24	9.86e-1
CFAP44	65.44	0.09	0.25	9.90e-1
CFAP47	26.16	0	0.25	9.98e-1
CFAP61	16.45	0.08	0.23	9.90e-1
CFAP70	13.59	0.23	0.22	9.50e-1
CFAP97	1068.84	-0.1	0.2	9.90e-1
CFDP1	480.95	-0.11	0.21	9.90e-1
CFL1	4474.85	-0.2	0.2	9.54e-1
CFL2	268.5	-0.21	0.22	9.71e-1
CFLAR	389.07	0.17	0.2	9.81e-1
CGGBP1	953.71	0.31	0.2	8.52e-1
CGN	32.36	-0.15	0.25	9.90e-1
CGRRF1	27.72	0.05	0.25	9.93e-1
CHAC1	51.32	0.85	0.25	8.56e-2

CHAC2	83.75	0.04	0.25	9.93e-1
CHAF1A	1229.16	-0.22	0.19	9.47e-1
CHAF1B	512.19	-0.29	0.21	8.90e-1
CHAMP1	1193.97	-0.15	0.19	9.86e-1
CHCHD1	86.23	-0.02	0.25	9.95e-1
CHCHD10	179.3	0.09	0.23	9.90e-1
CHCHD2	1166.26	0.11	0.2	9.90e-1
CHCHD3	1286.86	-0.01	0.19	9.96e-1
CHCHD4	259.55	0.04	0.21	9.93e-1
CHCHD5	46.79	-0.32	0.25	9.23e-1
CHCHD6	71.15	0.06	0.25	9.93e-1
CHCHD7	379.23	-0.04	0.21	9.93e-1
CHD1	561.77	-0.11	0.21	9.90e-1
CHD1L	366.15	0.36	0.21	7.87e-1
CHD2	540.02	0.18	0.2	9.73e-1
CHD3	2797.13	-0.45	0.19	5.37e-1
CHD4	4557.51	-0.06	0.18	9.90e-1
CHD6	443.2	-0.13	0.2	9.90e-1
CHD7	925.98	-0.31	0.19	8.36e-1
CHD8	2171.31	-0.22	0.18	9.42e-1
CHD9	536.02	-0.14	0.21	9.90e-1
CHEK1	610.45	0.18	0.21	9.74e-1
CHEK2	304.31	-0.54	0.21	3.91e-1
CHERP	1653.8	-0.53	0.21	4.41e-1
CHI3L2	1316.02	0.13	0.19	9.88e-1
CHIC1	50.5	0.18	0.25	9.87e-1
CHIC2	32.52	0.23	0.25	9.68e-1
CHID1	253.93	-0.18	0.23	9.86e-1
CHKA	197.51	0.13	0.22	9.90e-1
CHKB-AS1	14.71	0.1	0.23	9.90e-1
CHM	112.24	-0.03	0.24	9.93e-1
CHMP1A	429.72	-0.26	0.23	9.49e-1
CHMP1B	158.74	0.5	0.23	5.90e-1
CHMP2A	201.11	0.08	0.22	9.90e-1
CHMP2B	222.88	0.27	0.23	9.42e-1
CHMP4A	336.48	-0.14	0.21	9.90e-1
CHMP4B	708.79	0.11	0.19	9.90e-1
CHMP5	220.12	0.52	0.22	5.28e-1
CHMP6	76.92	-0.25	0.25	9.58e-1
CHMP7	755.99	0.02	0.19	9.93e-1
CHORDC1	948.55	-0.34	0.2	7.87e-1
CHP1	544.58	0	0.2	9.98e-1
CHPF	245.78	0.01	0.24	9.96e-1
CHPF2	217.2	-0.36	0.24	8.53e-1
CHRA1	612.14	-0.01	0.2	9.96e-1
CHRNA5	116.54	0.21	0.25	9.80e-1
CHRNA6	98.25	0.11	0.24	9.90e-1
CHRN1	42.88	0.04	0.25	9.93e-1
CHST10	101.37	-0.08	0.25	9.91e-1
CHST11	573.47	0.03	0.2	9.93e-1
CHST12	81.11	0.23	0.25	9.72e-1
CHST14	54.89	0.04	0.25	9.93e-1
CHST2	102.6	-0.3	0.24	9.30e-1
CHSY1	395.6	0.06	0.21	9.93e-1
CHTF18	481.85	-0.23	0.24	9.63e-1
CHTF8	1033.96	-0.47	0.22	6.03e-1
CHTOP	639.55	-0.13	0.2	9.90e-1
CHUK	420.69	0.13	0.21	9.90e-1
CHURC1	269.65	0.18	0.22	9.86e-1
CIAO1	787.02	-0.09	0.19	9.90e-1
CIAPIN1	320.16	-0.21	0.21	9.54e-1
CIB1	297.03	-0.09	0.22	9.90e-1
CIC	807.87	-0.27	0.24	9.49e-1
CIDEC1	22.3	0	0.24	9.98e-1
CIITA	1923.59	-0.1	0.21	9.90e-1
CINP	190.99	-0.07	0.22	9.91e-1
CIPC	398.83	-0.22	0.22	9.58e-1
CIR1	40.25	0	0.25	9.98e-1
CIRBP	992.96	-0.31	0.19	8.39e-1
CIRH1A	848.41	0.1	0.2	9.90e-1
CISD1	294.14	-0.18	0.22	9.82e-1
CISD2	332.37	0.36	0.22	8.20e-1
CISD3	150.58	-0.22	0.25	9.74e-1
CIT	561.66	-0.23	0.2	9.47e-1
CITED2	298.09	-0.48	0.21	5.64e-1
CIZ1	1282.72	-0.35	0.21	8.15e-1
CKAP2	1167.26	0.07	0.19	9.90e-1
CKAP2L	127.75	-0.28	0.24	9.47e-1
CKAP5	2994.36	-0.11	0.18	9.90e-1
CKMT2-AS1	24	-0.02	0.25	9.96e-1
CKS1B	389.37	-0.13	0.2	9.90e-1
CKS2	436.88	-0.04	0.21	9.93e-1
CLASP1	343.55	-0.08	0.21	9.90e-1

CLASP2	626.46	0.21	0.21	9.58e-1
CLASRP	532.27	-0.22	0.21	9.49e-1
CLCC1	151.49	0	0.23	1.00e+0
CLCF1	50.29	-0.2	0.25	9.86e-1
CLCN2	76.17	-0.23	0.25	9.66e-1
CLCN3	729.21	0.33	0.2	8.23e-1
CLCN4	216.8	0.07	0.22	9.91e-1
CLCN6	242.55	-0.04	0.22	9.93e-1
CLCN7	454.74	-0.03	0.23	9.93e-1
CLDN12	69.59	0.13	0.25	9.90e-1
CLDN15	175.7	-0.27	0.25	9.49e-1
CLDND1	259.39	0.21	0.22	9.61e-1
CLEC11A	14.13	0.04	0.22	9.93e-1
CLEC16A	902.03	-0.16	0.2	9.81e-1
CLEC17A	98.45	-0.06	0.25	9.93e-1
CLEC2B	26.44	0.11	0.25	9.90e-1
CLEC2D	763.95	0.24	0.21	9.47e-1
CLEC7A	81.46	0.2	0.25	9.81e-1
CLECL1	220.36	-0.45	0.22	6.49e-1
CLHC1	28.66	0.21	0.25	9.81e-1
CLIC1	1045.75	0.11	0.19	9.90e-1
CLIC4	2834.72	0.05	0.19	9.93e-1
CLINT1	1283.6	-0.3	0.19	8.41e-1
CLIP1	768.73	0.07	0.19	9.90e-1
CLIP2	356.36	0.22	0.23	9.59e-1
CLIP4	33.01	-0.41	0.25	8.30e-1
CLK1	317.28	0.45	0.22	6.28e-1
CLK2	561.48	0	0.2	9.98e-1
CLK3	454.39	-0.2	0.21	9.66e-1
CLK4	111.85	0.4	0.25	8.30e-1
CLN3	219.33	0.13	0.23	9.90e-1
CLN5	54.66	0.06	0.25	9.93e-1
CLN6	480.73	-0.11	0.22	9.90e-1
CLN8	59.29	-0.1	0.25	9.90e-1
CLNS1A	983.64	0.14	0.2	9.87e-1
CLOCK	103.97	-0.11	0.25	9.90e-1
CLP1	123.91	-0.09	0.24	9.90e-1
CLPB	277.06	-0.05	0.21	9.93e-1
CLPP	489.53	-0.36	0.23	8.38e-1
CLPTM1	1309.05	-0.27	0.2	8.89e-1
CLPTM1L	779.07	0.17	0.19	9.76e-1
CLPX	674.58	0.11	0.2	9.90e-1
CLSPN	1280.18	-0.33	0.19	7.57e-1
CLSTN1	1985.59	-0.13	0.2	9.90e-1
CLSTN3	113.29	-0.09	0.24	9.90e-1
CLTA	689.77	0.65	0.2	1.03e-1
CLTB	16.95	0.16	0.23	9.88e-1
CLTC	3077.39	0.08	0.19	9.90e-1
CLTCL1	16.05	-0.17	0.23	9.87e-1
CLUAP1	130.45	0.23	0.24	9.60e-1
CLUH	3515.91	-0.6	0.22	3.04e-1
CLUHP3	62.15	-0.24	0.25	9.64e-1
CLYBL	30.43	0.3	0.25	9.42e-1
CMAHP	49.82	-0.17	0.25	9.89e-1
CMAS	281.34	0.31	0.22	8.69e-1
CMC1	63.84	-0.04	0.25	9.93e-1
CMC2	90.89	0.02	0.24	9.96e-1
CMC4	26.42	0.28	0.25	9.47e-1
CMIP	508.31	-0.05	0.2	9.93e-1
CMPK1	1888.94	0.37	0.2	7.03e-1
CMSS1	270.27	-0.16	0.21	9.87e-1
CMTM1	10.25	0.09	0.21	9.90e-1
CMTM4	48.1	0.08	0.25	9.91e-1
CMTM6	414.29	0.39	0.21	6.99e-1
CMTM8	25.51	0.39	0.25	8.38e-1
CMTR1	569.68	-0.14	0.2	9.87e-1
CMTR2	169.17	0.2	0.23	9.78e-1
CNBP	2158.89	0.05	0.18	9.93e-1
CNDP2	864.13	-0.15	0.2	9.87e-1
CNEP1R1	57.74	0.32	0.25	9.23e-1
CNIH1	468.22	0.51	0.21	4.40e-1
CNIH4	69.88	0.3	0.25	9.46e-1
CNKSRI	24.91	-0.27	0.25	9.47e-1
CNN2	1947.69	-0.37	0.22	7.99e-1
CNNM2	46.78	0.2	0.25	9.86e-1
CNNM3	264.07	0.15	0.22	9.88e-1
CNNM4	430.11	0.01	0.2	9.96e-1
CNOT1	4914.69	-0.01	0.19	9.96e-1
CNOT10	427.27	0.18	0.21	9.75e-1
CNOT11	688.01	-0.04	0.2	9.93e-1
CNOT2	716.96	-0.24	0.19	9.25e-1
CNOT3	746.83	-0.33	0.2	8.30e-1
CNOT4	451.05	-0.36	0.2	7.56e-1

CNOT6	494.96	0.17	0.21	9.81e-1
CNOT6L	461.25	0.11	0.21	9.90e-1
CNOT7	1245.11	0.09	0.2	9.90e-1
CNOT8	325.57	0.4	0.22	7.22e-1
CNP	559.85	-0.49	0.22	5.84e-1
CNPPD1	360.5	-0.07	0.23	9.91e-1
CNPY2	266.57	0.09	0.22	9.90e-1
CNPY3	326.2	0.16	0.22	9.87e-1
CNPY4	53.5	0.05	0.25	9.93e-1
CNR1	11.63	0.33	0.22	8.51e-1
CNR2	113.7	0.34	0.24	8.78e-1
CNST	357.57	0.03	0.22	9.93e-1
CNTLN	190.67	0.04	0.23	9.93e-1
CNTRL	1052.2	0.04	0.2	9.93e-1
CNTROB	577.8	-0.29	0.22	9.06e-1
COA1	295.25	-0.04	0.21	9.93e-1
COA3	89.44	0.09	0.25	9.90e-1
COA4	236.54	-0.11	0.22	9.90e-1
COA5	61.18	0.39	0.25	8.41e-1
COA6	90.95	0	0.24	1.00e+0
COA7	643.78	-0.07	0.19	9.90e-1
COASY	647.31	-0.46	0.22	6.14e-1
COBLL1	651.84	-0.32	0.21	8.52e-1
COG1	150.28	0.27	0.23	9.47e-1
COG2	350.03	0.1	0.21	9.90e-1
COG3	188.79	0.2	0.23	9.80e-1
COG4	252.2	0.24	0.22	9.47e-1
COG5	380.75	0.21	0.21	9.61e-1
COG6	148.57	0.14	0.23	9.90e-1
COG7	70.98	0	0.25	9.99e-1
COG8	139.13	0.02	0.23	9.96e-1
COIL	271.45	-0.03	0.22	9.93e-1
COL11A2	44.91	-0.25	0.25	9.59e-1
COL1A1	92.83	0.42	0.25	8.02e-1
COL24A1	129.08	-0.74	0.24	1.50e-1
COL4A3	86.77	0.18	0.25	9.87e-1
COL4A3BP	338.09	0.71	0.22	1.14e-1
COL4A4	24.17	-0.16	0.24	9.89e-1
COL7A1	12.25	-0.08	0.21	9.90e-1
COL9A2	463.3	-0.22	0.22	9.60e-1
COLGALT1	1013.34	-0.12	0.19	9.90e-1
COMMD1	49.37	0	0.25	9.99e-1
COMMD10	67.99	0.22	0.25	9.80e-1
COMMD2	158.84	0.11	0.23	9.90e-1
COMMD3	17.66	0.17	0.23	9.87e-1
COMMD4	148.16	0.13	0.24	9.90e-1
COMMD5	84.87	-0.01	0.25	9.98e-1
COMMD6	76.78	0.24	0.25	9.64e-1
COMMD7	194.29	-0.12	0.23	9.90e-1
COMMD8	109.07	0.26	0.24	9.49e-1
COMMD9	228.25	-0.22	0.22	9.54e-1
COMT	171.21	0.08	0.24	9.91e-1
COMTD1	76.87	0.11	0.25	9.90e-1
COPA	1326.56	0.2	0.19	9.49e-1
COPB1	778.43	0.4	0.2	6.52e-1
COPB2	1041.72	0.05	0.19	9.93e-1
COPE	483.42	-0.04	0.22	9.93e-1
COPG1	935.74	0.06	0.19	9.93e-1
COPG2	165.23	0.12	0.23	9.90e-1
COPRS	173.99	0.45	0.23	6.54e-1
COPS2	889.45	0.06	0.2	9.92e-1
COPS3	802.62	0.42	0.2	6.14e-1
COPS4	248.05	0.05	0.22	9.93e-1
COPS5	351.4	0.25	0.21	9.47e-1
COPS6	349.18	-0.02	0.21	9.93e-1
COPS7A	309.27	-0.02	0.22	9.96e-1
COPS7B	411.77	-0.34	0.22	8.51e-1
COPS8	531.07	0.13	0.2	9.90e-1
COPZ1	709.5	0.12	0.19	9.90e-1
COQ10A	63.69	0.27	0.25	9.49e-1
COQ10B	84.97	0.15	0.25	9.90e-1
COQ2	176.85	0.6	0.23	3.52e-1
COQ3	46.6	-0.27	0.25	9.49e-1
COQ4	242.34	-0.13	0.23	9.90e-1
COQ5	109.65	-0.07	0.24	9.91e-1
COQ6	71.87	0.06	0.25	9.93e-1
COQ7	189.65	0.14	0.22	9.90e-1
COQ9	395.39	0.35	0.21	8.10e-1
CORO1A	1951.48	-0.18	0.22	9.82e-1
CORO1B	27.33	-0.18	0.25	9.87e-1
CORO1C	813.24	0.32	0.2	8.40e-1
CORO7	44.01	-0.54	0.25	5.87e-1
COTL1	2593	-0.24	0.2	9.31e-1

COX10	321.22	0.05	0.21	9.93e-1
COX10-AS1	60.38	0.2	0.25	9.82e-1
COX11	287.53	-0.09	0.21	9.90e-1
COX14	53.81	0.04	0.25	9.93e-1
COX15	479.59	0.02	0.2	9.95e-1
COX16	10.09	-0.06	0.21	9.93e-1
COX17	113.54	0.07	0.24	9.91e-1
COX18	122.08	0.2	0.25	9.81e-1
COX19	142.97	-0.14	0.23	9.90e-1
COX20	216.15	-0.25	0.22	9.47e-1
COX4I1	1301.83	0.39	0.19	6.06e-1
COX5A	558.98	0.74	0.2	4.51e-2
COX5B	362.59	0.12	0.21	9.90e-1
COX6A1	880.12	-0.03	0.2	9.93e-1
COX6B1	408.97	-0.13	0.23	9.90e-1
COX6C	364.37	0.37	0.21	7.57e-1
COX7A2	1009.46	0.31	0.19	8.38e-1
COX7A2L	595.37	0.18	0.2	9.69e-1
COX7B	360.34	0.15	0.21	9.87e-1
COX7C	419.92	0.3	0.21	8.64e-1
COX8A	337.05	-0.11	0.24	9.90e-1
CPA6	26.64	0.42	0.25	8.11e-1
CPD	86.16	0.2	0.25	9.81e-1
CPEB2	42.81	0.06	0.25	9.93e-1
CPEB3	35.04	0.2	0.25	9.86e-1
CPEB4	379.88	-0.09	0.21	9.90e-1
CPLX3	11.46	0.05	0.21	9.93e-1
CPNE1	712.37	-0.14	0.2	9.87e-1
CPNE5	1416.04	0.08	0.23	9.90e-1
CPOX	48.05	-0.03	0.25	9.93e-1
CPPED1	76.55	0.13	0.25	9.90e-1
CPSF1	987.85	-0.28	0.21	9.12e-1
CPSF2	1024.02	-0.06	0.19	9.91e-1
CPSF3	765.5	0.34	0.2	8.07e-1
CPSF3L	716.12	-0.36	0.21	7.99e-1
CPSF4	330.61	-0.05	0.22	9.93e-1
CPSF6	1620.44	-0.02	0.19	9.93e-1
CPSF7	1850.39	-0.55	0.19	2.62e-1
CPT1A	129.6	0.23	0.24	9.58e-1
CPT2	468.07	0.02	0.2	9.94e-1
CPTP	125.62	-0.4	0.25	8.40e-1
CR2	1345.99	0.58	0.2	2.15e-1
CRACR2A	232.35	-0.14	0.22	9.90e-1
CRADD	16.58	-0.06	0.23	9.93e-1
CRAMP1L	243.69	-0.22	0.22	9.58e-1
CRBN	117.23	0.15	0.24	9.90e-1
CRCP	511.7	-0.38	0.2	7.06e-1
CREB1	474.73	-0.1	0.2	9.90e-1
CREB3	115.51	-0.27	0.24	9.47e-1
CREB3L2	73.71	0.18	0.25	9.87e-1
CREB3L4	22	0.05	0.24	9.93e-1
CREB5	155.5	-0.47	0.23	6.36e-1
CREBBP	1025.59	-0.38	0.2	6.87e-1
CREBL2	144.61	0.16	0.24	9.89e-1
CREBRF	45.83	0.48	0.25	7.06e-1
CREBZF	772.16	0.07	0.19	9.90e-1
CREG1	481.05	0.65	0.21	1.84e-1
CRELD1	115.34	0.04	0.24	9.93e-1
CRELD2	112.99	0.74	0.24	1.48e-1
CREM	109.71	0.11	0.24	9.90e-1
CRHR1-IT1	18.9	-0.19	0.24	9.83e-1
CRIP1	136.7	-0.17	0.24	9.87e-1
CRIP3	19.9	0.01	0.24	9.98e-1
CRIPAK	32.99	0.14	0.25	9.90e-1
CRIPT	62.8	0.13	0.25	9.90e-1
CRK	344.84	-0.08	0.21	9.90e-1
CRKL	805.79	-0.07	0.19	9.90e-1
CRLF3	317.87	0.14	0.22	9.90e-1
CRLS1	471.5	0.53	0.22	4.44e-1
CRNDE	21.73	0.16	0.24	9.90e-1
CRNKL1	432.51	0	0.21	9.98e-1
CROCC	13.04	0.04	0.22	9.93e-1
CROCCP2	98.43	0.1	0.24	9.90e-1
CROT	57.39	0.04	0.25	9.93e-1
CRTAP	623.91	0.34	0.2	7.99e-1
CRTC1	154.05	-0.18	0.24	9.87e-1
CRTC2	638.08	-0.49	0.23	5.86e-1
CRTC3	48.19	-0.49	0.25	6.90e-1
CRY2	210.18	-0.18	0.23	9.86e-1
CRYBB2P1	152.72	-0.25	0.24	9.52e-1
CRYBG3	102.53	-0.17	0.24	9.87e-1
CRYM-AS1	11.15	0.04	0.21	9.93e-1
CRYZ	477.33	0.24	0.21	9.47e-1

CRYZL1	54.27	0.29	0.25	9.47e-1
CS	4882.97	-0.19	0.18	9.49e-1
CSAD	57.53	-0.01	0.25	9.97e-1
CSDE1	5406.96	0.02	0.18	9.93e-1
CSE1L	4096.66	-0.09	0.2	9.90e-1
CSF2RB	281.39	-0.42	0.24	7.57e-1
CSGALNACT2	182.8	0.52	0.23	5.45e-1
CSK	2222.83	-0.17	0.21	9.81e-1
CSNK1A1	597.7	0.12	0.2	9.90e-1
CSNK1D	638.27	0.05	0.21	9.93e-1
CSNK1G1	259.46	-0.13	0.22	9.90e-1
CSNK1G2	950.05	-0.34	0.22	8.53e-1
CSNK1G3	335.05	0.13	0.22	9.90e-1
CSNK2A1	2054.36	-0.2	0.18	9.49e-1
CSNK2A2	566.62	-0.03	0.2	9.93e-1
CSNK2A3	22.6	-0.24	0.25	9.58e-1
CSNK2B	1308.41	-0.01	0.19	9.96e-1
CSPP1	281.59	-0.13	0.22	9.90e-1
CSRNP1	137.82	-0.27	0.24	9.49e-1
CSRNP2	144.44	0.28	0.23	9.40e-1
CSRP1	813.4	-0.34	0.21	8.29e-1
CSR2BP	322.09	0.02	0.21	9.93e-1
CSTB	357.4	-0.15	0.21	9.87e-1
CSTF1	464.5	0.01	0.2	9.97e-1
CSTF2	266.69	0.05	0.21	9.93e-1
CSTF2T	346.19	-0.2	0.21	9.61e-1
CSTF3	380.15	0.23	0.21	9.47e-1
CTAGE5	307.55	0.4	0.21	7.04e-1
CTBP1	629.17	0.01	0.21	9.96e-1
CTBP1-AS2	125.67	0.08	0.24	9.90e-1
CTBS	55.81	0.12	0.25	9.90e-1
CTC1	277.19	-0.19	0.22	9.73e-1
CTCF	1605.56	-0.13	0.18	9.88e-1
CTDNEP1	912.78	-0.02	0.2	9.93e-1
CTDP1	358	-0.03	0.22	9.93e-1
CTDSP1	528.07	-0.09	0.23	9.90e-1
CTDSP2	1213.48	0.03	0.19	9.93e-1
CTDSPL2	479.22	-0.04	0.21	9.93e-1
CTH	33.5	0.05	0.25	9.93e-1
CTNNA1	140.91	0.12	0.24	9.90e-1
CTNNAL1	320.54	0.17	0.22	9.86e-1
CTNNB1	923.61	0.1	0.19	9.90e-1
CTNNBIP1	63.98	0.16	0.25	9.90e-1
CTNNBL1	501.94	-0.13	0.2	9.90e-1
CTNS	163.26	-0.14	0.23	9.90e-1
CTPS1	2236.09	-0.22	0.18	9.45e-1
CTPS2	284.09	-0.16	0.22	9.87e-1
CTR9	617.58	-0.2	0.2	9.53e-1
CTRL	22.88	-0.16	0.24	9.89e-1
CTSA	525.15	0.01	0.2	9.96e-1
CTSB	57.49	0.34	0.25	9.06e-1
CTSC	523.18	-0.05	0.2	9.93e-1
CTSD	581.03	-0.02	0.23	9.95e-1
CTSH	970.79	0.02	0.19	9.94e-1
CTSS	449.63	0.23	0.21	9.49e-1
CTSV	10.05	-0.13	0.21	9.90e-1
CTSZ	1222.99	0.12	0.2	9.90e-1
CTTNBP2NL	21.66	-0.29	0.24	9.42e-1
CTU1	17.88	0.1	0.23	9.90e-1
CTU2	127.63	-0.26	0.25	9.49e-1
CUEDC1	22.01	-0.21	0.24	9.75e-1
CUEDC2	188.85	-0.08	0.24	9.91e-1
CUL1	1610.33	-0.03	0.2	9.93e-1
CUL2	377.27	0.12	0.21	9.90e-1
CUL3	1274.8	0.09	0.2	9.90e-1
CUL4A	1267.85	0.06	0.19	9.91e-1
CUL4B	674.67	0.07	0.2	9.90e-1
CUL5	442.33	0.05	0.21	9.93e-1
CUL7	82.4	-0.06	0.25	9.93e-1
CUL9	141.05	-0.08	0.24	9.90e-1
CUTA	280.43	0.14	0.22	9.90e-1
CUTC	301.47	0.15	0.21	9.87e-1
CUX1	1626.64	-0.27	0.19	8.64e-1
CUX2	62.3	0.54	0.25	5.99e-1
CWC15	270.96	0.11	0.21	9.90e-1
CWC22	413.56	0	0.22	9.98e-1
CWC25	286.28	0.04	0.22	9.93e-1
CWC27	335.02	-0.24	0.21	9.47e-1
CWF19L1	210.89	0.2	0.22	9.72e-1
CWF19L2	155.42	-0.12	0.23	9.90e-1
CXADR	90.66	-0.07	0.25	9.91e-1
CXCL10	18.28	-0.08	0.24	9.90e-1
CXCL9	10.5	-0.32	0.21	8.40e-1

CXCR4	891.68	-0.16	0.19	9.81e-1
CXCR5	702.98	-0.06	0.23	9.93e-1
CXorf21	65.33	-0.28	0.25	9.47e-1
CXorf23	77.61	0.26	0.25	9.50e-1
CXorf38	125.19	0.33	0.24	8.74e-1
CXorf40A	63.57	0.15	0.25	9.90e-1
CXorf40B	109.51	0.06	0.24	9.93e-1
CXorf56	220.63	0.1	0.22	9.90e-1
CXorf57	200.43	0.11	0.23	9.90e-1
CXXC1	468.22	-0.16	0.22	9.87e-1
CXXC5	265.13	0.07	0.22	9.91e-1
CYB561A3	545.02	0.19	0.23	9.81e-1
CYB561D1	95.7	-0.02	0.24	9.96e-1
CYB561D2	43.04	0	0.25	9.99e-1
CYB5A	132.17	-0.09	0.23	9.90e-1
CYB5B	793.55	0.02	0.2	9.93e-1
CYB5D1	297.76	-0.16	0.21	9.87e-1
CYB5D2	32.77	0.13	0.25	9.90e-1
CYB5R1	106.24	-0.13	0.25	9.90e-1
CYB5R3	1181.2	-0.27	0.22	9.36e-1
CYB5R4	412.77	0.13	0.21	9.90e-1
CYB5RL	123.98	-0.19	0.24	9.83e-1
CYBA	642.38	-0.13	0.24	9.90e-1
CYBB	277.66	-0.31	0.22	8.76e-1
CYC1	907.33	0.21	0.2	9.49e-1
CYCS	1747.09	-0.1	0.19	9.90e-1
CYFIP2	3103.33	0.26	0.18	8.68e-1
CYHR1	105.57	0.17	0.24	9.87e-1
CYLD	318.83	0.54	0.21	4.11e-1
CYP20A1	30.72	0.07	0.25	9.93e-1
CYP27B1	50.73	0.17	0.25	9.89e-1
CYP2E1	37.72	-0.12	0.25	9.90e-1
CYP2R1	23.91	0.31	0.24	9.25e-1
CYP2U1	16.88	0.13	0.23	9.90e-1
CYP39A1	47.67	-0.11	0.25	9.90e-1
CYP4V2	158.54	0.34	0.23	8.66e-1
CYP51A1	278.81	-0.12	0.22	9.90e-1
CYSTM1	202.27	-0.12	0.22	9.90e-1
CYTH1	509.24	0.11	0.2	9.90e-1
CYTH2	238.2	0.04	0.23	9.93e-1
CYTH3	510.6	-0.7	0.2	6.62e-2
CYTH4	26.59	0	0.25	9.98e-1
CYTIP	289.27	-0.19	0.22	9.74e-1
D2HGDH	97.03	-0.14	0.25	9.90e-1
DAAM1	295.05	-0.1	0.22	9.90e-1
DAB2IP	11.62	-0.23	0.21	9.47e-1
DAD1	296.16	0.26	0.21	9.32e-1
DAG1	612.26	-0.43	0.21	6.07e-1
DAGLB	198.02	-0.34	0.22	8.62e-1
DALRD3	66.58	0.07	0.25	9.93e-1
DANCR	304.79	0.28	0.21	9.12e-1
DAP	403.42	0.14	0.2	9.89e-1
DAP3	1145.65	0.17	0.19	9.76e-1
DAPK3	177.2	-0.16	0.23	9.87e-1
DAPP1	231.49	0.08	0.22	9.90e-1
DARS	461.42	0.15	0.21	9.87e-1
DARS2	891.23	0.03	0.2	9.93e-1
DAXX	924.7	-0.17	0.2	9.74e-1
DAZAP1	2268.4	-0.21	0.19	9.49e-1
DAZAP2	1509.59	-0.25	0.19	9.20e-1
DBF4	983.48	-0.24	0.2	9.42e-1
DBF4B	348.17	-0.48	0.22	5.91e-1
DBI	466.49	-0.11	0.2	9.90e-1
DBIL5P	12.9	-0.08	0.22	9.90e-1
DBNL	902.2	-0.3	0.22	8.92e-1
DBP	43.71	0.02	0.25	9.96e-1
DBR1	164.24	0.17	0.23	9.87e-1
DBT	240.99	0.22	0.23	9.59e-1
DCAF10	329.44	0.15	0.22	9.87e-1
DCAF11	596.52	-0.05	0.2	9.93e-1
DCAF12	1862.95	0.02	0.18	9.93e-1
DCAF13	650.06	0.07	0.2	9.90e-1
DCAF15	289.24	-0.23	0.23	9.53e-1
DCAF16	580.81	-0.18	0.2	9.74e-1
DCAF17	364.95	0.14	0.21	9.90e-1
DCAF4	210.76	-0.18	0.22	9.81e-1
DCAF5	586.1	-0.15	0.2	9.87e-1
DCAF6	590.35	-0.12	0.2	9.90e-1
DCAF7	1057.33	-0.13	0.19	9.88e-1
DCAF8	759.85	0.09	0.19	9.90e-1
DCAKD	274.32	-0.27	0.22	9.42e-1
DCBLD2	37.33	-0.12	0.25	9.90e-1
DCHS1	11.89	-0.08	0.22	9.90e-1

DCK	1156.11	-0.11	0.2	9.90e-1
DCLRE1A	166.42	0.32	0.24	8.94e-1
DCLRE1B	337.34	-0.29	0.21	8.93e-1
DCLRE1C	197.2	-0.15	0.23	9.89e-1
DCP1A	311.3	-0.24	0.21	9.47e-1
DCP1B	186.65	-0.13	0.23	9.90e-1
DCP2	577.22	0.26	0.21	9.25e-1
DCP5	257.04	-0.1	0.21	9.90e-1
DCTD	371.24	0.33	0.21	8.41e-1
DCTN1	1579.39	-0.18	0.2	9.73e-1
DCTN2	449.55	-0.13	0.2	9.90e-1
DCTN3	107.53	0.18	0.24	9.87e-1
DCTN4	447.11	0.29	0.21	8.87e-1
DCTN5	609.6	-0.06	0.2	9.91e-1
DCTN6	197.22	-0.05	0.23	9.93e-1
DCTPP1	379.81	-0.35	0.21	8.30e-1
DCUN1D1	559.1	0.11	0.21	9.90e-1
DCUN1D2	108.02	0.07	0.24	9.93e-1
DCUN1D3	15.23	0.07	0.23	9.91e-1
DCUN1D4	190.35	0.21	0.23	9.73e-1
DCUN1D5	323.67	-0.01	0.21	9.97e-1
DCXR	160.01	0.07	0.23	9.92e-1
DDA1	323.83	-0.33	0.22	8.64e-1
DDAH2	45.75	0.04	0.25	9.93e-1
DDB1	3436.71	-0.15	0.18	9.81e-1
DDB2	326.92	0.04	0.21	9.93e-1
DDHD1	446.87	-0.03	0.21	9.93e-1
DDHD2	192.05	0.14	0.23	9.90e-1
DDI2	161.29	-0.18	0.23	9.84e-1
DDIAS	188.48	0.15	0.23	9.90e-1
DDIT3	63.48	0.74	0.25	2.19e-1
DDIT4	206.38	0.69	0.23	2.11e-1
DDN	33.99	-0.15	0.25	9.90e-1
DDOST	1075.68	0.13	0.19	9.88e-1
DDR1	307.78	-0.39	0.24	8.30e-1
DDRGK1	387.76	-0.05	0.22	9.93e-1
DDT	117.12	0.28	0.24	9.47e-1
DDTL	24.49	0.1	0.25	9.90e-1
DDX1	1544.96	0.03	0.19	9.93e-1
DDX10	671.79	-0.21	0.19	9.49e-1
DDX11	784.45	-0.08	0.2	9.90e-1
DDX12P	286.99	-0.26	0.22	9.47e-1
DDX17	3933.87	-0.08	0.18	9.90e-1
DDX18	754.92	-0.08	0.19	9.90e-1
DDX19A	625.11	-0.24	0.19	9.39e-1
DDX19B	193.97	0.12	0.22	9.90e-1
DDX20	545.39	-0.02	0.2	9.93e-1
DDX21	5966.54	-0.27	0.18	8.53e-1
DDX23	1493.34	-0.37	0.19	6.84e-1
DDX24	1780.58	-0.24	0.18	9.11e-1
DDX26B	156.73	-0.02	0.23	9.93e-1
DDX27	1153.77	-0.18	0.19	9.61e-1
DDX28	189.72	0.07	0.23	9.91e-1
DDX31	405.98	0.24	0.21	9.47e-1
DDX39A	941.35	-0.1	0.2	9.90e-1
DDX3X	4347.17	-0.08	0.19	9.90e-1
DDX3Y	1731.97	-0.06	0.19	9.91e-1
DDX41	895.9	-0.34	0.21	8.27e-1
DDX42	1706.6	-0.06	0.19	9.90e-1
DDX46	1584.95	-0.48	0.18	3.64e-1
DDX47	458	0.07	0.2	9.90e-1
DDX49	341.11	0	0.21	9.99e-1
DDX5	3788.45	-0.12	0.18	9.89e-1
DDX50	382.58	0.2	0.21	9.60e-1
DDX51	440.42	-0.18	0.21	9.77e-1
DDX52	554.44	-0.01	0.21	9.98e-1
DDX54	1982.69	-0.41	0.21	7.04e-1
DDX55	368.53	-0.15	0.21	9.87e-1
DDX56	671.98	-0.12	0.19	9.90e-1
DDX58	44.16	-0.15	0.25	9.90e-1
DDX59	120.32	0.45	0.24	7.04e-1
DDX6	1781.46	-0.02	0.18	9.93e-1
DEAF1	221.93	-0.14	0.23	9.90e-1
DECR1	103.22	0.28	0.24	9.47e-1
DECR2	105.71	-0.18	0.25	9.88e-1
DEDD	190.01	-0.03	0.23	9.93e-1
DEDD2	141.22	-0.15	0.25	9.90e-1
DEF6	107.44	-0.14	0.24	9.90e-1
DEF8	706.82	-0.48	0.22	5.89e-1
DEGS1	306.94	0.19	0.22	9.80e-1
DEK	3310.09	-0.11	0.18	9.90e-1
DENND1A	369.85	-0.03	0.21	9.93e-1
DENND1B	145.54	0.06	0.24	9.93e-1

DENND1C	303.96	-0.18	0.23	9.86e-1
DENND3	224.24	0.27	0.23	9.42e-1
DENND4A	1604.73	0.13	0.2	9.90e-1
DENND4B	880.67	-0.18	0.22	9.81e-1
DENND4C	463.83	0.2	0.21	9.66e-1
DENND5B	146.87	-0.03	0.24	9.93e-1
DENND6A	261.87	0.15	0.22	9.88e-1
DENND6B	87.42	-0.53	0.25	6.01e-1
DENR	858.15	0.01	0.2	9.96e-1
DEPDC1	605.97	-0.13	0.21	9.90e-1
DEPDC1B	165.08	-0.21	0.23	9.66e-1
DEPDC5	398.35	-0.19	0.2	9.66e-1
DEPTOR	212.45	0.05	0.22	9.93e-1
DERA	64.82	0.06	0.25	9.93e-1
DERL1	617.75	0.07	0.2	9.90e-1
DERL2	198.7	0.32	0.23	8.89e-1
DERL3	223.84	-0.13	0.25	9.90e-1
DESI1	1320.87	-0.51	0.21	4.30e-1
DESI2	1004.59	0.28	0.2	9.03e-1
DET1	32.49	0.16	0.25	9.90e-1
DEXI	61.32	-0.05	0.25	9.93e-1
DFFA	559.9	-0.31	0.2	8.52e-1
DFFB	42.67	0.02	0.25	9.96e-1
DGAT1	119.36	-0.21	0.25	9.80e-1
DGAT2	164.32	0.01	0.23	9.98e-1
DGCR11	12.1	-0.22	0.22	9.54e-1
DGCR14	155.52	-0.34	0.24	8.73e-1
DGCR2	400.16	-0.07	0.23	9.91e-1
DGCR6L	76.39	-0.04	0.25	9.93e-1
DGCR8	341.71	-0.15	0.21	9.87e-1
DGKA	76.3	-0.31	0.25	9.33e-1
DGKD	612.41	-0.08	0.2	9.90e-1
DGKE	60.87	0.01	0.25	9.96e-1
DGKH	186.47	-0.18	0.23	9.87e-1
DGKQ	47.12	-0.06	0.25	9.93e-1
DGKZ	931.43	-0.4	0.21	7.04e-1
DGUOK	228.59	0.12	0.22	9.90e-1
DHCR24	1323.59	0.01	0.19	9.96e-1
DHCR7	908.11	-0.6	0.21	2.45e-1
DHDDS	342.13	-0.27	0.21	9.20e-1
DHFR	1233.94	-0.18	0.19	9.60e-1
DHFRL1	34.51	-0.17	0.25	9.90e-1
DHODH	168.42	-0.39	0.23	8.10e-1
DHPS	291.94	-0.06	0.22	9.93e-1
DHRS1	12.64	0.02	0.21	9.93e-1
DHRS11	96.74	-0.02	0.24	9.95e-1
DHRS13	96.64	0.21	0.24	9.80e-1
DHRS7B	54.32	0.1	0.25	9.90e-1
DHRSX	74.93	0.32	0.25	9.25e-1
DHTKD1	486.13	0.03	0.2	9.93e-1
DHX15	2123.54	-0.02	0.19	9.95e-1
DHX16	547	-0.26	0.21	9.35e-1
DHX29	467.01	-0.07	0.2	9.90e-1
DHX30	1302.5	-0.46	0.2	5.70e-1
DHX33	1098.62	-0.12	0.19	9.90e-1
DHX34	624.38	-0.33	0.22	8.51e-1
DHX35	178.04	0.12	0.23	9.90e-1
DHX36	614.38	0.19	0.21	9.73e-1
DHX37	764.99	-0.34	0.23	8.53e-1
DHX38	1224.36	-0.26	0.2	9.12e-1
DHX40	539	0.32	0.2	8.40e-1
DHX57	88.65	-0.06	0.25	9.93e-1
DHX8	468.33	-0.08	0.2	9.90e-1
DHX9	4289.26	-0.07	0.18	9.90e-1
DIABLO	373.53	0.03	0.21	9.93e-1
DIAPH1	1739.01	-0.05	0.18	9.93e-1
DIAPH2	80.7	-0.28	0.25	9.47e-1
DIAPH3	158.53	0.09	0.23	9.90e-1
DICER1	715.93	0.03	0.21	9.93e-1
DIDO1	1420.31	-0.26	0.19	8.94e-1
DIEXF	371.6	-0.14	0.21	9.90e-1
DIMT1	412.18	0.02	0.21	9.93e-1
DIP2A	153.29	0.1	0.23	9.90e-1
DIP2B	530.65	-0.17	0.21	9.81e-1
DIP2C	23.05	0.6	0.24	4.46e-1
DIS3	1141.39	0.1	0.2	9.90e-1
DIS3L	583.2	0.08	0.2	9.90e-1
DIS3L2	208.58	-0.27	0.22	9.42e-1
DISP1	22.65	0.04	0.24	9.93e-1
DIXDC1	10.4	-0.1	0.21	9.90e-1
DKC1	1777.71	-0.12	0.18	9.90e-1
DKFZP434I0714	67.21	0.23	0.25	9.68e-1
DKFZP586I1420	53.33	-0.03	0.25	9.93e-1

DLAT	1776.35	-0.12	0.19	9.89e-1
DLD	1791.1	0.17	0.19	9.73e-1
DLEU1	152.69	-0.22	0.23	9.66e-1
DLEU2	51.43	0.04	0.25	9.93e-1
DLG1	623.57	0.06	0.21	9.93e-1
DLG3	115.39	-0.07	0.24	9.92e-1
DLG4	104.96	-0.37	0.25	8.53e-1
DLGAP4	606.03	-0.37	0.22	8.10e-1
DLGAP5	709.88	-0.14	0.21	9.88e-1
DLST	905.83	-0.18	0.19	9.66e-1
DMAP1	238.64	-0.12	0.22	9.90e-1
DMC1	46.41	-0.13	0.25	9.90e-1
DMD	40.09	0.02	0.25	9.94e-1
DMPK	229.1	0.22	0.24	9.72e-1
DMTF1	531.8	0.05	0.22	9.93e-1
DMWD	299.13	-0.1	0.25	9.90e-1
DMXL1	368.96	0.05	0.21	9.93e-1
DMXL2	43.78	0.18	0.25	9.87e-1
DNA2	341.86	0.16	0.22	9.87e-1
DNAAF2	214.78	0.18	0.22	9.81e-1
DNAAF3	16.25	-0.04	0.23	9.93e-1
DNAAF5	945.73	-0.18	0.19	9.73e-1
DNAH1	10.15	0.14	0.2	9.87e-1
DNAJA1	2883.38	-0.24	0.18	9.10e-1
DNAJA2	1058.15	0	0.19	1.00e+0
DNAJA3	1070.38	0.09	0.19	9.90e-1
DNAJB1	968.65	-0.41	0.19	5.91e-1
DNAJB11	560.13	0.42	0.2	6.03e-1
DNAJB12	360.16	-0.01	0.21	9.96e-1
DNAJB14	179.29	0.41	0.23	7.76e-1
DNAJB2	303.87	-0.23	0.24	9.61e-1
DNAJB4	377.89	-1.16	0.22	8.40e-5
DNAJB5	40.55	-0.05	0.25	9.93e-1
DNAJB6	797.46	-0.13	0.2	9.90e-1
DNAJB9	98.95	0.35	0.25	8.69e-1
DNAJC1	124.04	0.25	0.24	9.52e-1
DNAJC10	1371.09	0.35	0.2	7.57e-1
DNAJC11	1365.23	-0.23	0.19	9.42e-1
DNAJC12	103.12	0.13	0.25	9.90e-1
DNAJC13	664.83	0.1	0.2	9.90e-1
DNAJC14	396.29	-0.29	0.21	9.04e-1
DNAJC15	74.86	-0.06	0.25	9.93e-1
DNAJC16	235.29	0.13	0.22	9.90e-1
DNAJC17	91.53	-0.12	0.25	9.90e-1
DNAJC18	31.12	0.09	0.25	9.90e-1
DNAJC19	120.85	0.14	0.24	9.90e-1
DNAJC2	1197.77	-0.24	0.19	9.25e-1
DNAJC21	607.06	0.14	0.2	9.89e-1
DNAJC24	126.43	0.01	0.24	9.96e-1
DNAJC25	74.85	0.2	0.25	9.81e-1
DNAJC27	58.15	0.04	0.25	9.93e-1
DNAJC3	340.02	0.32	0.22	8.64e-1
DNAJC30	60.41	-0.21	0.25	9.80e-1
DNAJC3-AS1	15.67	0.09	0.23	9.90e-1
DNAJC4	68.29	-0.12	0.25	9.90e-1
DNAJC5	542.41	0.01	0.21	9.96e-1
DNAJC6	680.96	-0.16	0.19	9.80e-1
DNAJC7	801.18	0.21	0.2	9.49e-1
DNAJC8	1461.2	-0.1	0.19	9.90e-1
DNAJC9	498.37	0.17	0.2	9.80e-1
DNAL1	51.97	0.16	0.25	9.90e-1
DNAL4	27.19	0.04	0.25	9.93e-1
DNASE1	59.78	0	0.25	9.98e-1
DNASE1L1	86	-0.02	0.25	9.96e-1
DNASE2	125.93	0.29	0.24	9.39e-1
DND1	10.67	-0.06	0.21	9.93e-1
DNHD1	33.32	-0.04	0.25	9.93e-1
DNLZ	24.82	0.26	0.24	9.49e-1
DNM1L	1195.17	0.05	0.2	9.93e-1
DNM2	1155.94	-0.24	0.2	9.42e-1
DNMBP	882.52	-0.12	0.19	9.90e-1
DNMT1	6068.1	-0.28	0.19	8.64e-1
DNMT3B	237.09	-0.71	0.22	1.10e-1
DNPEP	486.44	-0.22	0.22	9.58e-1
DNPH1	167.28	-0.03	0.24	9.93e-1
DNTTIP1	232.8	0.01	0.22	9.96e-1
DNTTIP2	782.87	-0.07	0.2	9.90e-1
DOCK10	25.46	0.11	0.25	9.90e-1
DOCK11	426.78	0.57	0.21	3.32e-1
DOCK2	1609.51	0.12	0.18	9.90e-1
DOCK4	72.97	-0.13	0.25	9.90e-1
DOCK7	269.86	0.11	0.22	9.90e-1
DOCK8	553.62	0.15	0.2	9.87e-1

DOCK9	396.75	0.05	0.21	9.93e-1
DOHH	143.58	-0.52	0.25	6.07e-1
DOK3	1907.23	-0.16	0.22	9.87e-1
DOK4	64.03	-0.05	0.25	9.93e-1
DOLK	80.29	-0.33	0.25	9.10e-1
DOLPP1	143.73	-0.1	0.24	9.90e-1
DONSON	327.45	0.18	0.21	9.81e-1
DOPEY1	199.55	0.16	0.22	9.87e-1
DOPEY2	109.2	-0.2	0.24	9.83e-1
DOT1L	1148.44	-0.26	0.22	9.47e-1
DPAGT1	401.21	-0.08	0.21	9.90e-1
DPCD	67.6	0.19	0.25	9.87e-1
DPF1	80.6	-0.09	0.25	9.90e-1
DPF2	630.21	-0.31	0.2	8.49e-1
DPH1	312.92	-0.16	0.22	9.87e-1
DPH2	910.06	-0.47	0.21	5.71e-1
DPH3	141.25	0.13	0.23	9.90e-1
DPH5	189.29	0.11	0.23	9.90e-1
DPH6	48.18	0.28	0.25	9.47e-1
DPH7	227.7	-0.08	0.22	9.90e-1
DPM1	422.16	-0.07	0.21	9.91e-1
DPM2	181.56	0.09	0.23	9.90e-1
DPP3	668.13	-0.08	0.21	9.90e-1
DPP7	757.28	-0.28	0.23	9.39e-1
DPP8	259.86	0.1	0.22	9.90e-1
DPP9	824	-0.36	0.22	8.11e-1
DPY19L1	344.22	0.37	0.22	8.10e-1
DPY19L2P2	24.46	-0.13	0.25	9.90e-1
DPY19L3	253.11	0.26	0.23	9.47e-1
DPY19L4	49.26	0.38	0.25	8.62e-1
DPY30	105.32	0.18	0.24	9.87e-1
DPYD	73.37	-0.19	0.25	9.87e-1
DPYSL2	744.93	0.04	0.19	9.93e-1
DR1	478.53	0.09	0.2	9.90e-1
DRAM2	206.29	0.95	0.23	1.19e-2
DRAP1	355.03	-0.38	0.22	7.83e-1
DRG1	514.12	-0.05	0.2	9.93e-1
DRG2	288.51	-0.26	0.22	9.47e-1
DROSHA	865.63	-0.06	0.19	9.91e-1
DSCC1	349.75	0.37	0.22	8.03e-1
DSCR3	234.98	0.05	0.22	9.93e-1
DSN1	313.18	0.18	0.22	9.80e-1
DST	595.36	-0.27	0.2	9.06e-1
DSTN	566.08	0.38	0.21	7.22e-1
DSTYK	142.39	-0.13	0.23	9.90e-1
DTD1	183.38	0.3	0.22	9.06e-1
DTD2	172.09	0.25	0.23	9.49e-1
DTL	770.83	-0.01	0.19	9.96e-1
DTNB	118.52	0.19	0.24	9.81e-1
DTNBP1	80.9	0.28	0.25	9.47e-1
DTWD1	73.53	0.16	0.25	9.90e-1
DTWD2	46.53	-0.04	0.25	9.93e-1
DTX1	2824.5	-0.21	0.21	9.53e-1
DTX2	270.47	-0.25	0.24	9.52e-1
DTX2P1-UPK3BP1-PMS2P11	31.17	-0.31	0.25	9.32e-1
DTX3	105.76	0	0.24	9.98e-1
DTX3L	632.68	0.15	0.2	9.87e-1
DTX4	644.01	0.04	0.21	9.93e-1
DTYMK	214.69	-0.02	0.22	9.95e-1
DUS1L	654.1	0.02	0.2	9.95e-1
DUS2	221.95	0.11	0.22	9.90e-1
DUS3L	506.92	-0.33	0.22	8.64e-1
DUS4L	147.52	0.19	0.23	9.86e-1
DUSP1	20.71	-0.12	0.24	9.90e-1
DUSP10	73.27	0.19	0.25	9.87e-1
DUSP11	278.02	-0.02	0.22	9.94e-1
DUSP12	201.25	0.15	0.22	9.90e-1
DUSP14	118.37	-0.01	0.24	9.96e-1
DUSP16	66.11	0.22	0.25	9.77e-1
DUSP18	18.7	-0.09	0.24	9.90e-1
DUSP2	148.6	0.12	0.25	9.90e-1
DUSP22	479.05	0.52	0.2	4.11e-1
DUSP28	11.86	0.14	0.22	9.90e-1
DUSP5	131.58	0.64	0.24	3.16e-1
DUSP7	573.69	-0.48	0.21	5.45e-1
DUT	537.67	0.43	0.2	5.91e-1
DVL1	446.72	-0.26	0.24	9.47e-1
DVL2	383	-0.4	0.23	7.99e-1
DVL3	893.84	-0.37	0.22	8.04e-1
DXO	101.26	0.07	0.24	9.93e-1
DYM	368.24	0.08	0.22	9.90e-1
DYNC1H1	3752.16	-0.03	0.18	9.93e-1
DYNC1I2	448.91	-0.14	0.2	9.88e-1

DYNC1LI1	426.35	-0.16	0.2	9.87e-1
DYNC1LI2	670.15	-0.2	0.2	9.58e-1
DYNC2H1	17.33	0.15	0.23	9.90e-1
DYNC2LI1	46.8	0.15	0.25	9.90e-1
DYNLL1	765.17	0.11	0.19	9.90e-1
DYNLL2	431.77	0.19	0.2	9.66e-1
DYNLRB1	302.28	-0.2	0.21	9.61e-1
DYNLT1	60.52	0.16	0.25	9.90e-1
DYNLT3	128.94	-0.26	0.24	9.49e-1
DYRK1A	421.96	0.28	0.21	9.07e-1
DYRK1B	41.29	0	0.25	9.99e-1
DYRK2	527.63	-0.11	0.2	9.90e-1
DYRK3	164.58	0.07	0.23	9.92e-1
DYRK4	34.76	0.06	0.25	9.93e-1
DZANK1	20.59	0.16	0.24	9.89e-1
DZIP3	180.23	0.35	0.23	8.53e-1
E2F1	985.78	-0.12	0.21	9.90e-1
E2F2	1159.61	-0.13	0.21	9.90e-1
E2F3	628.16	0.19	0.2	9.59e-1
E2F4	975.08	-0.36	0.22	8.18e-1
E2F5	301.42	0.54	0.22	4.29e-1
E2F6	126.43	0.12	0.24	9.90e-1
E2F7	147.58	-0.01	0.24	9.96e-1
E2F8	512.24	-0.12	0.2	9.90e-1
E4F1	182.66	0.05	0.24	9.93e-1
EAF1	351.49	-0.03	0.21	9.93e-1
EAF2	72.1	0.04	0.25	9.93e-1
EAPP	180.79	0.22	0.23	9.61e-1
EARS2	501.83	0.07	0.2	9.90e-1
EBAG9	198.38	0	0.23	9.98e-1
EBF1	262.26	-0.24	0.21	9.47e-1
EBI3	103.15	-0.83	0.25	1.02e-1
EBLN2	11.94	0.07	0.22	9.90e-1
EBLN3	1667.31	0.23	0.19	9.40e-1
EBNA1BP2	1859.74	-0.14	0.18	9.86e-1
EBP	245.29	-0.12	0.22	9.90e-1
EBPL	105.52	0.8	0.25	1.05e-1
ECD	296.3	-0.1	0.21	9.90e-1
ECE1	838.72	-0.06	0.2	9.91e-1
ECE2	145.13	-0.04	0.24	9.93e-1
ECH1	276.11	-0.15	0.23	9.89e-1
ECHDC1	424.17	-0.07	0.21	9.90e-1
ECHS1	294.51	0.16	0.21	9.87e-1
ECI1	99.32	0.13	0.25	9.90e-1
ECI2	660.11	-0.14	0.2	9.87e-1
ECM1	12.46	0.02	0.22	9.95e-1
ECSIT	367.06	0.06	0.21	9.92e-1
ECT2	620.31	-0.09	0.21	9.90e-1
EDC3	350.12	-0.41	0.21	6.84e-1
EDC4	1097.92	-0.39	0.21	7.19e-1
EDEM1	764.54	0.41	0.2	6.07e-1
EDEM2	145.51	0.16	0.23	9.88e-1
EDEM3	445.17	0.1	0.21	9.90e-1
EDF1	721.42	-0.23	0.22	9.49e-1
EDRF1	274.9	0	0.22	9.98e-1
EEA1	595.88	-0.2	0.21	9.64e-1
EED	194.96	0.06	0.22	9.93e-1
EEF1A1	63278.61	0.21	0.18	9.47e-1
EEF1B2	2584.37	0.28	0.18	8.51e-1
EEF1D	1073.76	-0.05	0.22	9.93e-1
EEF1E1	63.43	0.1	0.25	9.90e-1
EEF1G	7444.71	-0.03	0.19	9.93e-1
EEF2	17684.35	0	0.2	9.98e-1
EEF2K	770.42	-0.04	0.19	9.93e-1
EEF2KMT	158.43	0.01	0.23	9.96e-1
EEFSEC	223.6	-0.19	0.23	9.80e-1
EEPD1	85.37	0.6	0.25	4.46e-1
EFCAB11	20.61	0.13	0.24	9.90e-1
EFCAB14	1166.83	-0.08	0.19	9.90e-1
EFCAB2	53.77	0.1	0.25	9.90e-1
EFCAB7	103.88	-0.15	0.24	9.90e-1
EFHC1	33.56	0.2	0.25	9.86e-1
EFHD2	797.96	-0.49	0.23	6.07e-1
EFNA3	43	-0.21	0.25	9.80e-1
EFNA4	38.9	0.1	0.25	9.90e-1
EFNB1	53.05	-0.17	0.25	9.90e-1
EFR3A	474.72	0.18	0.22	9.80e-1
EFTUD1	377.47	0.08	0.21	9.90e-1
EFTUD2	2011.48	-0.17	0.18	9.66e-1
EGLN1	152.17	0.39	0.23	8.10e-1
EGR1	17.26	0.23	0.23	9.58e-1
EHBP1	235.66	0.17	0.23	9.87e-1
EHBP1L1	438.12	-0.52	0.23	5.59e-1

EHD1	2029.61	-0.26	0.21	9.37e-1
EHD4	238.21	-0.02	0.22	9.95e-1
EHMT1	1079.11	-0.24	0.2	9.38e-1
EHMT2	1002.21	-0.32	0.2	8.38e-1
EI24	1244.51	0.36	0.19	7.13e-1
EID1	735.59	0	0.19	9.98e-1
EID2	49.89	0.75	0.25	2.19e-1
EID2B	12.6	0.09	0.22	9.90e-1
EIF1	1455	0.53	0.19	2.59e-1
EIF1AD	318.87	-0.2	0.21	9.66e-1
EIF1AX	1057.6	0.1	0.2	9.90e-1
EIF1AY	396.6	-0.39	0.2	7.04e-1
EIF1B	205.33	-0.27	0.22	9.42e-1
EIF2A	1496.41	0.1	0.2	9.90e-1
EIF2AK1	1767.86	0.16	0.18	9.80e-1
EIF2AK2	167.98	-0.05	0.23	9.93e-1
EIF2AK3	466.68	0.23	0.21	9.49e-1
EIF2AK4	242.04	-0.01	0.22	9.96e-1
EIF2B1	673.66	-0.1	0.2	9.90e-1
EIF2B2	259.76	-0.12	0.21	9.90e-1
EIF2B3	389.05	0	0.21	9.99e-1
EIF2B4	280.33	-0.36	0.22	8.30e-1
EIF2B5	686.72	-0.12	0.19	9.90e-1
EIF2D	888.19	-0.04	0.19	9.93e-1
EIF2S1	966.6	-0.13	0.19	9.90e-1
EIF2S2	2234.45	0.09	0.18	9.90e-1
EIF2S3	3227.5	0.23	0.19	9.42e-1
EIF3A	7436.52	-0.27	0.18	8.53e-1
EIF3B	3688.36	-0.02	0.18	9.93e-1
EIF3D	2259.76	0.06	0.18	9.91e-1
EIF3E	2644.28	0.18	0.19	9.66e-1
EIF3F	1081.88	0.49	0.19	3.58e-1
EIF3G	1316.7	-0.45	0.21	5.91e-1
EIF3H	1605.3	0.22	0.19	9.47e-1
EIF3I	3546.13	0	0.18	9.98e-1
EIF3J	1424.23	-0.34	0.19	7.41e-1
EIF3J-AS1	28.63	0.01	0.25	9.96e-1
EIF3K	1198.89	0.03	0.19	9.93e-1
EIF3L	2636.49	0.31	0.18	7.86e-1
EIF3M	1626.5	0.31	0.2	8.40e-1
EIF4A2	2097.36	0.29	0.19	8.52e-1
EIF4A3	733.44	0.33	0.2	8.12e-1
EIF4B	10197.28	0.26	0.18	8.58e-1
EIF4E	865.79	0.04	0.19	9.93e-1
EIF4E2	514.93	-0.44	0.2	5.94e-1
EIF4EBP1	93.86	-0.02	0.25	9.95e-1
EIF4EBP2	1744.38	-0.07	0.19	9.90e-1
EIF4ENIF1	378.05	-0.12	0.2	9.90e-1
EIF4G1	8737.4	-0.44	0.19	5.37e-1
EIF4G2	8134.78	-0.29	0.18	8.38e-1
EIF4G3	1673.32	-0.19	0.18	9.50e-1
EIF4H	2131.92	-0.24	0.19	9.23e-1
EIF5	2413.86	-0.16	0.19	9.80e-1
EIF5A	5313.31	-0.18	0.19	9.66e-1
EIF5AL1	28.32	0.47	0.25	7.04e-1
EIF5B	2630.42	-0.48	0.18	3.64e-1
EIF6	590.26	-0.08	0.21	9.90e-1
ELAC1	35.27	-0.07	0.25	9.93e-1
ELAC2	1206.78	-0.07	0.19	9.90e-1
ELAVL1	1146.25	-0.06	0.19	9.90e-1
ELF1	1856.36	-0.03	0.19	9.93e-1
ELF2	259.53	0.16	0.22	9.87e-1
ELF4	495.2	-0.24	0.2	9.47e-1
ELK1	374.26	-0.4	0.23	7.59e-1
ELK3	57.88	-0.28	0.25	9.49e-1
ELK4	709.07	-0.01	0.2	9.96e-1
ELL	184.12	-0.26	0.25	9.49e-1
ELL3	690.04	-0.05	0.19	9.93e-1
ELMO1	1119.66	-0.05	0.19	9.93e-1
ELMO2	350.45	-0.03	0.21	9.93e-1
ELMO3	36.85	0.12	0.25	9.90e-1
ELMOD2	207.65	0.23	0.23	9.58e-1
ELMOD3	54.47	-0.21	0.25	9.80e-1
ELMSAN1	1499.59	0	0.2	1.00e+0
ELOF1	376.6	-0.43	0.22	7.01e-1
ELOVL1	635.92	-0.21	0.2	9.53e-1
ELOVL5	1170.15	-0.04	0.19	9.93e-1
ELOVL6	257.38	0.04	0.22	9.93e-1
ELP2	473.05	0.25	0.21	9.37e-1
ELP3	465.06	0.11	0.2	9.90e-1
ELP4	103.92	0.22	0.24	9.73e-1
ELP5	336.33	0.06	0.21	9.91e-1
ELP6	167.04	0.09	0.23	9.90e-1

EMB	833.39	-0.02	0.21	9.93e-1
EMBP1	34.62	0.09	0.25	9.90e-1
EMC1	535.75	-0.09	0.2	9.90e-1
EMC10	206.85	-0.09	0.24	9.90e-1
EMC2	167.69	0	0.23	9.98e-1
EMC3	167.69	0.05	0.23	9.93e-1
EMC3-AS1	133.49	-0.2	0.23	9.80e-1
EMC4	252.39	0.23	0.22	9.49e-1
EMC6	121.93	-0.22	0.25	9.80e-1
EMC7	169.21	0.17	0.23	9.87e-1
EMC8	183.27	0.31	0.23	8.94e-1
EMC9	75.1	0.06	0.25	9.93e-1
EMD	362.88	-0.21	0.22	9.63e-1
EME1	136.04	0.05	0.23	9.93e-1
EME2	121.92	-0.28	0.25	9.47e-1
EMG1	243.42	-0.17	0.23	9.87e-1
EML2	307.29	0.08	0.24	9.90e-1
EML2-AS1	41.82	-0.06	0.25	9.93e-1
EML3	308.46	-0.23	0.24	9.61e-1
EML4	832.08	-0.11	0.2	9.90e-1
EML5	97.93	0.06	0.24	9.93e-1
EML6	215.07	0.1	0.22	9.90e-1
ENAH	249.87	-0.24	0.22	9.49e-1
ENDOD1	326.31	-0.05	0.22	9.93e-1
ENDOG	11.62	0.07	0.22	9.91e-1
ENKD1	49.4	0.03	0.25	9.93e-1
ENO1	11214.96	-0.09	0.18	9.90e-1
ENO2	161.59	0.22	0.23	9.64e-1
ENO3	42.71	0.1	0.25	9.90e-1
ENOPH1	358.33	0.25	0.21	9.47e-1
ENOX2	116.11	0.16	0.24	9.89e-1
ENPP1	35.84	0.03	0.25	9.93e-1
ENPP4	120.23	0.15	0.24	9.90e-1
ENPP5	15.57	0.15	0.23	9.90e-1
ENSA	796.71	0.04	0.19	9.93e-1
ENTHD2	116.03	-0.24	0.25	9.66e-1
ENTPD1-AS1	21.72	0.12	0.24	9.90e-1
ENTPD4	606.01	0.05	0.2	9.93e-1
ENTPD5	75.71	0	0.25	9.98e-1
ENTPD6	409.63	-0.21	0.22	9.60e-1
ENTPD7	146.14	0.03	0.23	9.93e-1
ENY2	402.59	0.24	0.2	9.43e-1
EP300	1530.19	-0.26	0.18	8.73e-1
EP400	981.33	-0.28	0.2	8.85e-1
EP400NL	41.17	-0.29	0.25	9.47e-1
EPB41	1860.82	-0.02	0.18	9.93e-1
EPB41L4A-AS1	86.22	0.11	0.25	9.90e-1
EPC1	317.97	0.15	0.22	9.87e-1
EPC2	38.53	-0.1	0.25	9.90e-1
EPG5	109.01	0.2	0.24	9.81e-1
EPHB4	118.42	-0.18	0.25	9.87e-1
EPHX3	18.18	-0.24	0.24	9.58e-1
EPM2A	94.4	0.13	0.24	9.90e-1
EPM2AIP1	513.03	0.02	0.21	9.93e-1
EPN1	1098.61	-0.41	0.24	7.97e-1
EPN2	46.51	-0.08	0.25	9.91e-1
EPOR	38.24	0.06	0.25	9.93e-1
EPRS	3513.65	0.15	0.19	9.86e-1
EPS15	2141.84	0.06	0.19	9.91e-1
EPS15L1	529.75	-0.07	0.21	9.91e-1
EPSTI1	24.71	-0.01	0.25	9.96e-1
EPT1	1083.63	0.19	0.2	9.60e-1
ERAL1	478.17	0.1	0.2	9.90e-1
ERAP1	1075.32	0.13	0.19	9.89e-1
ERAP2	90.2	-0.16	0.25	9.90e-1
ERBB2	33.85	0.23	0.25	9.73e-1
ERBB2IP	724.74	0.01	0.2	9.96e-1
ERC1	281.22	-0.24	0.22	9.48e-1
ERCC1	352.27	-0.16	0.23	9.89e-1
ERCC2	157.35	-0.13	0.24	9.90e-1
ERCC3	230.63	0.13	0.22	9.90e-1
ERCC4	145.61	0.15	0.24	9.90e-1
ERCC5	10.77	-0.18	0.21	9.80e-1
ERCC6	98.38	0.02	0.25	9.95e-1
ERCC6L	297.27	-0.04	0.22	9.93e-1
ERCC6L2	185.05	0.19	0.23	9.82e-1
ERCC8	61.27	0.11	0.25	9.90e-1
ERF	618.72	-0.31	0.23	8.92e-1
ERGIC1	752.59	-0.31	0.2	8.52e-1
ERGIC2	212.59	0.3	0.24	9.25e-1
ERGIC3	611.56	0.24	0.21	9.47e-1
ERH	851.19	0.31	0.2	8.40e-1
ERI1	321.21	0.13	0.21	9.90e-1

ERI2	149.67	0.04	0.24	9.93e-1
ERI3	468.36	-0.13	0.21	9.90e-1
ERICH1	392.66	-0.5	0.23	5.86e-1
ERLEC1	246.92	0.19	0.22	9.74e-1
ERLIN1	301.31	0.14	0.21	9.90e-1
ERLIN2	318.52	-0.1	0.21	9.90e-1
ERMAP	64.72	0.17	0.25	9.89e-1
ERMARD	83.51	0.25	0.25	9.54e-1
ERMP1	251.88	-0.13	0.22	9.90e-1
ERN1	116.98	0.08	0.24	9.91e-1
ERO1A	894.15	0.03	0.2	9.93e-1
ERO1B	85.62	0.44	0.25	7.57e-1
ERP29	1007.62	-0.2	0.22	9.74e-1
ERP44	362.77	0.32	0.22	8.64e-1
ERV3-1	44.79	-0.23	0.25	9.69e-1
ERVK13-1	37.39	-0.09	0.25	9.90e-1
ESCO1	466.6	0.15	0.21	9.87e-1
ESCO2	265.58	0.01	0.23	9.96e-1
ESD	125.06	0.24	0.24	9.59e-1
ESF1	641.49	-0.36	0.2	7.33e-1
ESPL1	1008.81	-0.47	0.22	5.91e-1
ESPNL	44.42	-0.27	0.25	9.49e-1
ESRRA	336.68	-0.04	0.24	9.93e-1
ESYT1	656.31	0.01	0.2	9.96e-1
ESYT2	699.53	0.06	0.2	9.91e-1
ETAA1	173.63	0.17	0.23	9.87e-1
ETF1	2079.71	-0.06	0.19	9.91e-1
ETFA	621.64	0.22	0.2	9.49e-1
ETFB	273.87	0.31	0.22	8.78e-1
ETFDH	151.27	0.54	0.23	5.36e-1
ETHE1	19.43	0.03	0.24	9.93e-1
ETNK1	550.12	0.22	0.21	9.54e-1
ETS1	2079.13	-0.07	0.19	9.90e-1
ETS2	124.11	0.04	0.24	9.93e-1
ETV3	81.25	-0.24	0.25	9.61e-1
ETV5	27.79	0.78	0.25	1.45e-1
ETV6	520.45	-0.12	0.2	9.90e-1
EVC	149.54	-0.58	0.24	4.95e-1
EVC2	25.6	0.3	0.25	9.42e-1
EVI2A	94.15	0.18	0.24	9.87e-1
EVI2B	1181.58	-0.55	0.19	2.21e-1
EVI5	81.99	0.31	0.25	9.25e-1
EVI5L	26.64	0.05	0.25	9.93e-1
EWSR1	3474.82	-0.22	0.19	9.47e-1
EXD3	65.46	-0.01	0.25	9.96e-1
EXO1	626.98	-0.03	0.2	9.93e-1
EXOC1	220.32	0.17	0.23	9.87e-1
EXOC2	253.29	0.16	0.22	9.87e-1
EXOC3	262.51	0.16	0.22	9.87e-1
EXOC4	513.23	0.18	0.2	9.72e-1
EXOC5	656.39	0.16	0.21	9.86e-1
EXOC6	267.62	-0.1	0.22	9.90e-1
EXOC7	686.79	-0.14	0.2	9.87e-1
EXOC8	159.65	-0.13	0.23	9.90e-1
EXOG	128.04	0.14	0.24	9.90e-1
EXOSC1	128.75	0.07	0.24	9.93e-1
EXOSC10	963.26	-0.06	0.19	9.91e-1
EXOSC2	538.73	-0.02	0.2	9.95e-1
EXOSC3	235.8	0.24	0.22	9.49e-1
EXOSC4	103.35	0.29	0.24	9.45e-1
EXOSC5	176.41	-0.11	0.24	9.90e-1
EXOSC6	131.23	0	0.23	9.98e-1
EXOSC7	266.32	0.12	0.21	9.90e-1
EXOSC8	295.89	0.29	0.22	9.10e-1
EXOSC9	404.18	-0.03	0.21	9.93e-1
EXT1	34.28	-0.07	0.25	9.93e-1
EXT2	142.73	0.08	0.23	9.90e-1
EXTL2	43.05	-0.01	0.25	9.98e-1
EXTL3	204.16	-0.04	0.23	9.93e-1
EYA3	595.43	-0.12	0.2	9.90e-1
EZH1	388.11	-0.01	0.21	9.97e-1
EZH2	1231.41	-0.02	0.19	9.93e-1
EZR	4781.14	-0.25	0.18	8.92e-1
F11R	201.63	0.19	0.22	9.80e-1
F8A1	30.26	0.2	0.25	9.86e-1
FAAP100	393.27	-0.34	0.24	8.74e-1
FAAP20	84.26	-0.07	0.25	9.93e-1
FAAP24	58	-0.35	0.25	8.83e-1
FABP5	1087.86	-0.32	0.19	8.07e-1
FADD	153.13	0.37	0.23	8.40e-1
FADS1	21.74	-0.18	0.24	9.87e-1
FADS2	38.43	-0.18	0.25	9.88e-1
FADS3	250.82	-0.45	0.24	6.93e-1

FAF1	817.97	0.14	0.2	9.87e-1
FAF2	433.44	0.06	0.2	9.93e-1
FAHD1	41.01	0.08	0.25	9.91e-1
FAHD2A	125.26	0.13	0.25	9.90e-1
FAHD2B	66.91	0.14	0.25	9.90e-1
FAIM	53.35	-0.23	0.25	9.74e-1
FAM102A	1187.99	-0.27	0.23	9.45e-1
FAM102B	151.01	0.31	0.24	9.12e-1
FAM103A1	45.8	-0.17	0.25	9.89e-1
FAM104A	236.42	0	0.22	9.99e-1
FAM104B	33.61	0.02	0.25	9.96e-1
FAM107B	1873.49	0.6	0.19	1.42e-1
FAM109A	26.76	-0.14	0.23	9.90e-1
FAM110A	72.75	0	0.25	9.98e-1
FAM111A	323.95	0.03	0.21	9.93e-1
FAM111B	409.98	0.19	0.22	9.74e-1
FAM114A2	114.35	0.18	0.24	9.87e-1
FAM117A	820.02	-0.19	0.22	9.74e-1
FAM117B	331.05	-0.24	0.22	9.49e-1
FAM118A	124.02	0.01	0.24	9.96e-1
FAM118B	78.39	0.09	0.25	9.90e-1
FAM120A	2734.21	-0.26	0.18	8.64e-1
FAM120AOS	235.39	-0.03	0.22	9.93e-1
FAM120B	388.05	-0.02	0.21	9.94e-1
FAM120C	135.11	0.16	0.23	9.90e-1
FAM122A	202.87	0.12	0.23	9.90e-1
FAM122B	699.99	0.28	0.2	8.95e-1
FAM122C	25.97	-0.05	0.25	9.93e-1
FAM126A	526.16	-0.05	0.21	9.93e-1
FAM126B	194.55	-0.09	0.23	9.90e-1
FAM129A	519.65	0.17	0.2	9.80e-1
FAM129C	164.19	-0.3	0.24	9.33e-1
FAM134A	540.88	-0.11	0.2	9.90e-1
FAM134C	265.39	-0.01	0.22	9.96e-1
FAM135A	406.24	0.25	0.22	9.47e-1
FAM136A	652.75	0.05	0.2	9.93e-1
FAM13B	510.85	0.07	0.21	9.90e-1
FAM149B1	54.77	0.32	0.25	9.32e-1
FAM156A	13.27	0.09	0.22	9.90e-1
FAM160A2	167.72	-0.17	0.24	9.87e-1
FAM160B1	103.83	0.49	0.24	6.44e-1
FAM160B2	243.25	-0.48	0.24	6.52e-1
FAM161A	104.04	-0.05	0.24	9.93e-1
FAM161B	29.76	0.02	0.25	9.95e-1
FAM162A	259.06	0.22	0.22	9.58e-1
FAM167A	315.15	0.08	0.22	9.90e-1
FAM168A	319	-0.04	0.21	9.93e-1
FAM168B	680.19	-0.29	0.2	8.68e-1
FAM171A2	26.77	-0.01	0.24	9.96e-1
FAM172A	90.7	0.09	0.25	9.90e-1
FAM173A	14.45	-0.03	0.23	9.93e-1
FAM173B	149.45	0	0.23	9.98e-1
FAM174A	17.73	0.23	0.24	9.60e-1
FAM175A	125.1	0.29	0.24	9.42e-1
FAM175B	267.6	0.22	0.21	9.52e-1
FAM177A1	85.23	0.18	0.25	9.87e-1
FAM178A	579.34	0.02	0.2	9.93e-1
FAM179B	173.65	0.19	0.23	9.81e-1
FAM188A	87.64	0.2	0.25	9.84e-1
FAM189B	360.27	-0.31	0.24	9.12e-1
FAM192A	859.66	0.04	0.19	9.93e-1
FAM193A	414.29	-0.11	0.21	9.90e-1
FAM193B	366.03	-0.3	0.23	9.12e-1
FAM195A	117.28	-0.24	0.25	9.61e-1
FAM195B	91.22	-0.25	0.25	9.58e-1
FAM199X	227.28	0.29	0.23	9.25e-1
FAM200A	65.79	0.05	0.25	9.93e-1
FAM200B	31.97	0.11	0.25	9.90e-1
FAM204A	153.14	0.04	0.23	9.93e-1
FAM206A	178.26	0.18	0.23	9.86e-1
FAM207A	170.83	0.01	0.23	9.97e-1
FAM208A	1037.8	0.08	0.2	9.90e-1
FAM208B	1894.66	-0.43	0.19	5.76e-1
FAM20B	386.54	0.23	0.21	9.49e-1
FAM210A	271.25	0.14	0.22	9.90e-1
FAM212A	19.98	-0.06	0.24	9.93e-1
FAM212B	39.53	0.14	0.25	9.90e-1
FAM213A	96.91	-0.06	0.25	9.93e-1
FAM213B	56.18	-0.09	0.25	9.90e-1
FAM214A	277.69	-0.02	0.22	9.93e-1
FAM214B	56.71	0.13	0.25	9.90e-1
FAM216A	398.94	0.34	0.21	8.21e-1
FAM217B	291.13	0.02	0.21	9.94e-1

FAM219A	83.61	-0.1	0.25	9.90e-1
FAM219B	131.89	0.25	0.24	9.49e-1
FAM21A	549.73	-0.07	0.2	9.90e-1
FAM21C	421.07	0	0.2	9.98e-1
FAM220A	225.17	0.24	0.22	9.49e-1
FAM222A	15.75	-0.3	0.22	8.91e-1
FAM222B	301.01	-0.31	0.21	8.64e-1
FAM229B	16.07	0.2	0.23	9.80e-1
FAM27E3	15.04	-0.06	0.22	9.93e-1
FAM32A	393.77	-0.07	0.21	9.90e-1
FAM35A	670.64	-0.19	0.2	9.66e-1
FAM3A	107.18	-0.14	0.25	9.90e-1
FAM3C	704.28	0.27	0.19	8.86e-1
FAM49A	19.44	0.25	0.24	9.54e-1
FAM49B	1177.62	0.34	0.21	8.21e-1
FAM50A	256.5	0.1	0.22	9.90e-1
FAM53B	803.64	-0.45	0.23	6.54e-1
FAM53C	647.82	-0.4	0.21	6.87e-1
FAM57A	114.03	0.08	0.24	9.90e-1
FAM58A	61.61	0.21	0.25	9.81e-1
FAM60A	730.47	0.13	0.2	9.90e-1
FAM63B	46.93	-0.18	0.25	9.87e-1
FAM65A	39.09	-0.24	0.25	9.61e-1
FAM65B	1012.39	-0.31	0.19	8.25e-1
FAM69A	279.04	0.05	0.22	9.93e-1
FAM72B	421.91	-0.58	0.21	3.01e-1
FAM73A	51.61	-0.02	0.25	9.95e-1
FAM73B	263.04	-0.39	0.25	8.41e-1
FAM76A	78.35	0.05	0.25	9.93e-1
FAM76B	249.74	0.23	0.22	9.52e-1
FAM78A	385.46	-0.42	0.23	7.41e-1
FAM81A	445.19	0.21	0.2	9.49e-1
FAM83D	322.57	0.11	0.21	9.90e-1
FAM83G	224.85	-0.14	0.24	9.90e-1
FAM86B1	57.79	0.14	0.25	9.90e-1
FAM86B2	22.59	0.12	0.24	9.90e-1
FAM86B3P	42.68	-0.36	0.25	8.74e-1
FAM86C1	149.15	0.1	0.23	9.90e-1
FAM86C2P	55.74	-0.12	0.25	9.90e-1
FAM86DP	119.22	-0.11	0.24	9.90e-1
FAM86EP	53.02	0.06	0.25	9.93e-1
FAM86HP	25.83	-0.01	0.25	9.97e-1
FAM86JP	27.37	0.39	0.25	8.41e-1
FAM89B	67	-0.19	0.25	9.87e-1
FAM8A1	185.34	-0.02	0.23	9.94e-1
FAM91A1	626.81	0.3	0.21	8.73e-1
FAM96A	386.68	0.01	0.21	9.96e-1
FAM96B	101.26	-0.16	0.25	9.90e-1
FAM98A	1257.99	-0.34	0.19	7.33e-1
FAM98B	498.25	-0.27	0.21	9.20e-1
FAM98C	32.31	-0.08	0.25	9.91e-1
FAN1	86.58	0.31	0.25	9.25e-1
FANCA	1041.34	-0.01	0.19	9.96e-1
FANCB	92.62	-0.34	0.24	8.91e-1
FANCC	105.67	-0.13	0.24	9.90e-1
FANCD2	887.63	0.16	0.2	9.81e-1
FANCE	109.71	-0.09	0.24	9.90e-1
FANCF	64.74	0.03	0.25	9.93e-1
FANCG	231.41	-0.22	0.22	9.58e-1
FANCI	1247.13	0.12	0.19	9.90e-1
FANCL	92.41	0.41	0.25	8.07e-1
FANCM	170.78	-0.04	0.23	9.93e-1
FAR1	1096.96	0.16	0.21	9.86e-1
FARP2	258.37	-0.16	0.22	9.87e-1
FARS2	79.88	-0.09	0.25	9.90e-1
FARSA	1536.72	-0.26	0.2	9.20e-1
FARSB	1044.15	0.05	0.2	9.93e-1
FAS	419.35	0.41	0.21	6.69e-1
FASN	6258.44	-0.41	0.23	7.41e-1
FASTK	387.29	-0.22	0.23	9.63e-1
FASTKD1	315.35	0.06	0.22	9.93e-1
FASTKD2	615.31	0.14	0.21	9.90e-1
FASTKD3	262.64	-0.01	0.22	9.96e-1
FASTKD5	360.16	-0.02	0.21	9.95e-1
FAU	1084.06	0.09	0.2	9.90e-1
FBF1	97.06	-0.15	0.25	9.90e-1
FBL	1998.8	-0.38	0.21	7.31e-1
FBR5	1429.32	-0.18	0.21	9.80e-1
FBRSL1	387.96	-0.55	0.25	5.64e-1
FBXL12	125.3	-0.14	0.24	9.90e-1
FBXL13	10.29	-0.01	0.21	9.96e-1
FBXL14	200.75	-0.31	0.23	8.98e-1
FBXL15	22.01	-0.09	0.23	9.90e-1

FBXL17	88.3	0.04	0.25	9.93e-1
FBXL18	255.73	-0.4	0.24	8.07e-1
FBXL19	407.81	-0.3	0.25	9.39e-1
FBXL19-AS1	30.47	-0.27	0.25	9.49e-1
FBXL20	110.86	-0.02	0.24	9.93e-1
FBXL3	250.82	0.3	0.22	9.06e-1
FBXL4	213.14	0.2	0.23	9.80e-1
FBXL5	134.34	0.28	0.24	9.47e-1
FBXL6	126.24	-0.11	0.25	9.90e-1
FBXL8	15.81	-0.08	0.21	9.90e-1
FBXO10	108.15	-0.35	0.24	8.64e-1
FBXO11	491.05	0.1	0.21	9.90e-1
FBXO16	24.16	0.11	0.25	9.90e-1
FBXO18	525.1	0.02	0.2	9.93e-1
FBXO21	560.3	0.17	0.2	9.80e-1
FBXO22	280.42	0.12	0.21	9.90e-1
FBXO28	205.94	0.18	0.23	9.83e-1
FBXO3	114.21	0.11	0.24	9.90e-1
FBXO30	302.9	-0.1	0.22	9.90e-1
FBXO31	276.49	-0.15	0.23	9.90e-1
FBXO33	191.1	0.05	0.23	9.93e-1
FBXO34	220.22	0.27	0.22	9.37e-1
FBXO38	253.6	0.13	0.22	9.90e-1
FBXO4	47.58	0.18	0.25	9.87e-1
FBXO41	1131.38	-0.43	0.22	6.75e-1
FBXO42	245.65	-0.05	0.22	9.93e-1
FBXO45	359.42	0.21	0.21	9.58e-1
FBXO46	223.01	-0.23	0.22	9.54e-1
FBXO48	19.94	0.05	0.24	9.93e-1
FBXO5	353.21	0.02	0.21	9.95e-1
FBXO7	711.81	0.06	0.19	9.91e-1
FBXO8	54	0.43	0.25	8.10e-1
FBXO9	223.49	0.33	0.22	8.52e-1
FBXW11	528.98	0.14	0.2	9.88e-1
FBXW2	933.51	-0.01	0.19	9.96e-1
FBXW4	119.67	-0.19	0.24	9.86e-1
FBXW5	368.86	-0.22	0.24	9.63e-1
FBXW7	293.11	-0.04	0.22	9.93e-1
FBXW8	204.3	-0.33	0.22	8.64e-1
FBXW9	39.38	-0.14	0.25	9.90e-1
FCER2	63.65	0.71	0.25	2.61e-1
FCF1	390.14	-0.19	0.21	9.66e-1
FCGBP	189.33	-0.03	0.24	9.93e-1
FCGR2B	45.95	-0.28	0.25	9.47e-1
FCHO1	711.92	-0.27	0.23	9.42e-1
FCHO2	40.26	-0.1	0.25	9.90e-1
FCHSD2	604.25	0.23	0.2	9.47e-1
FCMR	49.37	0.22	0.25	9.76e-1
FCRL1	66.48	-0.24	0.25	9.66e-1
FCRL2	184.53	0.11	0.22	9.90e-1
FCRL3	568.82	0.28	0.2	8.74e-1
FCRL4	24.46	0.16	0.25	9.89e-1
FCRLA	1456.09	-0.04	0.19	9.93e-1
FCRLB	27.91	0.03	0.25	9.93e-1
FDFT1	1718.81	-0.11	0.18	9.90e-1
FDPS	1086.38	-0.26	0.19	8.87e-1
FDX1	116.51	0.36	0.24	8.64e-1
FDX1L	60.44	-0.25	0.25	9.58e-1
FDXACB1	67.35	0.1	0.25	9.90e-1
FDXR	151.87	-0.07	0.25	9.92e-1
FECH	303.05	0.24	0.22	9.47e-1
FEM1A	301.66	-0.13	0.23	9.90e-1
FEM1B	497.68	0.11	0.21	9.90e-1
FEM1C	143.99	0.19	0.24	9.81e-1
FEN1	1152.21	-0.15	0.2	9.87e-1
FER	113.27	-0.13	0.24	9.90e-1
FERMT3	942.68	-0.08	0.23	9.90e-1
FEZ2	161.66	0.32	0.23	8.96e-1
FGD2	219.77	-0.09	0.23	9.90e-1
FGD3	102.58	-0.17	0.24	9.88e-1
FGD4	17.49	0.01	0.24	9.96e-1
FGD5-AS1	600.77	0.22	0.21	9.49e-1
FGD6	278.87	0.2	0.22	9.66e-1
FGF11	109.57	-0.1	0.24	9.90e-1
FGFR1OP	233.04	0.24	0.22	9.49e-1
FGFR1OP2	202.2	0.15	0.23	9.90e-1
FGFR4	197.96	-0.23	0.25	9.68e-1
FGFRL1	34.1	0.18	0.25	9.87e-1
FGGY	11.3	0.2	0.21	9.62e-1
FGR	1124.1	-0.12	0.22	9.90e-1
FH	532.86	0.32	0.21	8.62e-1
FHOD1	504.94	-0.12	0.22	9.90e-1
FIBP	269.67	0.22	0.21	9.50e-1

FICD	16.89	0.21	0.23	9.72e-1
FIG4	187.99	0.43	0.23	7.15e-1
FIGNL1	271.98	0.21	0.23	9.66e-1
FIP1L1	832.49	-0.26	0.19	8.97e-1
FIS1	544.43	-0.1	0.22	9.90e-1
FITM2	50.77	-0.29	0.25	9.47e-1
FIZ1	93.39	-0.15	0.25	9.90e-1
FKBP11	613.5	-0.19	0.2	9.66e-1
FKBP14	48.96	0	0.25	9.98e-1
FKBP15	811.56	-0.16	0.19	9.80e-1
FKBP1A	1755.16	0.13	0.19	9.89e-1
FKBP2	211.75	-0.17	0.24	9.88e-1
FKBP3	322.27	0.09	0.22	9.90e-1
FKBP4	2482.7	-0.31	0.18	7.99e-1
FKBP5	2435.39	-0.5	0.18	3.07e-1
FKBP7	46.74	-0.14	0.25	9.90e-1
FKBP8	647.25	-0.12	0.23	9.90e-1
FKBPL	54.03	0.04	0.25	9.93e-1
FKRP	72.35	-0.22	0.25	9.75e-1
FKTN	89.06	0.22	0.25	9.73e-1
FLAD1	258.67	-0.34	0.23	8.64e-1
FLCN	102.29	0.28	0.25	9.47e-1
FLI1	751.3	-0.29	0.2	8.68e-1
FLII	1143.66	0	0.19	9.99e-1
FLJ10038	55.33	0.4	0.25	8.39e-1
FLJ37453	22.61	0	0.25	9.98e-1
FLJ42627	40.48	-0.19	0.25	9.87e-1
FLNA	4833.24	-0.18	0.21	9.80e-1
FLNB	1755.64	-0.09	0.19	9.90e-1
FLOT1	450.56	0.08	0.21	9.90e-1
FLOT2	702.22	-0.03	0.2	9.93e-1
FLT3LG	24.89	-0.23	0.25	9.72e-1
FLVCR1	207.65	-0.12	0.22	9.90e-1
FLYWCH1	269.06	-0.3	0.24	9.37e-1
FLYWCH2	97.06	-0.3	0.25	9.47e-1
FMNL1	769.34	-0.31	0.21	8.68e-1
FMNL2	133.32	0.24	0.24	9.56e-1
FMNL3	639.43	-0.12	0.2	9.90e-1
FMR1	550.55	0.1	0.21	9.90e-1
FN3KRP	124.56	-0.19	0.24	9.86e-1
FNBP1	3498.15	0.03	0.18	9.93e-1
FNBP4	1172.59	-0.11	0.19	9.90e-1
FNDC3A	293.7	0.4	0.22	7.38e-1
FNDC3B	81.5	-0.03	0.25	9.93e-1
FNIP1	166.2	0.15	0.23	9.89e-1
FNIP2	12.29	0.52	0.21	4.48e-1
FNTA	465.71	0.3	0.21	8.73e-1
FNTB	16.45	-0.43	0.23	7.22e-1
FOCAD	317.63	-0.04	0.21	9.93e-1
FOPNL	451.12	-0.01	0.21	9.98e-1
FOSB	27.98	0.01	0.25	9.96e-1
FOSL2	16.4	-0.04	0.23	9.93e-1
FOXO2-AS1	84.1	-0.21	0.25	9.81e-1
FOXJ2	154.01	-0.29	0.23	9.39e-1
FOXJ3	1236.91	-0.05	0.19	9.93e-1
FOXK1	1102.58	-0.21	0.21	9.58e-1
FOXK2	1008.05	-0.27	0.19	8.82e-1
FOXM1	1706.99	-0.43	0.2	5.96e-1
FOXN2	350.42	0.22	0.22	9.60e-1
FOXN3	545.28	0.53	0.2	3.41e-1
FOXO1	750.31	-0.05	0.19	9.93e-1
FOXO3	411.39	0.31	0.21	8.61e-1
FOXO4	54.7	0.11	0.25	9.90e-1
FOXP1	279.09	-0.32	0.22	8.64e-1
FOXP4	827.54	-0.39	0.23	7.95e-1
FOXP4-AS1	15.61	-0.09	0.23	9.90e-1
FOXRED1	389.84	-0.2	0.22	9.74e-1
FOXRED2	627.46	-0.2	0.2	9.58e-1
FPGS	443.93	-0.19	0.23	9.80e-1
FPGT	35.65	0.17	0.25	9.90e-1
FRA10AC1	141.71	-0.17	0.23	9.87e-1
FRAT2	30.17	0	0.25	9.98e-1
FRG1	290.1	-0.13	0.21	9.90e-1
FRG1B	93.9	-0.17	0.25	9.87e-1
FRMD8	333.83	-0.28	0.23	9.37e-1
FRRS1	50.94	0.15	0.25	9.90e-1
FRS2	86.82	-0.02	0.25	9.96e-1
FRS3	34.57	-0.41	0.25	8.31e-1
FRY	155.3	-0.08	0.23	9.90e-1
FRYL	485.21	0.09	0.22	9.90e-1
FSD1	22.56	0.02	0.25	9.96e-1
FSD1L	349.95	0.5	0.22	5.42e-1
FSTL3	42.02	-0.08	0.25	9.91e-1

FTH1	6557.6	0.29	0.19	8.51e-1
FTL	2903.35	-0.12	0.21	9.90e-1
FTO	395.63	-0.06	0.21	9.93e-1
FTSJ1	532.5	-0.21	0.2	9.50e-1
FTSJ2	345.08	-0.11	0.21	9.90e-1
FTSJ3	1228.39	-0.28	0.19	8.64e-1
FUBP1	1553.67	-0.41	0.18	5.70e-1
FUBP3	910.14	-0.43	0.2	5.91e-1
FUCA1	148.03	0.38	0.23	8.30e-1
FUK	47.44	-0.16	0.25	9.90e-1
FUNDC1	76.31	0.16	0.25	9.90e-1
FUNDC2	176.67	0.11	0.23	9.90e-1
FURIN	123.45	-0.23	0.25	9.66e-1
FUS	4334.18	-0.38	0.18	6.14e-1
FUT10	42.44	-0.08	0.25	9.91e-1
FUT11	88.72	0	0.25	9.99e-1
FUT8	316.68	0.38	0.22	7.89e-1
FUZ	122.77	-0.08	0.24	9.91e-1
FXN	131.09	0.25	0.23	9.49e-1
FXR1	1052.63	0.1	0.19	9.90e-1
FXR2	426.24	-0.27	0.21	9.29e-1
FXYD1	10.14	0.01	0.2	9.96e-1
FXYD5	422.14	-0.04	0.22	9.93e-1
FYCO1	346.7	-0.3	0.21	8.70e-1
FYN	375.57	0.48	0.21	5.31e-1
FYTTD1	615.83	0.06	0.2	9.91e-1
FZD3	245.48	-0.02	0.22	9.96e-1
FZD5	42.6	-0.02	0.25	9.94e-1
FZR1	284.42	-0.19	0.22	9.77e-1
G2E3	193.22	0.11	0.23	9.90e-1
G3BP1	2677.66	-0.13	0.18	9.88e-1
G3BP2	2125.41	-0.28	0.19	8.64e-1
G6PC3	480.53	-0.31	0.23	9.03e-1
G6PD	702.93	-0.44	0.22	6.64e-1
GAA	182.03	-0.46	0.25	7.35e-1
GAB1	152.57	-0.12	0.23	9.90e-1
GABARAP	372.34	-0.23	0.21	9.49e-1
GABARAPL2	260.93	0.86	0.22	2.14e-2
GABBR1	86.41	-0.23	0.25	9.72e-1
GABPA	419	0.31	0.22	8.73e-1
GABPB1	195.59	0.19	0.23	9.81e-1
GABPB1-AS1	55.34	0.21	0.25	9.81e-1
GABPB2	39.44	0.13	0.25	9.90e-1
GABRA5	10.08	0.1	0.21	9.90e-1
GABRR2	11.67	-0.03	0.22	9.93e-1
GADD45A	107.18	-0.4	0.24	8.20e-1
GADD45B	273.21	-0.13	0.22	9.90e-1
GADD45GIP1	256.72	0.49	0.22	5.37e-1
GAK	730.34	-0.32	0.22	8.69e-1
GAL3ST4	10.55	-0.17	0.21	9.83e-1
GALE	69.88	0.01	0.25	9.97e-1
GALK2	20.73	0.11	0.24	9.90e-1
GALNS	52	0	0.25	9.99e-1
GALNT1	543.69	0.14	0.2	9.88e-1
GALNT10	281.86	-0.1	0.22	9.90e-1
GALNT12	55.46	0.06	0.25	9.93e-1
GALNT14	447.25	-0.33	0.2	8.30e-1
GALNT18	104.83	-0.12	0.24	9.90e-1
GALNT2	546.93	0.05	0.2	9.93e-1
GALNT6	176.15	0.26	0.23	9.47e-1
GALNT7	436	-0.17	0.21	9.86e-1
GALT	88.19	-0.14	0.25	9.90e-1
GAN	33.03	0.01	0.25	9.96e-1
GANAB	2418.02	-0.25	0.2	9.39e-1
GANC	97.59	-0.1	0.24	9.90e-1
GAPDH	21570.46	-0.4	0.2	6.54e-1
GAPT	11.29	-0.15	0.21	9.87e-1
GAPVD1	550.44	0.1	0.2	9.90e-1
GAR1	429.28	-0.42	0.2	6.14e-1
GAREM	128.45	-0.33	0.24	8.87e-1
GARS	2974.79	0.56	0.19	1.88e-1
GART	2210.19	-0.12	0.18	9.90e-1
GAS5	856.35	0.53	0.2	3.43e-1
GAS6-AS1	10.69	0.18	0.21	9.80e-1
GAS7	36.19	-0.4	0.25	8.40e-1
GATAD1	186.44	0.09	0.22	9.90e-1
GATAD2A	2270.91	-0.63	0.21	2.15e-1
GATAD2B	572.57	-0.09	0.2	9.90e-1
GATB	303.64	0.14	0.21	9.89e-1
GATC	508.36	-0.32	0.2	8.40e-1
GATS	30.94	-0.09	0.25	9.90e-1
GATSL2	13.26	-0.32	0.22	8.68e-1
GBA	337.95	-0.41	0.21	6.69e-1

GBA2	396.55	0.09	0.21	9.90e-1
GBAP1	98.79	-0.03	0.24	9.93e-1
GBAS	591.52	0.21	0.21	9.59e-1
GBAT2	30.31	0.26	0.25	9.52e-1
GBE1	351.11	-0.11	0.21	9.90e-1
GBF1	942.68	-0.23	0.19	9.45e-1
GBP1	23.38	-0.23	0.25	9.71e-1
GCA	25.55	0.54	0.24	5.76e-1
GCAT	72.53	-0.26	0.25	9.53e-1
GCC1	258.48	0.21	0.22	9.66e-1
GCC2	223.11	-0.14	0.23	9.90e-1
GCDH	201.97	-0.21	0.23	9.74e-1
GCFC2	139.59	0.11	0.24	9.90e-1
GCH1	165.37	0.62	0.23	3.33e-1
GCHFR	43.09	-0.07	0.25	9.93e-1
GCLC	364.05	0.43	0.21	6.14e-1
GCLM	434.88	0.07	0.22	9.91e-1
GCN1	2411.2	-0.09	0.19	9.90e-1
GCNT1	18.06	-0.07	0.24	9.91e-1
GCNT2	255.93	0.06	0.22	9.93e-1
GCSAM	1524.69	0.08	0.19	9.90e-1
GCSH	325.31	0.33	0.23	8.69e-1
GCSHP3	25.84	0.18	0.25	9.87e-1
GDAP1	164.98	0.04	0.23	9.93e-1
GDAP2	123.54	0.14	0.24	9.90e-1
GDE1	474.34	-0.02	0.21	9.93e-1
GDF11	91.81	-0.38	0.25	8.44e-1
GDI1	607.83	-0.26	0.2	9.12e-1
GDI2	3102.21	0.22	0.19	9.47e-1
GDPD1	16.79	0.04	0.23	9.93e-1
GDPD5	181.21	0.35	0.23	8.54e-1
GEMIN2	117.09	0.09	0.24	9.90e-1
GEMIN4	761.46	-0.18	0.21	9.74e-1
GEMIN5	1469.74	-0.43	0.19	5.37e-1
GEMIN6	112.74	0.07	0.24	9.93e-1
GEMIN7	100.37	-0.14	0.25	9.90e-1
GEMIN8	78.63	0.43	0.25	7.89e-1
GEMIN8P4	12.62	0.12	0.22	9.90e-1
GEN1	599.3	0.09	0.21	9.90e-1
GET4	214.77	0.26	0.24	9.49e-1
GFER	121.34	-0.11	0.25	9.90e-1
GFI1B	109.76	-0.48	0.24	6.70e-1
GFM1	946.09	0.05	0.2	9.93e-1
GFM2	473.69	0.02	0.21	9.93e-1
GFOD1	103.69	-0.41	0.24	7.99e-1
GFOD2	186.6	-0.12	0.23	9.90e-1
GFPT1	544.61	0.15	0.21	9.87e-1
GGA1	401.09	-0.17	0.23	9.87e-1
GGA2	1907.34	0.12	0.18	9.90e-1
GGA3	730.32	-0.46	0.21	5.79e-1
GGCT	487.15	0.05	0.2	9.93e-1
GGCX	95.95	-0.12	0.24	9.90e-1
GGH	124.31	0.08	0.24	9.90e-1
GGNBP2	393.12	0.29	0.2	8.76e-1
GGPS1	133.68	0.48	0.24	6.52e-1
GGT1	107.42	0.21	0.25	9.80e-1
GHDC	62.23	-0.06	0.25	9.93e-1
GHITM	1888.15	0.12	0.18	9.90e-1
GHRLOS	20.47	0.03	0.24	9.93e-1
GID4	119.11	-0.03	0.24	9.93e-1
GID8	738.76	0.14	0.2	9.87e-1
GIGYF1	1090.34	-0.44	0.23	7.04e-1
GIGYF2	849.17	-0.16	0.19	9.80e-1
GIN1	42.03	0.07	0.25	9.93e-1
GINM1	121.17	0.39	0.24	8.23e-1
GIN51	448.05	0.06	0.21	9.92e-1
GIN52	586.68	-0.07	0.2	9.90e-1
GIN53	395.72	-0.1	0.2	9.90e-1
GIN54	248.7	-0.04	0.22	9.93e-1
GIPC2	18.24	-0.19	0.24	9.81e-1
GIT1	951.08	-0.47	0.21	5.86e-1
GIT2	788.9	0.02	0.19	9.95e-1
GJC1	90.47	-0.14	0.24	9.90e-1
GK	148.63	0.16	0.23	9.88e-1
GK5	210.06	-0.09	0.23	9.90e-1
GKAP1	13.87	0.12	0.22	9.90e-1
GLA	191.04	0.03	0.22	9.93e-1
GLB1	228.31	-0.12	0.22	9.90e-1
GLB1L	20.06	0.02	0.24	9.93e-1
GLCCI1	382.64	0.26	0.21	9.25e-1
GLCE	143.53	0.22	0.24	9.68e-1
GLE1	667.26	-0.02	0.19	9.93e-1
GLG1	880.47	0.29	0.19	8.53e-1

GLI1	26.44	-0.05	0.25	9.93e-1
GLI4	55.72	-0.08	0.25	9.91e-1
GLIDR	78.7	-0.16	0.25	9.90e-1
GLIPR1	71.58	-0.71	0.25	2.67e-1
GLMN	109.1	0.16	0.25	9.89e-1
GLO1	1166.47	0.13	0.2	9.90e-1
GLOD4	488.15	0.21	0.2	9.49e-1
GLRX	114.98	-0.12	0.24	9.90e-1
GLRX2	35.44	0.2	0.25	9.86e-1
GLRX3	473.13	0.31	0.21	8.53e-1
GLRX5	330.91	0.65	0.21	1.59e-1
GLS	1446.5	0.21	0.2	9.54e-1
GLT8D1	237.27	-0.06	0.22	9.93e-1
GLTP	251.36	-0.02	0.22	9.93e-1
GLTSCR1	152.86	-0.32	0.24	9.12e-1
GLTSCR1L	309.95	0.12	0.21	9.90e-1
GLTSCR2	1116.29	0.11	0.21	9.90e-1
GLUD1	1387.72	0.32	0.19	8.12e-1
GLUD1P3	22.88	-0.29	0.24	9.42e-1
GLUD2	19.65	0.42	0.24	7.57e-1
GLYCTK	53.21	0.16	0.25	9.90e-1
GLYR1	1402.54	-0.33	0.19	7.87e-1
GM2A	729.17	0.57	0.19	2.15e-1
GMCL1	284.27	-0.01	0.21	9.96e-1
GMDS	74.17	0.12	0.25	9.90e-1
GMEB1	125.4	-0.02	0.24	9.95e-1
GMEB2	232.25	-0.21	0.23	9.68e-1
GMFB	639.97	-0.01	0.21	9.96e-1
GMFG	10.43	-0.25	0.21	9.47e-1
GMIP	409.98	-0.27	0.22	9.25e-1
GMNN	313.05	0.11	0.21	9.90e-1
GMPPA	203.15	0.06	0.23	9.93e-1
GMPPB	146.64	-0.21	0.24	9.80e-1
GMPR2	210.9	0.24	0.22	9.49e-1
GMP5	1538.55	0.01	0.19	9.96e-1
GNA11	269.71	-0.4	0.23	7.59e-1
GNA12	405.33	-0.12	0.2	9.90e-1
GNA13	2008.5	0.33	0.2	8.10e-1
GNAI2	1310.79	-0.23	0.2	9.47e-1
GNAI3	543.01	0.21	0.21	9.59e-1
GNAS	4162.97	0.51	0.18	2.80e-1
GNAS-AS1	23.15	-0.14	0.24	9.90e-1
GNAZ	54.16	0.05	0.25	9.93e-1
GNB1	3091.36	-0.04	0.18	9.93e-1
GNB1L	33.28	-0.1	0.25	9.90e-1
GNB2	749.75	-0.1	0.21	9.90e-1
GNB2L1	5584.53	0.06	0.18	9.91e-1
GNB3	37.34	-0.54	0.25	5.91e-1
GNB4	225.99	-0.36	0.22	8.38e-1
GNB5	92.86	-0.04	0.24	9.93e-1
GNE	82.77	0.03	0.25	9.93e-1
GNG5	301.18	0.32	0.21	8.52e-1
GNG7	517.02	0.1	0.22	9.90e-1
GNGT2	136.72	-0.18	0.24	9.86e-1
GNL1	413.3	-0.18	0.23	9.83e-1
GNL2	1183.13	-0.13	0.19	9.90e-1
GNL3	1670.06	0.15	0.2	9.86e-1
GNL3L	787.75	-0.34	0.19	7.87e-1
GNPAT	392.27	0.18	0.21	9.80e-1
GNPDA2	74.51	-0.07	0.25	9.92e-1
GNPNAT1	741.65	0.01	0.2	9.96e-1
GNPTAB	588.03	-0.04	0.21	9.93e-1
GNPTG	74.7	0.32	0.25	9.25e-1
GNRH1	15.53	0.23	0.23	9.58e-1
GNS	120.96	0.38	0.24	8.37e-1
GOLGA1	121.29	0.24	0.24	9.54e-1
GOLGA2	311.21	0.3	0.22	9.01e-1
GOLGA2P10	27.24	0.17	0.25	9.88e-1
GOLGA2P5	189.57	0.2	0.23	9.73e-1
GOLGA2P7	126.99	-0.46	0.24	7.11e-1
GOLGA3	640.33	-0.03	0.2	9.93e-1
GOLGA4	709.31	-0.17	0.2	9.81e-1
GOLGA5	209.64	0.03	0.23	9.93e-1
GOLGA6L9	21.21	-0.05	0.24	9.93e-1
GOLGA7	374.69	0.09	0.21	9.90e-1
GOLGA8A	120.48	-0.45	0.24	7.40e-1
GOLGA8B	133.86	0.41	0.23	7.64e-1
GOLGB1	539.44	0.31	0.22	8.69e-1
GOLIM4	366.27	0.18	0.21	9.80e-1
GOLPH3	524.37	0.11	0.21	9.90e-1
GOLPH3L	235.6	-0.07	0.22	9.92e-1
GOLT1B	183.95	0.53	0.23	5.37e-1
GON4L	444.01	-0.15	0.2	9.87e-1

GOPC	840.33	-0.04	0.2	9.93e-1
GORAB	76.05	0.4	0.25	8.38e-1
GORASP1	272.43	-0.58	0.22	3.64e-1
GORASP2	1608.6	-0.42	0.19	5.45e-1
GOSR1	388.96	-0.17	0.2	9.81e-1
GOSR2	415.27	-0.01	0.2	9.96e-1
GOT1	520.61	0.19	0.2	9.61e-1
GOT2	2628.23	0.09	0.18	9.90e-1
GPAA1	243.51	-0.1	0.24	9.90e-1
GPALPP1	125.74	-0.06	0.24	9.93e-1
GPAM	239.99	0.15	0.22	9.90e-1
GPANK1	203	-0.27	0.23	9.47e-1
GPAT2	416.13	-0.16	0.24	9.88e-1
GPATCH1	128.14	-0.05	0.24	9.93e-1
GPATCH11	214.63	-0.15	0.23	9.89e-1
GPATCH2	82.98	0.1	0.25	9.90e-1
GPATCH2L	230.32	0.28	0.22	9.23e-1
GPATCH3	119.59	-0.08	0.24	9.91e-1
GPATCH4	1603.36	-0.62	0.22	2.52e-1
GPATCH8	1058.75	-0.37	0.19	6.87e-1
GPBP1	740.3	0.15	0.21	9.87e-1
GPBP1L1	1729.5	0.01	0.19	9.96e-1
GPC1	41.59	0.01	0.25	9.98e-1
GPC2	28.78	-0.17	0.25	9.89e-1
GPCPD1	709.68	0.77	0.2	2.42e-2
GPD1L	266.24	0.01	0.22	9.96e-1
GPD2	42.33	-1.09	0.25	5.93e-3
GPER1	117.13	-0.39	0.25	8.51e-1
GPI	4555.44	-0.11	0.19	9.90e-1
GPKOW	141.36	-0.11	0.23	9.90e-1
GPLD1	89.64	0.28	0.24	9.47e-1
GPN1	361.3	0.02	0.21	9.93e-1
GPN2	120.41	-0.11	0.24	9.90e-1
GPN3	253.51	0.16	0.22	9.87e-1
GNPMB	20.22	0.31	0.24	9.20e-1
GPR107	384.55	-0.13	0.2	9.90e-1
GPR108	161.81	-0.06	0.23	9.93e-1
GPR132	108.21	0.16	0.25	9.90e-1
GPR135	12.47	-0.14	0.21	9.90e-1
GPR137	301.12	-0.1	0.25	9.90e-1
GPR137B	34.02	0.34	0.25	8.97e-1
GPR137C	15.83	0.1	0.23	9.90e-1
GPR155	33.05	-0.13	0.25	9.90e-1
GPR158	91.44	-0.53	0.25	5.94e-1
GPR160	83.4	0.42	0.25	8.12e-1
GPR18	103.3	0.36	0.24	8.61e-1
GPR180	257.4	0.1	0.22	9.90e-1
GPR183	125.4	-1	0.24	7.45e-3
GPR75	57.7	-0.29	0.25	9.47e-1
GPR89A	99.74	-0.22	0.24	9.72e-1
GPR89B	36.23	-0.26	0.25	9.53e-1
GPRIN1	40.44	-0.14	0.25	9.90e-1
GPS1	527.62	-0.18	0.2	9.74e-1
GPS2	489.47	-0.29	0.2	8.76e-1
GPSM2	182.95	0.16	0.23	9.89e-1
GPSM3	409.8	-0.18	0.22	9.82e-1
GPT2	326.99	0.61	0.22	2.53e-1
GPX1	86.56	0.05	0.25	9.93e-1
GPX4	641.87	0.2	0.21	9.61e-1
GRAMD1A	679.86	-0.08	0.22	9.90e-1
GRAMD1C	21.55	-0.11	0.24	9.90e-1
GRAMD4	229.76	-0.04	0.23	9.93e-1
GRAP	589.25	-0.24	0.22	9.49e-1
GRB2	1502.69	0.09	0.19	9.90e-1
GREB1	43.72	0.04	0.25	9.93e-1
GRHL1	31.72	-0.17	0.25	9.88e-1
GRHPR	1704	0.1	0.19	9.90e-1
GRIN2D	12.84	-0.08	0.21	9.90e-1
GRINA	552.57	0.12	0.21	9.90e-1
GRIPAP1	481.43	-0.01	0.21	9.96e-1
GRK5	159.73	0.05	0.23	9.93e-1
GRK6	468.66	0.16	0.22	9.87e-1
GRN	2961.26	0.02	0.22	9.93e-1
GRPEL1	602.58	-0.04	0.2	9.93e-1
GRPEL2	273.21	0.06	0.22	9.93e-1
GRPR	12.46	0.05	0.22	9.93e-1
GRSF1	1227.16	0.27	0.2	8.91e-1
GRWD1	821.68	-0.41	0.21	6.69e-1
GS1-124K5.11	109.42	0.12	0.24	9.90e-1
GSAP	36.36	0.03	0.25	9.93e-1
GSDMB	43.41	-0.12	0.25	9.90e-1
GSDMD	116.57	-0.08	0.25	9.90e-1
GSE1	546	0.17	0.2	9.80e-1

GSG2	331.77	-0.03	0.21	9.93e-1
GSK3A	732.92	-0.24	0.2	9.47e-1
GSK3B	515.63	0.01	0.2	9.96e-1
GSKIP	90.82	0.27	0.25	9.49e-1
GSN	12.95	-0.08	0.22	9.90e-1
GSPT1	2930.78	-0.04	0.18	9.93e-1
GSPT2	158.15	-0.04	0.23	9.93e-1
GSR	1393.83	0.3	0.19	8.29e-1
GSS	276.05	0.1	0.21	9.90e-1
GSTCD	152.59	0.06	0.23	9.93e-1
GSTK1	427.22	0.16	0.2	9.86e-1
GSTM4	79.32	-0.14	0.25	9.90e-1
GSTO1	63.29	0.17	0.25	9.89e-1
GSTZ1	112.44	0.21	0.24	9.80e-1
GTDC1	120.25	0.12	0.24	9.90e-1
GTF2A1	523.74	0.06	0.21	9.93e-1
GTF2A2	234.98	-0.16	0.22	9.87e-1
GTF2B	226.44	-0.2	0.22	9.71e-1
GTF2E1	171.92	-0.12	0.23	9.90e-1
GTF2E2	553.99	0.7	0.21	8.94e-2
GTF2F1	776.14	-0.11	0.21	9.90e-1
GTF2F2	218.21	0.09	0.22	9.90e-1
GTF2H1	590.19	0.08	0.21	9.90e-1
GTF2H2	113.71	0.16	0.24	9.90e-1
GTF2H2B	61.03	0.04	0.25	9.93e-1
GTF2H3	370.21	0.06	0.21	9.93e-1
GTF2H4	246.63	-0.36	0.23	8.38e-1
GTF2H5	92.89	0.24	0.25	9.61e-1
GTF2I	1388.19	-0.01	0.19	9.96e-1
GTF2IP20	94.29	-0.1	0.25	9.90e-1
GTF2IRD2	17.79	0.36	0.23	8.41e-1
GTF3A	1561.04	0.3	0.19	8.34e-1
GTF3C1	812.92	-0.12	0.19	9.90e-1
GTF3C2	1047.08	-0.34	0.19	7.59e-1
GTF3C3	258.91	0.22	0.22	9.57e-1
GTF3C4	454.06	0.01	0.2	9.96e-1
GTF3C5	611.8	-0.26	0.21	9.40e-1
GTF3C6	688.73	0.17	0.2	9.80e-1
GTPBP1	525.67	-0.21	0.21	9.59e-1
GTPBP10	533.5	0.11	0.21	9.90e-1
GTPBP2	414.2	-0.03	0.21	9.93e-1
GTPBP3	464.86	-0.05	0.23	9.93e-1
GTPBP4	1450.3	0.06	0.19	9.93e-1
GTPBP6	150.02	0.15	0.24	9.90e-1
GTPBP8	129.15	-0.24	0.24	9.54e-1
GTSE1	561.74	-0.39	0.2	6.87e-1
GUCD1	1072.41	-0.3	0.21	8.68e-1
GUF1	857.81	-0.15	0.2	9.87e-1
GUK1	353.63	0	0.22	9.98e-1
GUSB	440.5	0.11	0.2	9.90e-1
GUSBP1	47.31	0.22	0.25	9.80e-1
GUSBP11	95.88	-0.1	0.24	9.90e-1
GUSBP4	38.17	-0.13	0.25	9.90e-1
GXYLT1	393.47	0.14	0.21	9.90e-1
GYG1	171.48	0.2	0.23	9.77e-1
GYS1	477.56	-0.39	0.2	7.01e-1
GZF1	264.82	0.06	0.21	9.93e-1
H1FX	11.24	0.01	0.21	9.96e-1
H2AFV	808.7	0.12	0.19	9.90e-1
H2AFX	604.26	-0.21	0.23	9.66e-1
H2AFY	1394.95	0.06	0.19	9.91e-1
H2AFZ	1790.83	0.09	0.18	9.90e-1
H3F3B	1691.35	-0.06	0.18	9.90e-1
H6PD	196.21	-0.07	0.23	9.91e-1
HABP4	84.95	0.12	0.25	9.90e-1
HACD2	234.63	0.1	0.23	9.90e-1
HACD3	1321.19	-0.22	0.19	9.47e-1
HACE1	102.51	0.47	0.24	6.90e-1
HACL1	106.76	0.24	0.24	9.59e-1
HADH	474.85	0.31	0.21	8.53e-1
HADHA	1408.75	0.27	0.19	8.70e-1
HADHB	464.43	0.31	0.21	8.62e-1
HAGH	39.99	0.1	0.25	9.90e-1
HAGHL	127.65	-0.13	0.25	9.90e-1
HARBI1	12.9	0.04	0.22	9.93e-1
HARS	598.98	0.17	0.2	9.80e-1
HARS2	199.23	0.13	0.22	9.90e-1
HAT1	649.04	0.2	0.2	9.58e-1
HAUS1	199.26	-0.04	0.22	9.93e-1
HAUS2	321.52	0.06	0.22	9.93e-1
HAUS3	186.02	0.24	0.23	9.52e-1
HAUS4	225.45	0.42	0.22	7.02e-1
HAUS5	421.65	-0.11	0.22	9.90e-1

HAUS6	955.79	-0.16	0.2	9.86e-1
HAUS7	197.19	0	0.23	9.99e-1
HAUS8	192.4	-0.31	0.22	8.92e-1
HAX1	519.78	0.04	0.2	9.93e-1
HBP1	133.48	0.91	0.24	3.48e-2
HBS1L	626.7	0	0.2	9.99e-1
HCCS	169.88	-0.04	0.23	9.93e-1
HCFC1	4167.28	-0.72	0.22	9.59e-2
HCFC1R1	179.78	-0.48	0.25	6.90e-1
HCFC2	67.25	0.09	0.25	9.90e-1
HCG18	269.44	-0.02	0.21	9.93e-1
HCG26	11.08	0	0.21	9.98e-1
HCG27	14.87	-0.31	0.23	8.94e-1
HCG8	14.92	-0.19	0.23	9.81e-1
HCLS1	1588.3	-0.22	0.2	9.47e-1
HCN3	100.09	-0.28	0.25	9.47e-1
HCP5	157.77	0.2	0.23	9.80e-1
HDAC1	2938.22	0.18	0.18	9.59e-1
HDAC10	205.92	-0.21	0.24	9.76e-1
HDAC2	1953.76	-0.07	0.18	9.90e-1
HDAC3	381.76	0.21	0.21	9.52e-1
HDAC4	164.86	0.04	0.23	9.93e-1
HDAC5	165.42	0.27	0.24	9.47e-1
HDAC6	253.83	0.13	0.23	9.90e-1
HDAC7	1482.26	-0.49	0.22	5.62e-1
HDAC8	75.37	-0.03	0.25	9.93e-1
HDAC9	19.19	0.07	0.24	9.93e-1
HDDC2	421.82	0.21	0.21	9.54e-1
HDDC3	80.97	-0.17	0.25	9.88e-1
HDGF	3355.57	-0.3	0.19	8.52e-1
HDGFRP2	522.34	-0.14	0.22	9.90e-1
HDHD1	204.31	0.12	0.22	9.90e-1
HDHD2	270.29	0.16	0.22	9.87e-1
HDHD3	61.86	-0.07	0.25	9.93e-1
HDLBP	3836.44	-0.08	0.18	9.90e-1
HEATR1	1335.3	-0.05	0.2	9.93e-1
HEATR3	233.78	0.13	0.22	9.90e-1
HEATR5A	225.31	-0.01	0.22	9.96e-1
HEATR5B	364.28	0.21	0.22	9.63e-1
HEATR6	108.44	-0.01	0.24	9.98e-1
HECA	295.3	0.08	0.21	9.90e-1
HECTD1	1539.65	0.23	0.2	9.47e-1
HECTD2	46.55	-0.12	0.25	9.90e-1
HECTD3	526.06	-0.25	0.2	9.40e-1
HECTD4	369.55	-0.04	0.21	9.93e-1
HECW2	21.48	0.02	0.24	9.94e-1
HEG1	508.79	0.03	0.2	9.93e-1
HEIH	74.72	0.24	0.25	9.61e-1
HELLS	342.87	-0.11	0.22	9.90e-1
HELQ	122.3	0.09	0.24	9.90e-1
HELZ	809.06	-0.21	0.2	9.49e-1
HELZ2	23.77	0.09	0.24	9.90e-1
HEMGN	20.19	0.28	0.24	9.47e-1
HEMK1	95.47	0.15	0.25	9.90e-1
HERC1	661.93	-0.12	0.19	9.90e-1
HERC2	753.14	-0.06	0.19	9.93e-1
HERC2P2	196.47	0.11	0.23	9.90e-1
HERC2P3	89.18	0.05	0.25	9.93e-1
HERC2P7	10.93	-0.05	0.21	9.93e-1
HERC2P9	23.82	0.15	0.25	9.90e-1
HERC3	229.77	0.17	0.22	9.86e-1
HERC4	260.61	0.29	0.22	9.19e-1
HERPUD1	768.95	0.84	0.19	5.92e-3
HERPUD2	108.56	0.43	0.24	7.57e-1
HES1	127.51	0.38	0.24	8.30e-1
HEXA	300.74	0.18	0.21	9.80e-1
HEXB	79.6	0.27	0.25	9.49e-1
HEXDC	79.22	0.16	0.25	9.90e-1
HEXIM1	188.77	-0.13	0.24	9.90e-1
HEXIM2	27.32	-0.23	0.25	9.72e-1
HEY1	21.5	0.09	0.24	9.90e-1
HEY2	10.14	0.01	0.21	9.96e-1
HGH1	64.51	0	0.25	9.99e-1
HGS	739.91	-0.23	0.22	9.49e-1
HGSNAT	137.87	0	0.23	9.98e-1
HHAT	23.69	-0.08	0.24	9.91e-1
HHLA3	20.17	0.13	0.24	9.90e-1
HIAT1	536.63	0.1	0.21	9.90e-1
HIATL1	1002.18	0.18	0.19	9.66e-1
HIATL2	13.9	0.1	0.22	9.90e-1
HIBADH	241.15	0.08	0.22	9.90e-1
HIBCH	103.16	-0.04	0.24	9.93e-1
HIC1	19.99	-0.1	0.24	9.90e-1

HIC2	120.52	-0.33	0.25	9.10e-1
HIF1A	1685.01	-0.26	0.2	9.23e-1
HIF1AN	474.55	0.01	0.2	9.97e-1
HIGD1A	570.35	-0.04	0.2	9.93e-1
HIGD2A	319.79	-0.05	0.23	9.93e-1
HILPDA	114.61	0.01	0.24	9.96e-1
HINFP	91.34	0.15	0.24	9.90e-1
HINT1	774.05	0	0.19	9.98e-1
HINT2	29.4	0.09	0.25	9.90e-1
HINT3	159.05	0.04	0.23	9.93e-1
HIP1	80.18	-0.18	0.25	9.87e-1
HIP1R	1211.83	-0.35	0.22	8.40e-1
HIPK1	710.71	0.01	0.2	9.96e-1
HIPK3	407.85	-0.09	0.21	9.90e-1
HIRA	1040.27	-0.12	0.19	9.90e-1
HIRIP3	374.93	-0.42	0.23	7.20e-1
HIST1H2BK	106.5	0.4	0.24	8.20e-1
HIVEP1	455.57	0.16	0.2	9.86e-1
HIVEP2	415.7	-0.19	0.21	9.71e-1
HIVEP3	64.31	0.37	0.25	8.64e-1
HJURP	399.18	-0.15	0.21	9.87e-1
HK1	47.67	-0.14	0.25	9.90e-1
HK2	1034.76	-0.24	0.19	9.25e-1
HKR1	61.27	-0.25	0.25	9.59e-1
HLA-A	2475.45	0.11	0.21	9.90e-1
HLA-B	4066.33	0.09	0.21	9.90e-1
HLA-C	1286.55	0.21	0.2	9.49e-1
HLA-DMA	1240.66	-0.01	0.2	9.96e-1
HLA-DMB	854.82	0.32	0.19	8.12e-1
HLA-DOA	1090.19	0.01	0.19	9.96e-1
HLA-DOB	457.91	0.24	0.2	9.47e-1
HLA-DPA1	2226.72	0.19	0.18	9.50e-1
HLA-DPB1	1648.61	0.14	0.19	9.87e-1
HLA-DQA1	2008.12	0.48	0.18	3.49e-1
HLA-DQA2	54.85	0.7	0.25	3.01e-1
HLA-DQB1	1483.81	0.71	0.2	7.21e-2
HLA-DQB2	49.52	0.65	0.25	3.88e-1
HLA-DRA	9290.29	0.11	0.18	9.90e-1
HLA-DRB1	2412.67	0.7	0.19	2.99e-2
HLA-DRB5	387.78	0.96	0.21	1.80e-3
HLA-E	1236.76	0.3	0.2	8.64e-1
HLA-F	137.61	0.32	0.24	9.08e-1
HLA-H	44.35	0.58	0.25	5.43e-1
HLA-L	47.63	0.15	0.25	9.90e-1
HLCS	140.91	0.25	0.23	9.49e-1
HLTF	1271.76	0.03	0.2	9.93e-1
HM13	737.03	0.11	0.19	9.90e-1
HMBBOX1	121.55	0.06	0.24	9.93e-1
HMB5	335.91	-0.13	0.21	9.90e-1
HMCES	644.36	0.23	0.2	9.47e-1
HMCN1	27.21	0.19	0.25	9.86e-1
HMG20A	534.97	0.07	0.2	9.91e-1
HMG20B	376.83	0.03	0.21	9.93e-1
HMGA1	6641.53	-0.64	0.23	3.00e-1
HMGB1	6310.44	-0.2	0.18	9.49e-1
HMGB2	2603.34	0.07	0.18	9.90e-1
HMGB3	442.92	0.06	0.2	9.91e-1
HMGCL	70.32	0.22	0.25	9.74e-1
HMGCR	1048.26	0.15	0.19	9.86e-1
HMGCS1	1452.4	-0.17	0.2	9.80e-1
HMGN1	1659.73	0.19	0.18	9.54e-1
HMGN2	2678.34	0.09	0.18	9.90e-1
HMGN4	264.31	0.17	0.23	9.87e-1
HMGXB3	746.99	-0.03	0.2	9.93e-1
HMGXB4	336.73	-0.05	0.21	9.93e-1
HMHA1	906.22	-0.24	0.23	9.52e-1
HMMR	1108.34	-0.02	0.2	9.93e-1
HMOX2	351.67	-0.26	0.21	9.45e-1
HMSD	11.01	-0.11	0.21	9.90e-1
HN1	468.25	-0.17	0.2	9.80e-1
HN1L	1108.12	-0.24	0.19	9.25e-1
HNRNPA0	1056.39	-0.32	0.2	8.39e-1
HNRNPA1	298.01	-0.05	0.21	9.93e-1
HNRNPA1L2	134.06	0.2	0.24	9.81e-1
HNRNPA2B1	15686.08	-0.46	0.18	3.95e-1
HNRNPA3	7475.22	-0.08	0.18	9.90e-1
HNRNPA3P1	24.74	0.47	0.25	6.99e-1
HNRNPAB	2127.88	0.11	0.18	9.90e-1
HNRNPC	6843.79	-0.15	0.18	9.80e-1
HNRNPD	4339.54	-0.43	0.19	5.37e-1
HNRNPD1	2623.25	0.08	0.18	9.90e-1
HNRNPF	2918.75	-0.3	0.19	8.31e-1
HNRNPH1	6305.11	-0.33	0.18	7.05e-1

HNRNPH3	2281.7	-0.49	0.18	3.41e-1
HNRNPK	5884.88	-0.06	0.18	9.91e-1
HNRNPL	2321.27	-0.1	0.18	9.90e-1
HNRNPM	3240.89	-0.1	0.18	9.90e-1
HNRNPR	3483.78	-0.4	0.18	5.76e-1
HNRNPU	7356.8	-0.17	0.18	9.63e-1
HNRNPU-AS1	342.54	0.01	0.22	9.96e-1
HNRNPUL1	3926.15	-0.4	0.2	6.84e-1
HNRNPUL2	484.28	-0.23	0.2	9.47e-1
HOMEZ	264.51	-0.26	0.22	9.47e-1
HOOK2	84.04	0.15	0.25	9.90e-1
HOOK3	341.89	0.02	0.22	9.95e-1
HOTAIRM1	24.3	0.04	0.25	9.93e-1
HOXA1	91.7	-0.08	0.24	9.91e-1
HOXB3	57.24	-0.21	0.25	9.80e-1
HOXB4	96.91	-0.25	0.24	9.57e-1
HOXB7	85.94	-0.2	0.25	9.81e-1
HOXC4	84.59	-0.39	0.25	8.41e-1
HP1BP3	1383.75	0.11	0.19	9.90e-1
HPCAL1	88.24	-0.07	0.25	9.93e-1
HPRT1	587.84	0.08	0.21	9.90e-1
HPS1	243.23	-0.09	0.23	9.90e-1
HPS3	230.97	0.08	0.23	9.90e-1
HPS4	322.56	0.16	0.21	9.86e-1
HPS5	281.65	0.18	0.22	9.81e-1
HPS6	108.62	-0.03	0.25	9.93e-1
HRA5	114.6	0.36	0.24	8.56e-1
HRK	26.28	0.2	0.25	9.86e-1
HRSP12	118.91	-0.24	0.24	9.56e-1
HS1BP3	40.55	0.03	0.25	9.93e-1
HS2ST1	366.63	0.24	0.22	9.47e-1
HS3ST3B1	26.86	0.1	0.25	9.90e-1
HS6ST1	83.55	-0.3	0.25	9.47e-1
HSBP1	435.77	0.05	0.21	9.93e-1
HSCB	40.5	0.06	0.25	9.93e-1
HSD17B10	419.95	0.02	0.21	9.93e-1
HSD17B11	28.94	0.35	0.25	8.84e-1
HSD17B12	434.65	0.24	0.21	9.47e-1
HSD17B4	371.72	0.27	0.21	9.12e-1
HSD17B6	76.56	0.55	0.25	5.79e-1
HSD17B7	87.92	0.4	0.25	8.36e-1
HSD17B7P2	15.95	0.05	0.23	9.93e-1
HSD17B8	77.84	0.05	0.25	9.93e-1
HSD3B7	20.17	-0.09	0.24	9.90e-1
HSDL1	191.1	0.29	0.23	9.21e-1
HSDL2	234.09	0.22	0.22	9.59e-1
HSF1	812.32	-0.36	0.22	8.38e-1
HSF2	245.01	0.1	0.22	9.90e-1
HSF4	32.72	-0.14	0.25	9.90e-1
HSH2D	460.7	-0.04	0.22	9.93e-1
HSP90AA1	17226.61	-0.56	0.18	1.34e-1
HSP90AB1	20237.69	-0.21	0.18	9.42e-1
HSP90B1	2249.36	0.36	0.19	7.04e-1
HSPA13	226.85	0.47	0.23	6.37e-1
HSPA14	637.07	0.09	0.2	9.90e-1
HSPA1B	834.3	-0.69	0.21	1.03e-1
HSPA4	3152.77	-0.15	0.19	9.84e-1
HSPA5	5830.89	0.38	0.18	6.07e-1
HSPA8	23249.42	-0.27	0.18	8.53e-1
HSPA9	6309.67	0.07	0.18	9.90e-1
HSPB11	191.15	0.06	0.22	9.93e-1
HSPBAP1	47.38	0.37	0.25	8.73e-1
HSPBP1	175.54	0.01	0.24	9.98e-1
HSPD1	12358.67	-0.01	0.18	9.96e-1
HSPE1	93.44	-0.38	0.24	8.49e-1
HSPH1	4218.99	-0.12	0.19	9.90e-1
HTATIP2	161.8	0.02	0.23	9.96e-1
HTATSF1	997.01	0.06	0.19	9.93e-1
HTATSF1P2	30.79	0.07	0.25	9.92e-1
HTRA2	152.07	0.04	0.23	9.93e-1
HTT	1074.52	-0.11	0.19	9.90e-1
HUS1	132.02	0.19	0.23	9.81e-1
HUWE1	4481.52	-0.03	0.18	9.93e-1
HVCN1	318.19	0.57	0.21	3.01e-1
HYAL2	69.15	-0.18	0.25	9.88e-1
HYAL3	59.96	-0.27	0.25	9.50e-1
HYLS1	10.24	0.08	0.21	9.90e-1
HYOU1	3225.17	0.03	0.19	9.93e-1
IARS	3472.95	0.3	0.19	8.38e-1
IARS2	1351.71	0.19	0.19	9.58e-1
IBA57	115.2	-0.11	0.25	9.90e-1
IBTK	715.03	0.11	0.2	9.90e-1
ICA1	12.21	0.19	0.22	9.74e-1

ICA1L	11.46	0.11	0.21	9.90e-1
ICAM1	1339.04	-0.25	0.22	9.47e-1
ICAM2	107.5	0.12	0.24	9.90e-1
ICAM5	53.18	-0.15	0.25	9.90e-1
ICE1	927.3	-0.09	0.2	9.90e-1
ICE2	500.66	0.23	0.21	9.49e-1
ICK	196.67	-0.2	0.22	9.76e-1
ICMT	936.63	-0.11	0.19	9.90e-1
ICOSLG	723.67	0.03	0.22	9.93e-1
ICT1	162.98	0.13	0.23	9.90e-1
ID2	113.29	-0.04	0.24	9.93e-1
ID3	365.45	-0.52	0.24	5.91e-1
IDE	704.95	0.15	0.21	9.87e-1
IDH1	458.75	-0.15	0.21	9.87e-1
IDH2	407.73	0.03	0.21	9.93e-1
IDH3A	1535.06	-0.06	0.19	9.91e-1
IDH3B	1339.58	0.05	0.19	9.93e-1
IDH3G	362.24	0.08	0.21	9.90e-1
IDI1	665.46	-0.06	0.2	9.91e-1
IDS	3143.06	-0.26	0.18	8.69e-1
IER2	243.93	0.45	0.24	7.04e-1
IER3IP1	210.02	0.26	0.22	9.47e-1
IER5	155.91	0.34	0.24	8.69e-1
IFFO1	50.32	-0.32	0.25	9.30e-1
IFI16	1099.7	-0.13	0.19	9.90e-1
IFI27L1	23.7	-0.09	0.24	9.90e-1
IFI30	2495.35	0.68	0.19	5.78e-2
IFI35	25.84	-0.03	0.25	9.93e-1
IFIH1	319.91	0.81	0.22	3.46e-2
IFIT2	15.89	0.08	0.23	9.91e-1
IFIT3	21.77	0.1	0.24	9.90e-1
IFNAR1	376.76	0.11	0.21	9.90e-1
IFNAR2	296.26	0.19	0.22	9.74e-1
IFNG-AS1	70.35	-0.63	0.25	4.14e-1
IFNGR1	227.57	0.28	0.23	9.26e-1
IFNGR2	379.1	0.53	0.21	3.72e-1
IFNLR1	113.41	0.13	0.24	9.90e-1
IFRD1	248.74	0.63	0.22	2.32e-1
IFRD2	613.82	-0.13	0.22	9.90e-1
IFT122	202.67	-0.13	0.22	9.90e-1
IFT140	54.1	0.06	0.25	9.93e-1
IFT172	65.38	-0.04	0.25	9.93e-1
IFT20	32.51	0.17	0.25	9.90e-1
IFT22	136.83	0.12	0.23	9.90e-1
IFT27	23.92	0.03	0.24	9.93e-1
IFT43	19.59	0.12	0.24	9.90e-1
IFT46	81.42	-0.28	0.25	9.47e-1
IFT52	111.16	0.38	0.24	8.40e-1
IFT57	456.83	0.1	0.2	9.90e-1
IFT74	128.96	0.09	0.24	9.90e-1
IFT80	184.54	0.24	0.23	9.54e-1
IFT81	127.1	0.17	0.24	9.87e-1
IFT88	85.8	0.07	0.25	9.93e-1
IGBP1	276.57	0.44	0.22	6.54e-1
IGF1R	142.14	-0.16	0.23	9.87e-1
IGF2BP3	778.45	0.21	0.21	9.54e-1
IGF2R	710.08	0.19	0.2	9.58e-1
IGFLR1	44.5	-0.13	0.25	9.90e-1
IGHMBP2	150.94	-0.22	0.24	9.71e-1
IGIP	18.01	0.04	0.24	9.93e-1
IGLL5	1266.79	-0.43	0.22	6.90e-1
IGSF8	158.36	-0.08	0.25	9.91e-1
IK	893.7	-0.23	0.19	9.37e-1
IKBIP	186.22	0.09	0.23	9.90e-1
IKBKAP	669.77	-0.02	0.2	9.93e-1
IKBKB	227.13	0.28	0.22	9.23e-1
IKBKE	448.51	-0.04	0.22	9.93e-1
IKBKG	85.92	0.25	0.25	9.58e-1
IKZF1	2202.08	-0.18	0.18	9.58e-1
IKZF2	202.11	-0.78	0.23	7.31e-2
IKZF3	1942.49	-0.08	0.18	9.90e-1
IKZF4	57.96	0.02	0.25	9.94e-1
IKZF5	493.03	-0.09	0.2	9.90e-1
IL10	84.19	0.53	0.25	5.91e-1
IL10RA	438.23	0.29	0.21	9.06e-1
IL10RB	20.64	0.12	0.24	9.90e-1
IL12RB1	105.02	0.13	0.24	9.90e-1
IL15RA	72.2	0.18	0.25	9.87e-1
IL16	234.08	-0.22	0.22	9.56e-1
IL17RA	280.74	-0.31	0.22	8.78e-1
IL18BP	69.41	0.06	0.25	9.93e-1
IL1RAP	28.24	-0.29	0.25	9.47e-1
IL20RB	14.47	-0.15	0.23	9.88e-1

IL21R	688.82	0.58	0.21	3.10e-1
IL2RG	1160.9	0.09	0.19	9.90e-1
IL411	79.92	1.09	0.25	6.40e-3
IL4R	1172.56	-0.09	0.21	9.90e-1
IL6ST	150.15	0.04	0.24	9.93e-1
IL7	11.23	0.17	0.21	9.83e-1
IL7R	194.3	-1.33	0.23	7.00e-6
ILDR2	116.52	0.02	0.24	9.94e-1
ILF2	2477.15	-0.19	0.18	9.52e-1
ILF3	4875.41	-0.24	0.19	9.25e-1
ILF3-AS1	102.06	-0.05	0.25	9.93e-1
ILK	318.35	0.07	0.21	9.91e-1
ILKAP	215.02	0.21	0.22	9.64e-1
ILVBL	156.92	-0.19	0.25	9.86e-1
IMMP1L	20.26	0.04	0.24	9.93e-1
IMMP2L	51.77	-0.01	0.25	9.96e-1
IMMT	1325.32	0.31	0.2	8.41e-1
IMP3	238.48	0.28	0.22	9.30e-1
IMP4	868.12	-0.44	0.2	5.91e-1
IMPA1	307.98	0.18	0.22	9.80e-1
IMPA2	125.68	0.14	0.24	9.90e-1
IMPAD1	706.5	0.01	0.21	9.96e-1
IMPDH1	1736.68	-0.36	0.2	7.54e-1
IMPDH2	1805.3	0.11	0.18	9.90e-1
INADL	13.97	-0.19	0.23	9.81e-1
INAFM1	17.38	-0.11	0.22	9.90e-1
INAFM2	38.75	0.05	0.25	9.93e-1
INCENP	1286.01	-0.32	0.21	8.41e-1
INF2	61.49	-0.26	0.25	9.54e-1
ING1	189.64	0.05	0.22	9.93e-1
ING2	105.95	0.53	0.24	5.79e-1
ING3	201.16	0.17	0.23	9.87e-1
ING4	56.61	0.24	0.25	9.64e-1
ING5	341.96	0.1	0.21	9.90e-1
INHBE	17.95	0.82	0.23	6.75e-2
INIP	123.55	0.01	0.24	9.96e-1
INO80	509.73	-0.3	0.2	8.53e-1
INO80C	76.59	0.17	0.25	9.88e-1
INO80D	274.98	-0.01	0.22	9.96e-1
INO80E	489.24	-0.47	0.23	6.35e-1
INPP4A	191.87	0.01	0.22	9.96e-1
INPP4B	16.47	-0.04	0.23	9.93e-1
INPP5A	106.2	0.43	0.24	7.57e-1
INPP5B	515.63	0.03	0.2	9.93e-1
INPP5D	1802.51	-0.26	0.19	9.04e-1
INPP5E	179.88	-0.16	0.25	9.90e-1
INPP5F	122.73	-0.07	0.24	9.91e-1
INPP5K	168.65	0.55	0.23	4.62e-1
INPPL1	1125.42	-0.24	0.2	9.42e-1
INSIG1	1375.96	0.24	0.19	9.30e-1
INSIG2	22.4	0.15	0.24	9.90e-1
INTS1	1279.31	-0.23	0.23	9.52e-1
INTS10	978.07	0.04	0.19	9.93e-1
INTS12	140.05	-0.04	0.24	9.93e-1
INTS2	418.87	0.28	0.22	9.25e-1
INTS3	716.87	-0.13	0.19	9.88e-1
INTS4	196.9	-0.02	0.23	9.96e-1
INTS4P2	14.44	-0.21	0.23	9.63e-1
INTS5	286.35	-0.28	0.23	9.47e-1
INTS6	321.03	-0.16	0.21	9.87e-1
INTS7	472.67	0.05	0.21	9.93e-1
INTS8	526.25	0.11	0.21	9.90e-1
INTS9	280.14	-0.17	0.21	9.82e-1
INVS	68.81	0.17	0.25	9.90e-1
IP6K1	347.3	-0.36	0.23	8.38e-1
IP6K2	292.21	-0.02	0.22	9.96e-1
IPMK	301.44	0.01	0.22	9.98e-1
IPO11	343.45	-0.09	0.21	9.90e-1
IPO13	453.32	-0.18	0.22	9.80e-1
IPO4	1484.34	-0.26	0.2	9.13e-1
IPO5	5041.5	0.09	0.19	9.90e-1
IPO5P1	129.02	-0.18	0.24	9.87e-1
IPO7	4786.71	0.16	0.19	9.83e-1
IPO8	584.49	0.35	0.2	7.63e-1
IPO9	1199.83	-0.05	0.19	9.93e-1
IPP	45.64	0.14	0.25	9.90e-1
IPPK	198.66	0.01	0.22	9.96e-1
IPW	149.99	0.59	0.25	4.73e-1
IQCB1	392.22	0.22	0.22	9.56e-1
IQCC	81.9	-0.11	0.25	9.90e-1
IQCD	88.42	-0.06	0.25	9.93e-1
IQCE	90.29	0.08	0.25	9.91e-1
IQCG	27.28	0.12	0.25	9.90e-1

IQCH	24.79	-0.01	0.25	9.98e-1
IQCH-AS1	28.76	0.18	0.25	9.87e-1
IQCK	25.17	-0.02	0.25	9.95e-1
IQGAP1	1880.32	-0.06	0.19	9.91e-1
IQSEC1	1213.47	0.15	0.19	9.87e-1
IRAK1	1481.49	-0.4	0.23	7.57e-1
IRAK1BP1	44.68	0.08	0.25	9.91e-1
IRAK4	139.14	0.29	0.24	9.35e-1
IREB2	903.52	0.09	0.21	9.90e-1
IRF1	403.92	-0.03	0.21	9.93e-1
IRF2	384.04	0.25	0.21	9.43e-1
IRF2BP1	164.62	-0.18	0.25	9.87e-1
IRF2BP2	145.94	0.1	0.23	9.90e-1
IRF2BPL	105.77	-0.21	0.25	9.80e-1
IRF3	496	-0.46	0.23	6.69e-1
IRF4	17.65	0.4	0.23	7.75e-1
IRF5	57.04	-0.11	0.25	9.90e-1
IRF7	29.6	-0.02	0.24	9.95e-1
IRF8	988.65	0.25	0.19	9.10e-1
IRF9	69.53	0.52	0.25	6.14e-1
IRGQ	110.37	0	0.24	9.99e-1
IRS1	169.86	-0.59	0.24	4.11e-1
ISCA1	387.99	-0.01	0.21	9.96e-1
ISCA2	99.17	0.15	0.24	9.90e-1
ISCU	298.65	0.72	0.22	1.02e-1
ISG15	31.83	-0.06	0.25	9.93e-1
ISG20	383.87	0.11	0.22	9.90e-1
ISG20L2	1122.79	-0.48	0.19	3.80e-1
ISL2	12.89	0.17	0.22	9.87e-1
ISOC1	225.51	-0.01	0.22	9.96e-1
ISOC2	465.27	-0.42	0.24	7.57e-1
IST1	751.09	0.12	0.2	9.90e-1
ISY1	48.49	0.08	0.25	9.91e-1
ISYNA1	14.63	-0.04	0.23	9.93e-1
ITCH	1010.86	-0.07	0.19	9.90e-1
ITFG1	223.89	0.22	0.22	9.61e-1
ITFG2	297.92	0.02	0.21	9.93e-1
ITFG3	260.4	-0.14	0.23	9.90e-1
ITGA10	11.9	-0.07	0.21	9.91e-1
ITGA4	818.72	0.08	0.2	9.90e-1
ITGA6	632	0.06	0.2	9.91e-1
ITGA7	11.21	-0.11	0.21	9.90e-1
ITGAE	55.12	-0.03	0.25	9.93e-1
ITGAL	361.53	-0.3	0.21	8.80e-1
ITGAM	21.9	-0.2	0.24	9.81e-1
ITGAV	95.91	0.11	0.25	9.90e-1
ITGB1	1735.85	-0.15	0.19	9.82e-1
ITGB1BP1	231.75	0.09	0.22	9.90e-1
ITGB1BP2	19.68	-0.04	0.24	9.93e-1
ITGB3BP	272.68	0.13	0.22	9.90e-1
ITGB7	613.51	-0.17	0.21	9.81e-1
ITM2B	154.77	0.29	0.24	9.42e-1
ITPA	305.52	-0.34	0.24	8.68e-1
ITPK1	501.96	-0.28	0.22	9.25e-1
ITPKB	453.71	0.19	0.21	9.73e-1
ITPKC	58.25	0.05	0.25	9.93e-1
ITPR1	270.29	0.03	0.22	9.93e-1
ITPR2	205.3	-0.12	0.22	9.90e-1
ITPR3	2062.65	-0.23	0.19	9.47e-1
ITPRIP	131.24	0.09	0.24	9.90e-1
ITPRIPL1	270.67	-0.08	0.21	9.90e-1
ITSN1	384.43	-0.34	0.2	8.12e-1
ITSN2	797.7	-0.12	0.19	9.90e-1
IVD	250.86	-0.02	0.22	9.95e-1
IVNS1ABP	773.13	0.36	0.2	7.41e-1
IWS1	361.07	-0.01	0.21	9.96e-1
IZUMO4	24.57	-0.11	0.24	9.90e-1
JADE1	418.71	-0.07	0.2	9.90e-1
JADE2	1867.2	-0.33	0.21	8.39e-1
JADE3	281.04	-0.22	0.21	9.49e-1
JAG1	28.66	0.06	0.25	9.93e-1
JAGN1	89.34	0.15	0.25	9.90e-1
JAK1	2457.64	0.04	0.19	9.93e-1
JAK2	46.62	0.26	0.25	9.54e-1
JAKMIP2	63.47	-0.29	0.25	9.47e-1
JARID2	170.3	-0.2	0.23	9.73e-1
JAZF1	202.92	0.02	0.22	9.96e-1
JCHAIN	4380.35	-0.18	0.19	9.72e-1
JKAMP	223.83	0.16	0.23	9.87e-1
JMJD1C	707.3	0.08	0.21	9.90e-1
JMJD4	194.68	-0.35	0.24	8.69e-1
JMJD6	195.92	-0.05	0.22	9.93e-1
JMJD8	255.42	-0.26	0.23	9.47e-1

JMY	268.98	0.32	0.22	8.64e-1
JOSD1	554.73	-0.03	0.2	9.93e-1
JOSD2	15.52	-0.16	0.22	9.87e-1
JPX	21.38	-0.07	0.24	9.93e-1
JRK	324.72	-0.19	0.22	9.80e-1
JRKL	105.22	-0.03	0.24	9.93e-1
JTB	354.96	0.16	0.22	9.87e-1
JUN	26.92	0.09	0.25	9.90e-1
JUNB	355.56	-0.14	0.24	9.90e-1
JUND	158.57	0.45	0.24	7.04e-1
JUP	37.87	-0.01	0.25	9.97e-1
KANK1	573.77	1.1	0.2	3.80e-5
KANK2	884.72	-0.8	0.2	1.83e-2
KANSL1	466.79	-0.2	0.2	9.59e-1
KANSL1L	52.03	0.01	0.25	9.96e-1
KANSL2	264.1	0.03	0.22	9.93e-1
KANSL3	690.66	-0.24	0.2	9.42e-1
KAR5	1902.52	0.01	0.18	9.96e-1
KAT2A	1005.35	-0.32	0.2	8.39e-1
KAT2B	274.12	0.3	0.23	9.11e-1
KAT5	292.66	0.24	0.21	9.48e-1
KAT6A	908.79	-0.2	0.19	9.49e-1
KAT6B	688.28	-0.25	0.19	9.20e-1
KAT7	508.22	0.09	0.2	9.90e-1
KAT8	219.65	0.18	0.22	9.86e-1
KATNA1	168.59	-0.05	0.23	9.93e-1
KATNAL1	150.01	-0.09	0.23	9.90e-1
KATNAL2	51.78	0.24	0.25	9.63e-1
KATNB1	327.87	-0.09	0.23	9.90e-1
KATNBL1	102.56	0.24	0.25	9.58e-1
KBTBD2	224.69	0.52	0.22	5.04e-1
KBTBD4	140.36	0.16	0.23	9.88e-1
KBTBD6	143.34	-0.17	0.24	9.87e-1
KBTBD7	31.47	-0.22	0.25	9.74e-1
KBTBD8	401.93	0.31	0.22	8.73e-1
KCMF1	625.13	0.3	0.21	8.64e-1
KCNAB2	728.37	-0.2	0.22	9.72e-1
KCNAB3	42.5	0.16	0.25	9.90e-1
KCNC3	26.69	-0.13	0.25	9.90e-1
KCNC4	32.56	0.04	0.25	9.93e-1
KCND1	32.05	-0.15	0.25	9.90e-1
KCNH2	230.75	-0.44	0.23	6.87e-1
KCNIP2	22.02	0.12	0.24	9.90e-1
KCNJ11	119.06	-0.09	0.25	9.90e-1
KCNJ14	13.51	0.11	0.22	9.90e-1
KCNK12	58.85	0.25	0.25	9.60e-1
KCNMA1	42.1	0.17	0.25	9.89e-1
KCNMB4	103.25	-0.13	0.24	9.90e-1
KCNN3	1623.85	-0.25	0.18	8.92e-1
KCNQ1OT1	55.5	-0.29	0.25	9.47e-1
KCNQ5	1019.04	0.05	0.2	9.93e-1
KCTD1	49.64	-0.24	0.25	9.66e-1
KCTD10	333.13	-0.16	0.21	9.87e-1
KCTD11	29.82	-0.15	0.25	9.90e-1
KCTD13	86.34	-0.14	0.25	9.90e-1
KCTD15	358.11	0.01	0.21	9.98e-1
KCTD17	92.99	-0.33	0.25	9.10e-1
KCTD18	105.67	0.11	0.24	9.90e-1
KCTD2	328.37	0.16	0.21	9.86e-1
KCTD20	860.4	0.13	0.2	9.90e-1
KCTD21	28.08	0.06	0.25	9.93e-1
KCTD3	165.47	0.08	0.23	9.90e-1
KCTD5	329.91	-0.12	0.21	9.90e-1
KCTD6	54.74	0.03	0.25	9.93e-1
KCTD7	306.72	-0.23	0.21	9.49e-1
KCTD9	370.87	0	0.21	9.98e-1
KDELR1	623.03	-0.32	0.2	8.34e-1
KDELR2	799.23	0.15	0.2	9.87e-1
KDM1A	1127.8	-0.07	0.19	9.90e-1
KDM1B	920.35	0.17	0.2	9.80e-1
KDM2A	1432.14	-0.1	0.19	9.90e-1
KDM2B	1169.45	-0.07	0.19	9.90e-1
KDM3A	263.13	0.33	0.22	8.51e-1
KDM3B	1080.18	-0.09	0.19	9.90e-1
KDM4A	460.51	0.3	0.2	8.64e-1
KDM4A-AS1	21.86	-0.4	0.24	8.29e-1
KDM4B	212.8	0	0.24	9.99e-1
KDM4C	263.58	0.36	0.22	8.11e-1
KDM4D	12.66	0.03	0.22	9.93e-1
KDM5A	564.67	-0.04	0.2	9.93e-1
KDM5C	1009.83	-0.19	0.2	9.66e-1
KDM5D	363.52	-0.13	0.21	9.90e-1
KDM6A	202.26	0.16	0.22	9.87e-1

KDM6B	742.9	-0.4	0.22	7.20e-1
KDM7A	98.56	0.09	0.25	9.90e-1
KDM8	59.38	-0.1	0.25	9.90e-1
KDSR	195.21	0.51	0.23	5.68e-1
KEAP1	662.93	-0.23	0.22	9.49e-1
KHDC1	291.59	-0.04	0.21	9.93e-1
KHDRBS1	2336.96	0.06	0.18	9.91e-1
KHDRBS3	70.54	-0.13	0.25	9.90e-1
KHK	88.99	-0.38	0.25	8.51e-1
KHNYN	484.64	0.15	0.2	9.87e-1
KHSRP	3410.77	-0.5	0.22	5.37e-1
KIAA0020	1030.64	-0.35	0.19	7.35e-1
KIAA0040	741.57	-0.25	0.19	9.20e-1
KIAA0100	3005.68	-0.07	0.18	9.90e-1
KIAA0101	466.43	0.16	0.21	9.87e-1
KIAA0125	36.51	-0.36	0.25	8.73e-1
KIAA0141	447.69	0.06	0.21	9.91e-1
KIAA0195	465.55	-0.06	0.22	9.93e-1
KIAA0196	675.39	-0.02	0.21	9.93e-1
KIAA0226	646.17	0.23	0.19	9.42e-1
KIAA0226L	901.43	-0.85	0.19	3.70e-3
KIAA0232	146.8	0.12	0.23	9.90e-1
KIAA0319	43.74	-0.14	0.25	9.90e-1
KIAA0319L	378.27	0.18	0.21	9.73e-1
KIAA0355	164.98	-0.04	0.23	9.93e-1
KIAA0368	1572.4	0.28	0.19	8.69e-1
KIAA0391	508.28	-0.23	0.2	9.47e-1
KIAA0430	902.36	0.03	0.2	9.93e-1
KIAA0513	38.72	-0.16	0.25	9.90e-1
KIAA0556	99.58	-0.31	0.25	9.29e-1
KIAA0586	314.98	-0.12	0.22	9.90e-1
KIAA0753	236.9	0.06	0.22	9.93e-1
KIAA0895L	126.56	0.04	0.24	9.93e-1
KIAA0907	472.4	-0.11	0.2	9.90e-1
KIAA0922	2095.27	-0.27	0.19	8.73e-1
KIAA0930	534.29	-0.07	0.21	9.90e-1
KIAA1024	18.48	0.09	0.24	9.90e-1
KIAA1033	634.57	-0.16	0.21	9.87e-1
KIAA1109	373.51	0.08	0.21	9.90e-1
KIAA1143	666.8	0.1	0.2	9.90e-1
KIAA1147	378.06	0.23	0.21	9.49e-1
KIAA1161	118	-0.3	0.24	9.25e-1
KIAA1191	256.22	-0.04	0.22	9.93e-1
KIAA1211	278.64	-0.46	0.21	5.87e-1
KIAA1328	45.32	0.16	0.25	9.90e-1
KIAA1407	21.79	0.03	0.24	9.93e-1
KIAA1429	937.3	0.03	0.2	9.93e-1
KIAA1467	52.75	0.06	0.25	9.93e-1
KIAA1468	221.87	0.11	0.22	9.90e-1
KIAA1524	511.96	0.02	0.21	9.93e-1
KIAA1549L	297.22	-0.03	0.21	9.93e-1
KIAA1551	641.03	-0.19	0.21	9.73e-1
KIAA1586	44.24	-0.01	0.25	9.98e-1
KIAA1715	259.18	0.17	0.22	9.86e-1
KIAA1804	68.25	0.01	0.25	9.96e-1
KIAA1841	70.94	0.03	0.25	9.93e-1
KIAA1875	14.81	-0.28	0.23	9.39e-1
KIAA1919	106.33	-0.06	0.24	9.93e-1
KIAA1958	182.17	0.07	0.23	9.91e-1
KIAA2013	358.66	-0.18	0.23	9.86e-1
KIAA2018	278.74	-0.12	0.22	9.90e-1
KIAA2026	190.23	0.1	0.23	9.90e-1
KIDINS220	676.79	-0.01	0.2	9.96e-1
KIF11	1305.03	-0.04	0.19	9.93e-1
KIF13B	11.14	-0.19	0.21	9.74e-1
KIF14	318.24	-0.04	0.22	9.93e-1
KIF15	336.61	0.12	0.21	9.90e-1
KIF16B	130.62	-0.08	0.23	9.90e-1
KIF18A	246.16	0.17	0.23	9.87e-1
KIF18B	835.13	-0.5	0.22	5.45e-1
KIF1B	96.73	-0.02	0.24	9.96e-1
KIF1C	1242.39	-0.3	0.21	8.80e-1
KIF20A	530.03	-0.24	0.2	9.42e-1
KIF20B	1001.17	-0.29	0.2	8.69e-1
KIF21B	864.37	0.15	0.21	9.87e-1
KIF22	1160.3	-0.46	0.21	5.62e-1
KIF23	798.52	-0.12	0.2	9.90e-1
KIF24	199.21	0	0.22	9.99e-1
KIF2A	1185.23	0.08	0.2	9.90e-1
KIF2C	1121.68	0.16	0.19	9.80e-1
KIF3A	776.82	-0.21	0.2	9.49e-1
KIF3B	619.05	0.25	0.2	9.22e-1
KIF4A	390.4	0.24	0.21	9.47e-1

KIF5B	1915.91	-0.09	0.19	9.90e-1
KIF9	53.2	0.12	0.25	9.90e-1
KIFAP3	96.79	0.38	0.24	8.44e-1
KIFC1	788.28	-0.23	0.2	9.47e-1
KIFC2	323.82	-0.25	0.23	9.49e-1
KIN	93.33	0.04	0.24	9.93e-1
KIZ	99.66	0.2	0.24	9.81e-1
KLC1	577.63	0.27	0.2	9.06e-1
KLC2	376.08	-0.23	0.23	9.54e-1
KLC4	68.3	0.21	0.25	9.80e-1
KLF10	665.25	-0.25	0.2	9.20e-1
KLF12	190.34	0.21	0.23	9.68e-1
KLF13	1617.57	-0.05	0.2	9.93e-1
KLF15	20.3	0.02	0.24	9.95e-1
KLF16	278.71	-0.2	0.22	9.68e-1
KLF3	38.17	-0.1	0.25	9.90e-1
KLF6	133.41	0.17	0.23	9.87e-1
KLHDC10	477.96	0.04	0.2	9.93e-1
KLHDC2	164.06	0.46	0.23	6.79e-1
KLHDC3	565.97	-0.13	0.21	9.90e-1
KLHDC4	330.57	-0.3	0.23	9.12e-1
KLHL11	205.92	-0.07	0.23	9.91e-1
KLHL12	464.93	0.23	0.2	9.47e-1
KLHL14	59.92	-0.69	0.25	3.07e-1
KLHL15	165.47	0.19	0.24	9.83e-1
KLHL17	65.1	-0.05	0.25	9.93e-1
KLHL18	622.59	-0.32	0.2	8.38e-1
KLHL2	153.76	0.45	0.24	6.92e-1
KLHL20	140.28	-0.09	0.23	9.90e-1
KLHL21	349.17	-0.15	0.23	9.90e-1
KLHL22	39.43	-0.03	0.25	9.93e-1
KLHL24	231.24	1.17	0.23	1.79e-4
KLHL25	37.64	-0.29	0.25	9.47e-1
KLHL26	44.56	-0.29	0.25	9.47e-1
KLHL28	88.86	0.03	0.24	9.93e-1
KLHL32	18.61	0.29	0.24	9.39e-1
KLHL36	217.78	-0.15	0.22	9.88e-1
KLHL42	301.86	-0.02	0.21	9.93e-1
KLHL5	839.03	0.11	0.21	9.90e-1
KLHL6	841	0.96	0.19	3.72e-4
KLHL7	166.02	0.25	0.24	9.52e-1
KLHL8	408.01	-0.11	0.21	9.90e-1
KLHL9	82.13	0.07	0.25	9.93e-1
KLLN	36.8	0.03	0.25	9.93e-1
KLRAP1	21.53	-0.09	0.24	9.90e-1
KLRG1	16.16	0.27	0.23	9.47e-1
KMO	41.17	0.6	0.25	5.22e-1
KMT2A	1686.09	-0.33	0.19	7.57e-1
KMT2B	1013.95	-0.57	0.23	4.32e-1
KMT2C	1320.02	-0.22	0.19	9.47e-1
KMT2D	1745.73	-0.59	0.22	3.26e-1
KMT2E	1154.52	-0.24	0.19	9.23e-1
KMT2E-AS1	29.81	-0.25	0.25	9.59e-1
KNOP1	194.77	-0.41	0.23	7.49e-1
KNSTRN	500.05	-0.24	0.2	9.46e-1
KNTC1	680.94	0.19	0.21	9.71e-1
KPNA1	668.29	0.05	0.2	9.93e-1
KPNA2	1889.64	-0.26	0.18	8.75e-1
KPNA3	1179.31	0.1	0.2	9.90e-1
KPNA4	1012.83	-0.07	0.2	9.90e-1
KPNA5	70.71	0.02	0.25	9.96e-1
KPNA6	1322.54	-0.24	0.19	9.25e-1
KPNB1	4301.97	-0.13	0.18	9.87e-1
KPTN	74.82	-0.01	0.25	9.96e-1
KRAS	530.12	0.11	0.21	9.90e-1
KRBA1	130.94	-0.33	0.25	9.10e-1
KRBOX4	49.25	0.13	0.25	9.90e-1
KRCC1	170.85	-0.09	0.23	9.90e-1
KREMEN2	113.77	-0.07	0.19	9.90e-1
KRI1	600.46	-0.18	0.22	9.81e-1
KRIT1	535.43	0.12	0.21	9.90e-1
KRR1	387.06	-0.08	0.21	9.90e-1
KRT10	36.49	0.49	0.25	6.84e-1
KRTCAP2	200.52	0.02	0.22	9.93e-1
KSR1	128.03	0.01	0.24	9.96e-1
KTN1	2912.55	0.08	0.2	9.90e-1
KTN1-AS1	13.52	-0.05	0.22	9.93e-1
KXD1	697.15	-0.47	0.2	5.31e-1
L2HGDH	301.62	-0.06	0.21	9.93e-1
L3HYPDH	30.51	0.04	0.25	9.93e-1
L3MBTL1	50.63	-0.07	0.25	9.93e-1
L3MBTL2	647.07	-0.03	0.2	9.93e-1
L3MBTL3	20.22	-0.1	0.24	9.90e-1

LACC1	230.5	0.02	0.22	9.95e-1
LACE1	50.59	0.03	0.25	9.93e-1
LACTB	62.04	0.1	0.25	9.90e-1
LAGE3	58.37	-0.16	0.25	9.90e-1
LAIR1	107.56	0.96	0.24	1.66e-2
LAMC1	448.74	-0.23	0.2	9.47e-1
LAMC3	28.42	0.12	0.25	9.90e-1
LAMP1	406.56	0.14	0.2	9.90e-1
LAMP2	591.49	0.16	0.22	9.87e-1
LAMTOR1	358.03	-0.31	0.21	8.73e-1
LAMTOR2	112.99	-0.51	0.24	6.01e-1
LAMTOR3	220.66	0.42	0.23	7.41e-1
LAMTOR4	191.53	-0.12	0.22	9.90e-1
LAMTOR5	194.33	0.02	0.22	9.93e-1
LANCL1	513.7	0.22	0.21	9.50e-1
LANCL2	312.07	-0.01	0.21	9.96e-1
LAP3	841.83	-0.23	0.19	9.39e-1
LAPTM4A	262.43	0.19	0.22	9.74e-1
LAPTM5	1675.08	0.32	0.19	7.97e-1
LARGE	118.81	-0.15	0.24	9.90e-1
LARP1	5132.5	-0.34	0.18	7.13e-1
LARP1B	399.89	-0.12	0.21	9.90e-1
LARP4	1324.82	-0.18	0.2	9.68e-1
LARP4B	737.96	0.04	0.19	9.93e-1
LARP7	538.73	-0.13	0.2	9.90e-1
LARS	2192.53	0.19	0.19	9.60e-1
LARS2	854.4	-0.24	0.19	9.29e-1
LAS1L	942.41	-0.07	0.19	9.90e-1
LASP1	1635.54	-0.34	0.22	8.38e-1
LAT	36.45	-0.12	0.25	9.90e-1
LAT2	212.35	0.99	0.23	5.69e-3
LATS1	371.62	-0.25	0.21	9.47e-1
LBHD1	19.69	0.07	0.24	9.93e-1
LBR	3128.68	0.03	0.19	9.93e-1
LCAT	10.7	0.1	0.2	9.90e-1
LCK	511.5	0.51	0.2	4.15e-1
LCLAT1	178.27	-0.02	0.23	9.95e-1
LCMT1	126.69	0.38	0.24	8.40e-1
LCMT1-AS1	54.42	-0.08	0.25	9.91e-1
LCMT2	107	0.09	0.24	9.90e-1
LCOR	198.95	0.06	0.23	9.93e-1
LCORL	99.43	0.02	0.25	9.95e-1
LCP1	11530.84	0.05	0.18	9.93e-1
LDAH	255.23	0.06	0.22	9.92e-1
LDB1	540.36	-0.4	0.22	7.49e-1
LDHA	8066	-0.15	0.18	9.81e-1
LDHB	4339	0.1	0.18	9.90e-1
LDLR	901.29	-0.56	0.2	2.89e-1
LDLRAD4	70.16	0.17	0.25	9.88e-1
LDLRAP1	54.55	-0.18	0.25	9.87e-1
LEMD2	155.73	0.09	0.23	9.90e-1
LEMD3	368.43	-0.01	0.21	9.96e-1
LENG1	44.02	-0.3	0.25	9.47e-1
LENG8	2055.49	-0.42	0.21	6.74e-1
LENG8-AS1	20.27	-0.17	0.24	9.87e-1
LEO1	624.99	-0.15	0.2	9.87e-1
LEPR	95.38	0.09	0.25	9.90e-1
LEPROT	365.29	-0.03	0.21	9.93e-1
LEPROTL1	302.57	0.14	0.22	9.90e-1
LETM1	1041.66	-0.21	0.2	9.49e-1
LETM2	24.5	0.05	0.25	9.93e-1
LETMD1	306.25	0.44	0.21	6.14e-1
LGALS3BP	69.58	-0.07	0.25	9.93e-1
LGALSL	14.89	-0.1	0.22	9.90e-1
LGMN	554.29	0.85	0.2	6.62e-3
LHFP	255.19	-0.15	0.22	9.88e-1
LHFPL2	570.83	0.12	0.2	9.90e-1
LHPP	50.27	-0.17	0.25	9.89e-1
LHX4-AS1	61.85	-0.25	0.25	9.58e-1
LIAS	168.32	0.05	0.23	9.93e-1
LIG1	1022.32	-0.13	0.21	9.90e-1
LIG3	429.44	-0.36	0.2	7.57e-1
LIG4	228.41	-0.1	0.23	9.90e-1
LILRA4	10.05	0.46	0.2	5.71e-1
LILRB1	412.77	0.29	0.22	9.12e-1
LILRB4	20.17	0.52	0.24	5.86e-1
LIMD2	893.71	-0.24	0.24	9.58e-1
LIME1	151.17	0.14	0.25	9.90e-1
LIMK1	378.89	-0.34	0.23	8.68e-1
LIMK2	199.62	-0.17	0.22	9.87e-1
LIMS1	288.07	-0.03	0.23	9.93e-1
LIN37	22.76	-0.04	0.24	9.93e-1
LINS2	73.8	-0.09	0.25	9.90e-1

LIN54	340.38	0.15	0.22	9.87e-1
LIN7C	231.9	0.16	0.24	9.89e-1
LIN9	171.94	0.25	0.24	9.49e-1
LINC00094	204.07	0.11	0.22	9.90e-1
LINC00115	17.02	-0.07	0.23	9.93e-1
LINC00152	51.33	0.06	0.25	9.93e-1
LINC00173	24.96	0.03	0.25	9.93e-1
LINC00174	62.36	0.18	0.25	9.87e-1
LINC00176	89.23	-0.06	0.25	9.93e-1
LINC00265	171.05	-0.27	0.24	9.47e-1
LINC00294	66.45	0.29	0.25	9.47e-1
LINC00339	40.21	0.3	0.25	9.43e-1
LINC00342	24.7	-0.18	0.25	9.87e-1
LINC00426	42.42	-0.05	0.25	9.93e-1
LINC00476	34.24	0.31	0.25	9.34e-1
LINC00493	118.1	0.16	0.24	9.89e-1
LINC00494	27.18	0.35	0.25	8.76e-1
LINC00528	72.27	-0.24	0.25	9.66e-1
LINC00630	20.82	0.07	0.24	9.93e-1
LINC00641	223.95	-0.2	0.22	9.66e-1
LINC00657	2189.79	0.2	0.18	9.49e-1
LINC00664	45.82	0.26	0.25	9.54e-1
LINC00665	154.95	-0.31	0.23	9.06e-1
LINC00667	97.91	0.28	0.24	9.47e-1
LINC00847	127.17	0.14	0.24	9.90e-1
LINC00852	16.32	-0.1	0.23	9.90e-1
LINC00877	32.39	-0.14	0.25	9.90e-1
LINC00883	25.28	-0.08	0.25	9.91e-1
LINC00888	17.49	-0.01	0.23	9.98e-1
LINC00909	51.43	0.13	0.25	9.90e-1
LINC00926	189.61	-0.07	0.23	9.91e-1
LINC00938	62.05	0.16	0.25	9.90e-1
LINC00959	17.55	0.22	0.24	9.66e-1
LINC00998	102.09	0.16	0.24	9.90e-1
LINC00999	28.61	-0.15	0.24	9.90e-1
LINC01000	654.87	-0.58	0.23	4.11e-1
LINC01003	31.01	0.3	0.25	9.42e-1
LINC01004	32.74	-0.09	0.25	9.90e-1
LINC01021	15.78	-0.02	0.23	9.96e-1
LINC01061	130.23	-0.44	0.25	7.59e-1
LINC01089	45.18	-0.23	0.25	9.72e-1
LINC01128	176.41	-0.01	0.23	9.96e-1
LINC01138	10.3	0.06	0.21	9.93e-1
LINC01144	12.51	-0.01	0.22	9.96e-1
LINC01184	44.79	0.16	0.25	9.90e-1
LINC01215	301.66	0.32	0.21	8.54e-1
LINC01237	11.55	-0.08	0.22	9.90e-1
LINC01268	20.44	0.1	0.24	9.90e-1
LINC01311	16.84	-0.1	0.22	9.90e-1
LINC01347	28.84	-0.11	0.25	9.90e-1
LINC01355	21.74	0.18	0.24	9.87e-1
LINC01410	24.44	0.14	0.24	9.90e-1
LINC01420	88.65	-0.25	0.25	9.54e-1
LINC01481	19.99	-0.25	0.24	9.53e-1
LINC01521	35.96	-0.07	0.25	9.93e-1
LINC01534	10.61	-0.16	0.21	9.86e-1
LINC01547	10.26	0.12	0.21	9.90e-1
LINC01560	18.57	0.07	0.24	9.91e-1
LINC01572	29.13	0.22	0.25	9.80e-1
LINC01578	74.58	0.3	0.25	9.42e-1
LINC01604	24.93	-0.05	0.25	9.93e-1
LINC-PINT	81.71	0.24	0.25	9.59e-1
LINS	86.73	-0.1	0.25	9.90e-1
LIPA	277.01	-0.02	0.22	9.93e-1
LIPE	210.17	-0.43	0.24	7.41e-1
LIPT1	29.78	-0.07	0.25	9.93e-1
LIPT2	13.48	0.29	0.22	9.12e-1
LITAF	289.28	-0.13	0.21	9.90e-1
LIX1L	312.33	0.01	0.21	9.96e-1
LLGL1	291.12	-0.24	0.23	9.53e-1
LLGL2	48.47	0.21	0.25	9.82e-1
LLPH	281.12	-0.33	0.21	8.41e-1
LMAN1	1680.81	-0.14	0.19	9.87e-1
LMAN2	957.29	-0.35	0.21	8.23e-1
LMAN2L	104.47	-0.07	0.24	9.92e-1
LMBR1	815.34	0.17	0.2	9.81e-1
LMBR1L	55.17	0.28	0.25	9.49e-1
LMBRD1	79.62	0.47	0.25	7.13e-1
LMBRD2	68.09	0.17	0.25	9.88e-1
LMF1	27.3	-0.19	0.25	9.86e-1
LMF2	307.78	-0.24	0.25	9.59e-1
MLN	143.32	0.06	0.24	9.93e-1
LMNB1	2367.1	-0.12	0.18	9.90e-1

LMNB2	1825.22	-0.41	0.22	7.04e-1
LMNTD2	24.14	-0.03	0.24	9.93e-1
LMO4	119.81	0.2	0.24	9.81e-1
LMO7	39.23	0.26	0.25	9.54e-1
LMTK2	425.02	-0.18	0.2	9.72e-1
LNP1	60.05	-0.23	0.25	9.73e-1
LNPEP	409.64	0.33	0.21	8.41e-1
LNx2	194.35	-0.25	0.23	9.49e-1
LOC100128361	27.04	0.11	0.25	9.90e-1
LOC100129034	852.56	-0.02	0.19	9.93e-1
LOC100129461	22.83	-0.2	0.24	9.81e-1
LOC100129917	22.67	-0.32	0.24	9.07e-1
LOC100130705	26.97	-0.1	0.25	9.90e-1
LOC100130744	119.35	-0.08	0.24	9.90e-1
LOC100130950	11.1	0.12	0.21	9.90e-1
LOC100131564	57.75	0.19	0.25	9.87e-1
LOC100132352	60.68	0.31	0.25	9.37e-1
LOC100133091	196.64	0.05	0.22	9.93e-1
LOC100133315	13.88	-0.06	0.23	9.93e-1
LOC100133331	92.56	-0.53	0.25	6.07e-1
LOC100287015	53.86	-0.06	0.25	9.93e-1
LOC100288069	38.05	-0.35	0.25	8.98e-1
LOC100288152	140.63	-0.05	0.25	9.93e-1
LOC100288637	96	0.03	0.24	9.93e-1
LOC100288778	143.8	-0.28	0.24	9.47e-1
LOC100288842	11.49	0.11	0.21	9.90e-1
LOC100294145	218.33	0.01	0.22	9.96e-1
LOC100419583	182.07	0.34	0.23	8.56e-1
LOC100420587	130.79	-0.29	0.24	9.39e-1
LOC100505549	40.33	-0.18	0.25	9.87e-1
LOC100505622	14.05	-0.06	0.22	9.93e-1
LOC100506100	10.86	-0.09	0.21	9.90e-1
LOC100506127	71.22	-0.11	0.25	9.90e-1
LOC100506258	475.87	0.06	0.2	9.93e-1
LOC100506302	52.81	-0.12	0.25	9.90e-1
LOC100506548	216.96	0.3	0.23	9.10e-1
LOC100506603	45.03	-0.17	0.25	9.90e-1
LOC100506639	23.49	-0.25	0.25	9.56e-1
LOC100506801	10.23	-0.08	0.21	9.90e-1
LOC100506804	11.12	0.03	0.21	9.93e-1
LOC100506844	38.01	0.13	0.25	9.90e-1
LOC100507006	17.32	0.23	0.23	9.58e-1
LOC100507437	17.7	-0.23	0.23	9.54e-1
LOC100507634	23.56	-0.15	0.24	9.90e-1
LOC100996437	12.56	0.02	0.22	9.96e-1
LOC100996579	87.59	0.05	0.25	9.93e-1
LOC101927021	26.1	0.22	0.25	9.76e-1
LOC101927045	22.86	0.04	0.24	9.93e-1
LOC101927181	15.94	-0.16	0.22	9.87e-1
LOC101927204	10.48	0.22	0.21	9.49e-1
LOC101927365	36.8	0.14	0.25	9.90e-1
LOC101927550	24.55	0.13	0.25	9.90e-1
LOC101927919	29.07	-0.36	0.25	8.75e-1
LOC101928068	23.1	0.01	0.24	9.96e-1
LOC101928069	11.14	-0.05	0.21	9.93e-1
LOC101928103	13.41	-0.08	0.22	9.90e-1
LOC101928525	12.19	0.01	0.21	9.97e-1
LOC101929057	10.31	0.02	0.21	9.96e-1
LOC101929147	53.28	0.22	0.25	9.80e-1
LOC101929294	34.05	0.01	0.25	9.98e-1
LOC101929709	22.54	-0.09	0.24	9.90e-1
LOC101929715	22.14	-0.05	0.24	9.93e-1
LOC101929767	17.9	0.01	0.24	9.97e-1
LOC102606465	34.7	0.29	0.25	9.47e-1
LOC102723927	17.89	-0.08	0.24	9.90e-1
LOC103344931	48.85	-0.05	0.25	9.93e-1
LOC105378732	23.89	-0.08	0.25	9.91e-1
LOC115110	58.5	0.46	0.25	7.49e-1
LOC146880	80.2	-0.04	0.25	9.93e-1
LOC148413	131.4	-0.11	0.24	9.90e-1
LOC150776	137.01	-0.27	0.24	9.47e-1
LOC155060	14.51	0.1	0.23	9.90e-1
LOC171391	11.54	0.02	0.22	9.93e-1
LOC220729	99.39	0.36	0.25	8.68e-1
LOC257396	17.61	0.05	0.23	9.93e-1
LOC283710	141.31	0.02	0.23	9.94e-1
LOC283922	43.54	-0.05	0.25	9.93e-1
LOC285074	112.83	0.22	0.24	9.72e-1
LOC286437	17.12	-0.18	0.23	9.86e-1
LOC339803	63.26	-0.04	0.25	9.93e-1
LOC374443	35.47	0.13	0.25	9.90e-1
LOC389641	113.49	0.07	0.24	9.93e-1
LOC389765	17.21	0.26	0.23	9.48e-1

LOC389906	44.84	0.1	0.25	9.90e-1
LOC400958	21.07	0.37	0.24	8.47e-1
LOC401320	10.27	0.21	0.2	9.53e-1
LOC439994	36.82	-0.36	0.25	8.73e-1
LOC440434	80.83	0.23	0.25	9.66e-1
LOC440461	15.27	-0.01	0.23	9.96e-1
LOC440600	13.56	-0.23	0.22	9.50e-1
LOC440704	22.7	0.04	0.24	9.93e-1
LOC441242	24.41	-0.05	0.25	9.93e-1
LOC613037	84.36	-0.5	0.25	6.61e-1
LOC63930	34.63	0.02	0.25	9.93e-1
LOC642361	32.64	-0.27	0.25	9.49e-1
LOC642846	240.61	0	0.22	9.98e-1
LOC642852	55.52	0.07	0.25	9.93e-1
LOC645513	27.11	0.21	0.25	9.80e-1
LOC646214	10.28	0.25	0.21	9.42e-1
LOC646762	146.76	0.05	0.23	9.93e-1
LOC648987	15.71	0.13	0.22	9.90e-1
LOC652276	39.02	-0.28	0.25	9.48e-1
LOC728323	34.68	0.14	0.25	9.90e-1
LOC728554	91.24	0.43	0.24	7.57e-1
LOC728613	11.53	-0.14	0.22	9.90e-1
LOC728673	19.29	0.35	0.24	8.64e-1
LOC728743	55.63	-0.04	0.25	9.93e-1
LOC729218	271.47	-0.5	0.23	5.83e-1
LOC729683	43.02	0.05	0.25	9.93e-1
LOC81691	63.42	0.18	0.25	9.87e-1
LOC90784	29.36	0.07	0.25	9.93e-1
LOC93622	168.94	0.36	0.23	8.41e-1
LOH12CR1	54.62	0.03	0.25	9.93e-1
LONP1	1763.23	0.14	0.2	9.89e-1
LONP2	176.77	0.04	0.23	9.93e-1
LONRF1	424.9	0.32	0.21	8.52e-1
LOXL2	229.41	0.49	0.22	5.83e-1
LPAR2	80.7	-0.04	0.25	9.93e-1
LPCAT1	1345.03	0.96	0.19	1.89e-4
LPCAT3	366.62	-0.34	0.21	8.30e-1
LPCAT4	151.4	-0.11	0.23	9.90e-1
LPGAT1	569.17	0.22	0.2	9.49e-1
LPIN1	249.06	0.79	0.22	3.99e-2
LPIN2	116.6	-0.1	0.24	9.90e-1
LPP	380.37	-0.14	0.21	9.89e-1
LPP-AS2	10.01	-0.07	0.2	9.91e-1
LPXN	1532.89	0.12	0.19	9.90e-1
LRBA	806.2	0.03	0.19	9.93e-1
LRCH1	529.95	0.12	0.2	9.90e-1
LRCH3	247.59	-0.09	0.22	9.90e-1
LRCH4	370	-0.28	0.24	9.47e-1
LRFN4	280.65	-0.51	0.25	6.34e-1
LRG1	25.9	-0.27	0.24	9.47e-1
LRIF1	235.36	-0.09	0.22	9.90e-1
LRIG1	1147.65	-0.23	0.19	9.35e-1
LRIG2	85.53	0.12	0.25	9.90e-1
LRMP	4256.13	0.77	0.19	1.05e-2
LRP10	345.51	-0.05	0.24	9.93e-1
LRP11	207.96	0.45	0.22	6.54e-1
LRP5L	13.4	-0.16	0.22	9.87e-1
LRP8	1720.4	-0.03	0.18	9.93e-1
LRPAP1	353.11	0.09	0.21	9.90e-1
LRPPRC	3778.95	0.32	0.2	8.32e-1
LRR1	173.61	-0.05	0.23	9.93e-1
LRRC1	56.51	0.37	0.25	8.66e-1
LRRC14	380.92	-0.39	0.23	8.10e-1
LRRC16A	124.39	-0.19	0.24	9.86e-1
LRRC16B	22.12	-0.17	0.24	9.87e-1
LRRC20	80.49	-0.41	0.25	8.21e-1
LRRC23	33.08	0	0.25	9.98e-1
LRRC27	27.27	0.03	0.25	9.93e-1
LRRC28	75.03	0.23	0.25	9.73e-1
LRRC34	49.74	0.09	0.25	9.90e-1
LRRC37A	15.23	0.08	0.23	9.90e-1
LRRC37A2	35.73	-0.08	0.25	9.92e-1
LRRC37A3	18.97	0.12	0.24	9.90e-1
LRRC37A4P	144.38	-0.03	0.23	9.93e-1
LRRC37B	67.63	0.09	0.25	9.90e-1
LRRC37BP1	291.67	0.05	0.22	9.93e-1
LRRC40	349.53	-0.01	0.22	9.96e-1
LRRC41	382.38	-0.02	0.21	9.95e-1
LRRC42	152.63	-0.05	0.23	9.93e-1
LRRC45	310.17	-0.14	0.23	9.90e-1
LRRC46	12.69	-0.19	0.22	9.76e-1
LRRC47	441.42	-0.07	0.21	9.91e-1
LRRC56	86.15	-0.36	0.25	8.74e-1

LRRC57	90.42	0.06	0.25	9.93e-1
LRRC58	1032.9	0.16	0.21	9.86e-1
LRRC59	1729.55	-0.1	0.19	9.90e-1
LRRC61	91.86	-0.24	0.25	9.64e-1
LRRC75A-AS1	2072.21	0.38	0.18	6.07e-1
LRRC8A	232.09	-0.11	0.22	9.90e-1
LRRC8B	220.38	0.09	0.23	9.90e-1
LRRC8C	250.76	-0.03	0.23	9.93e-1
LRRC8D	612.44	0.13	0.21	9.90e-1
LRRCC1	345.38	-0.34	0.21	8.38e-1
LRRFIP1	2763.87	-0.24	0.18	9.08e-1
LRRFIP2	306.73	0.1	0.22	9.90e-1
LRRK1	1315.93	-0.22	0.2	9.49e-1
LRSAM1	168.12	-0.03	0.23	9.93e-1
LRTOMT	46.87	0.21	0.25	9.81e-1
LRWD1	434.47	-0.28	0.23	9.41e-1
LSAMP	46.47	0.53	0.25	6.14e-1
LSG1	597.45	-0.04	0.2	9.93e-1
LSM1	145.56	-0.03	0.23	9.93e-1
LSM10	390.72	-0.21	0.22	9.58e-1
LSM11	89.18	0.37	0.25	8.62e-1
LSM12	375.31	-0.1	0.21	9.90e-1
LSM14A	1746.65	0.02	0.18	9.94e-1
LSM14B	361.49	0.12	0.21	9.90e-1
LSM2	128.41	0.17	0.24	9.87e-1
LSM3	277.55	0.15	0.22	9.87e-1
LSM4	466.75	0.11	0.21	9.90e-1
LSM5	307.23	0.25	0.22	9.47e-1
LSM6	164.21	-0.15	0.23	9.90e-1
LSM7	193.45	-0.05	0.24	9.93e-1
LSM8	545.84	0.27	0.2	9.06e-1
LSP1	2748.84	-0.6	0.22	3.01e-1
LSR	333.75	-0.38	0.24	8.44e-1
LSS	1054.81	-0.56	0.22	4.11e-1
LTA	361.04	0.55	0.24	5.31e-1
LTA4H	1085.07	0.01	0.19	9.96e-1
LTB	751.67	0.15	0.24	9.90e-1
LTB4R	248.18	-0.13	0.22	9.90e-1
LTB4R2	20.69	0.07	0.24	9.93e-1
LTBP1	989.15	0.48	0.19	4.11e-1
LTBP3	12.01	0.03	0.22	9.93e-1
LTBP4	287.72	-0.33	0.23	8.75e-1
LTN1	332.75	0.17	0.22	9.87e-1
LTV1	550.25	0.16	0.21	9.87e-1
LUC7L	274.33	-0.11	0.21	9.90e-1
LUC7L2	153.06	-0.67	0.25	3.16e-1
LUC7L3	1584.05	-0.39	0.18	6.06e-1
LUZP1	366.38	-0.45	0.21	5.91e-1
LY6G5B	100.77	-0.08	0.24	9.91e-1
LY75	34.59	0.14	0.25	9.90e-1
LY86	28.72	0.15	0.25	9.90e-1
LY86-AS1	52.3	0.14	0.25	9.90e-1
LYAR	864.21	-0.19	0.19	9.58e-1
LYL1	81.53	-0.03	0.25	9.93e-1
LYN	465.45	0.13	0.21	9.90e-1
LYPLA1	1489.58	0.09	0.2	9.90e-1
LYPLA2	359.09	-0.5	0.24	6.28e-1
LYPLAL1	76.34	0.2	0.25	9.86e-1
LYRM1	183.77	0.49	0.23	5.86e-1
LYRM2	439.08	0.07	0.22	9.91e-1
LYRM4	180.04	0.17	0.22	9.87e-1
LYRM5	37.33	0.03	0.25	9.93e-1
LYRM7	652.06	0	0.21	9.99e-1
LYSMD1	47.26	-0.31	0.25	9.39e-1
LYSMD2	91.43	0.18	0.25	9.87e-1
LYSMD3	233.61	-0.1	0.23	9.90e-1
LYSMD4	34.29	0.27	0.25	9.49e-1
LYST	70.74	0.58	0.25	5.31e-1
LZIC	103.4	-0.17	0.24	9.88e-1
LZTR1	445.11	-0.44	0.23	7.07e-1
LZTS2	142.31	-0.43	0.25	7.97e-1
LZTS3	101.37	-0.17	0.25	9.89e-1
M6PR	996.74	0.05	0.19	9.93e-1
MACC1	282.61	-0.4	0.22	7.41e-1
MACF1	769.48	-0.17	0.2	9.80e-1
MACROD1	60.39	0.1	0.25	9.90e-1
MAD1L1	214.63	0	0.22	9.99e-1
MAD2L1	563.07	0.12	0.2	9.90e-1
MAD2L1BP	113.6	0	0.24	9.98e-1
MAD2L2	161.51	0.19	0.23	9.80e-1
MADD	567.65	0.03	0.2	9.93e-1
MAEA	493.65	-0.14	0.2	9.89e-1
MAF1	845.44	-0.05	0.21	9.93e-1

MAFF	18.64	0.5	0.23	5.91e-1
MAFG	288.09	0.16	0.23	9.88e-1
MAFG-AS1	31.17	-0.07	0.24	9.91e-1
MAFK	337.18	-0.47	0.24	6.69e-1
MAGED1	1077.28	-0.49	0.21	5.16e-1
MAGED2	143.74	-0.24	0.25	9.59e-1
MAGEF1	133.4	0.28	0.23	9.42e-1
MAGI3	46.1	0.13	0.25	9.90e-1
MAGOH	264.72	-0.17	0.21	9.81e-1
MAGOHB	203.08	0.15	0.22	9.88e-1
MAGT1	403.91	0.07	0.21	9.90e-1
MAK16	747.91	-0.11	0.2	9.90e-1
MALAT1	673.36	-0.42	0.19	5.86e-1
MALSU1	165.05	0.05	0.23	9.93e-1
MALT1	409.29	0.49	0.22	5.59e-1
MAMDC4	173.07	-0.25	0.25	9.57e-1
MAML1	409.6	-0.24	0.21	9.47e-1
MAML2	220.16	-0.07	0.22	9.90e-1
MAML3	11.63	-0.06	0.22	9.93e-1
MAN1A1	259.12	-0.05	0.22	9.93e-1
MAN1A2	459.71	0.16	0.21	9.87e-1
MAN1B1	243.03	-0.05	0.22	9.93e-1
MAN1B1-AS1	21.23	-0.02	0.24	9.95e-1
MAN2A1	346.42	0.24	0.21	9.47e-1
MAN2A2	180.09	-0.29	0.23	9.23e-1
MAN2B1	883.28	-0.1	0.2	9.90e-1
MAN2B2	136.03	0.18	0.24	9.86e-1
MAN2C1	153.23	0.24	0.24	9.60e-1
MANBA	216.79	0.29	0.23	9.20e-1
MANBAL	113.71	-0.01	0.24	9.96e-1
MANEA	173.34	0.16	0.24	9.90e-1
MANEAL	472.19	-0.14	0.22	9.90e-1
MANF	511.49	0.26	0.2	9.22e-1
MAP1A	50.16	-0.5	0.25	6.69e-1
MAP1LC3B	168.61	0.36	0.23	8.39e-1
MAP1S	382.33	-0.23	0.23	9.56e-1
MAP2K1	406.26	0.5	0.2	4.57e-1
MAP2K2	610.19	-0.26	0.23	9.48e-1
MAP2K3	367.62	-0.15	0.21	9.88e-1
MAP2K4	316.15	0.24	0.22	9.49e-1
MAP2K5	120.06	-0.26	0.24	9.49e-1
MAP2K6	28.4	0.02	0.25	9.95e-1
MAP2K7	407.13	-0.3	0.24	9.30e-1
MAP3K1	340.91	0.05	0.21	9.93e-1
MAP3K10	55.7	0.02	0.25	9.95e-1
MAP3K11	256.07	-0.08	0.24	9.90e-1
MAP3K12	21.89	-0.03	0.24	9.93e-1
MAP3K14	309.18	-0.2	0.22	9.73e-1
MAP3K2	201.81	0.17	0.23	9.87e-1
MAP3K3	330.17	-0.16	0.22	9.87e-1
MAP3K4	248.45	-0.17	0.22	9.86e-1
MAP3K5	350.33	0.12	0.21	9.90e-1
MAP3K7	900.15	0.1	0.19	9.90e-1
MAP3K7CL	74.14	0.23	0.25	9.68e-1
MAP3K8	135.08	0.37	0.24	8.41e-1
MAP3K9	110.29	-0.15	0.24	9.90e-1
MAP4	3531.29	-0.5	0.18	3.22e-1
MAP4K1	1580.18	-0.26	0.2	9.22e-1
MAP4K2	353.57	-0.34	0.22	8.52e-1
MAP4K3	83.39	0.2	0.25	9.81e-1
MAP4K4	2827.79	-0.06	0.18	9.91e-1
MAP4K5	537.48	-0.29	0.21	8.82e-1
MAP6D1	18.22	0.17	0.24	9.87e-1
MAP7D1	1037.46	-0.22	0.22	9.59e-1
MAP7D2	24.86	0.18	0.25	9.87e-1
MAP7D3	411.58	-0.28	0.2	8.99e-1
MAP9	224.84	0.1	0.22	9.90e-1
MAPK1	844.76	0.09	0.2	9.90e-1
MAPK12	449.16	-0.05	0.22	9.93e-1
MAPK14	294.4	0.26	0.22	9.42e-1
MAPK1IP1L	1159.53	-0.41	0.19	5.86e-1
MAPK3	310.25	-0.31	0.22	8.80e-1
MAPK6	1417.39	-0.09	0.2	9.90e-1
MAPK7	189.85	-0.35	0.25	8.68e-1
MAPK8	205.74	0.43	0.23	7.31e-1
MAPK8IP2	13.77	-0.06	0.22	9.93e-1
MAPK8IP3	488.76	-0.24	0.23	9.54e-1
MAPK9	397.56	0.3	0.21	8.78e-1
MAPKAP1	1104.15	0	0.19	9.98e-1
MAPKAPK2	1147.63	0.11	0.19	9.90e-1
MAPKAPK3	327.82	-0.15	0.22	9.88e-1
MAPKAPK5	358.28	0.21	0.21	9.59e-1
MAPKAPK5-AS1	79.34	0.15	0.25	9.90e-1

MAPKBP1	173.08	-0.54	0.24	5.45e-1
MAPRE1	1967.18	0.15	0.19	9.81e-1
MAPRE2	657.49	0.05	0.2	9.93e-1
MARCH1	34.1	-0.22	0.25	9.75e-1
MARCH2	22.61	-0.17	0.24	9.87e-1
MARCH3	19.02	0.14	0.24	9.90e-1
MARCH5	218.45	0.09	0.22	9.90e-1
MARCH6	718.45	0.25	0.2	9.25e-1
MARCH7	563.62	0.09	0.21	9.90e-1
MARCH8	273.82	0.08	0.21	9.90e-1
MARCH9	148.3	0.02	0.23	9.93e-1
MARCKSL1	4469.39	0.04	0.2	9.93e-1
MARK2	565.23	-0.45	0.21	5.94e-1
MARK3	610.96	0.11	0.2	9.90e-1
MARK4	156.45	-0.14	0.24	9.90e-1
MARS	1783.12	0.34	0.18	7.13e-1
MARS2	378.69	-0.35	0.21	8.10e-1
MAST1	163.85	-0.3	0.24	9.31e-1
MAST2	1734	-0.24	0.19	9.23e-1
MAST3	499.4	-0.43	0.22	6.69e-1
MAST4	117.85	-0.33	0.24	8.80e-1
MASTL	313.26	0.11	0.21	9.90e-1
MAT1A	147.54	-0.51	0.24	5.91e-1
MAT2A	3686.78	0	0.19	9.98e-1
MAT2B	407.44	0.27	0.21	9.12e-1
MATR3	3546.54	0.09	0.19	9.90e-1
MAU2	366.18	-0.19	0.22	9.78e-1
MAVS	1070.13	-0.42	0.21	6.49e-1
MAX	568.66	-0.15	0.2	9.87e-1
MAZ	2372.85	-0.28	0.21	9.12e-1
MBD1	444.95	-0.2	0.21	9.60e-1
MBD2	943.12	0.27	0.2	9.10e-1
MBD3	665.25	-0.06	0.24	9.93e-1
MBD4	380	0.17	0.21	9.86e-1
MBD6	507.73	-0.19	0.23	9.81e-1
MBIP	166.81	0.01	0.23	9.96e-1
MBLAC2	220.43	-0.15	0.22	9.88e-1
MBNL1	2454.66	-0.35	0.19	7.13e-1
MBNL2	69.7	0.1	0.25	9.90e-1
MBNL3	334.86	0.06	0.22	9.93e-1
MBOAT2	99.73	0.18	0.24	9.87e-1
MBOAT7	268.35	-0.08	0.24	9.91e-1
MBP	221.6	0.15	0.22	9.88e-1
MBTD1	526.56	0.07	0.2	9.91e-1
MBTPS1	738.3	0.23	0.2	9.47e-1
MBTPS2	268.08	0.01	0.22	9.97e-1
MC1R	19.39	-0.15	0.23	9.90e-1
MCAT	155.02	-0.14	0.23	9.90e-1
MCCC1	370	0.33	0.21	8.40e-1
MCCC2	1534.45	0.07	0.19	9.90e-1
MCEE	32.38	0.13	0.25	9.90e-1
MCFD2	1117.55	-0.11	0.19	9.90e-1
MCIDAS	33.57	-0.36	0.25	8.75e-1
MCL1	2044.05	0.31	0.19	8.17e-1
MCM10	700.96	-0.22	0.2	9.47e-1
MCM2	2260.33	-0.09	0.19	9.90e-1
MCM3	3843.01	0.04	0.18	9.93e-1
MCM3AP	1030.21	-0.01	0.19	9.96e-1
MCM3AP-AS1	35.21	0.01	0.25	9.98e-1
MCM4	4301.79	-0.04	0.18	9.93e-1
MCM5	3516.68	-0.49	0.2	4.16e-1
MCM6	1254.46	0.08	0.19	9.90e-1
MCM7	5040.61	-0.15	0.19	9.86e-1
MCM8	817.29	0.02	0.2	9.93e-1
MCM9	237.91	0.22	0.22	9.54e-1
MCMBP	1329.46	0.05	0.19	9.93e-1
MCOLN1	94.52	0.13	0.24	9.90e-1
MCOLN2	264.96	0.21	0.22	9.59e-1
MCPH1	358.08	-0.02	0.21	9.95e-1
MCRS1	465.82	-0.05	0.21	9.93e-1
MCTP1	53.15	-0.17	0.25	9.89e-1
MCTP2	195.34	0.46	0.22	6.36e-1
MCTS1	250.81	0.29	0.22	9.12e-1
MCTS2P	110.98	-0.2	0.24	9.81e-1
MCU	238.15	-0.31	0.22	8.92e-1
MCUR1	499.78	0.23	0.21	9.49e-1
MDC1	2161.59	-0.54	0.2	3.51e-1
MDFIC	146.26	0.13	0.24	9.90e-1
MDH1	565.5	0.36	0.2	7.57e-1
MDH1B	12.85	0.09	0.22	9.90e-1
MDH2	3564.63	-0.21	0.2	9.50e-1
MDK	15.65	0.07	0.23	9.91e-1
MDM1	227.38	0.03	0.22	9.93e-1

MDM2	1460.74	-0.15	0.2	9.86e-1
MDM4	431.98	0.01	0.21	9.96e-1
MDN1	2443.62	-0.4	0.18	5.91e-1
ME2	2272.01	0.02	0.2	9.93e-1
MEA1	316.82	-0.53	0.23	5.40e-1
MEAF6	593.54	0.02	0.2	9.93e-1
MECP2	408.77	-0.16	0.21	9.87e-1
MECR	124.61	0.05	0.24	9.93e-1
MED1	1415.3	-0.22	0.19	9.47e-1
MED10	222.29	-0.29	0.22	9.10e-1
MED11	74.98	-0.21	0.25	9.81e-1
MED12	600.35	-0.13	0.2	9.90e-1
MED12L	167.98	-0.09	0.23	9.90e-1
MED13	823.68	0.22	0.2	9.49e-1
MED13L	1547.36	-0.13	0.19	9.87e-1
MED14	878.04	-0.04	0.2	9.93e-1
MED15	486.64	-0.33	0.2	8.29e-1
MED16	339.11	-0.07	0.22	9.92e-1
MED17	262.3	0.1	0.22	9.90e-1
MED18	94.05	0.13	0.24	9.90e-1
MED19	65.88	-0.12	0.25	9.90e-1
MED20	206	0.13	0.22	9.90e-1
MED21	117.96	0.19	0.24	9.86e-1
MED22	552.44	-0.4	0.23	7.87e-1
MED23	227.49	0.31	0.22	8.88e-1
MED24	761.73	-0.25	0.2	9.25e-1
MED25	641.67	-0.69	0.24	2.38e-1
MED26	297.99	-0.25	0.23	9.49e-1
MED27	121.48	0.16	0.24	9.89e-1
MED28	372.41	0.09	0.21	9.90e-1
MED29	249.21	0.08	0.22	9.90e-1
MED30	50.79	0.35	0.25	8.95e-1
MED31	36.41	-0.16	0.25	9.90e-1
MED4	346.11	0.07	0.21	9.91e-1
MED6	147.9	0.26	0.24	9.47e-1
MED7	66.21	0.02	0.25	9.96e-1
MED8	261.58	0.25	0.22	9.47e-1
MED9	87.38	0.09	0.25	9.90e-1
MEF2A	604.14	0.23	0.2	9.47e-1
MEF2BNB	33	-0.27	0.25	9.49e-1
MEF2C	791.99	-0.41	0.2	6.03e-1
MEF2D	1005.26	-0.39	0.22	7.59e-1
MEGF8	287.01	-0.03	0.25	9.93e-1
MEGF9	323.58	-0.13	0.21	9.90e-1
MEIS1	31.54	-0.3	0.25	9.47e-1
MEIS2	94.83	-0.11	0.24	9.90e-1
MELK	358.65	0.14	0.21	9.90e-1
MEMO1	298.01	0.17	0.21	9.83e-1
MEN1	920.47	-0.42	0.22	6.87e-1
MEPCE	1198.01	-0.4	0.23	7.86e-1
MESDC1	143.04	0.21	0.23	9.74e-1
MESDC2	403.03	-0.26	0.21	9.25e-1
MET	401.48	-0.4	0.21	7.04e-1
METAP1	897.96	0.11	0.2	9.90e-1
METAP1D	57.64	0.14	0.25	9.90e-1
METAP2	1881.35	-0.17	0.19	9.72e-1
METRNL	37.84	0.16	0.25	9.90e-1
METTL1	143.55	-0.4	0.23	7.87e-1
METTL10	125.39	0.24	0.24	9.53e-1
METTL12	37.34	-0.24	0.25	9.61e-1
METTL13	445.04	-0.11	0.2	9.90e-1
METTL14	178.38	0.07	0.23	9.91e-1
METTL15	118.17	0.22	0.24	9.66e-1
METTL16	560.54	-0.21	0.2	9.49e-1
METTL17	738.67	0.09	0.19	9.90e-1
METTL18	40.64	0.03	0.25	9.93e-1
METTL21A	134.91	0.22	0.23	9.66e-1
METTL21B	25.08	-0.07	0.25	9.93e-1
METTL22	102.35	-0.08	0.25	9.90e-1
METTL23	52.74	0.23	0.25	9.74e-1
METTL25	29.22	0.2	0.25	9.86e-1
METTL2A	186.74	-0.2	0.22	9.74e-1
METTL2B	315.03	-0.18	0.21	9.80e-1
METTL3	734.13	0.2	0.2	9.57e-1
METTL4	95.21	0.26	0.24	9.49e-1
METTL5	170.56	0.07	0.23	9.91e-1
METTL6	121.21	-0.23	0.24	9.61e-1
METTL7A	521.94	-0.28	0.2	8.76e-1
METTL8	345.49	0	0.22	9.98e-1
METTL9	655.75	0.17	0.21	9.83e-1
MEX3A	26.64	-0.2	0.25	9.81e-1
MEX3B	25.34	0.02	0.25	9.94e-1
MEX3C	803.56	0.18	0.2	9.71e-1

MEX3D	77.55	-0.15	0.25	9.90e-1
MFAP1	608.41	-0.09	0.2	9.90e-1
MFAP3	216.89	0.14	0.22	9.90e-1
MFF	353.38	0.37	0.22	8.07e-1
MFGE8	64.06	0.37	0.25	8.64e-1
MFHAS1	434.47	-0.12	0.2	9.90e-1
MFI2	17.89	-0.1	0.24	9.90e-1
MFI2-AS1	13.58	-0.08	0.22	9.90e-1
MFN1	576.24	0.45	0.2	5.60e-1
MFN2	1356.85	-0.25	0.2	9.20e-1
MFNG	1261.14	-0.4	0.22	7.41e-1
MFSD1	336.03	0.49	0.21	5.36e-1
MFSD10	111.32	-0.25	0.25	9.58e-1
MFSD11	105.43	0.17	0.24	9.87e-1
MFSD12	260.36	-0.11	0.24	9.90e-1
MFSD2A	295.57	-0.24	0.23	9.49e-1
MFSD3	124.86	-0.43	0.25	7.99e-1
MFSD5	158.55	-0.2	0.24	9.80e-1
MFSD6	345.63	-0.04	0.21	9.93e-1
MFSD8	78.9	0.1	0.25	9.90e-1
MFSD9	58.06	0.08	0.25	9.91e-1
MGA	1031.71	-0.07	0.19	9.90e-1
MGAT1	348.68	-0.28	0.24	9.47e-1
MGAT2	460.12	0.06	0.2	9.92e-1
MGAT3	461.95	0.14	0.23	9.90e-1
MGAT4A	144.59	0.55	0.24	5.45e-1
MGAT4B	453.56	0.26	0.21	9.42e-1
MGAT5	388.75	-0.19	0.21	9.66e-1
MGAT5B	17.73	-0.07	0.23	9.92e-1
MGC27345	248.67	-0.21	0.22	9.66e-1
MGC57346	73.1	-0.17	0.25	9.89e-1
MGC72080	128.95	0.05	0.24	9.93e-1
MGEA5	1081.32	-0.07	0.19	9.90e-1
MGLL	322.12	0.17	0.23	9.87e-1
MGME1	413.93	0.15	0.21	9.87e-1
MGMT	62.38	0.27	0.25	9.49e-1
MGRN1	623.86	-0.34	0.22	8.56e-1
MGST3	28.48	0.07	0.25	9.93e-1
MIA3	380.35	-0.08	0.21	9.90e-1
MIB1	527.19	0.03	0.2	9.93e-1
MIB2	87.43	0.11	0.25	9.90e-1
MICA	20.6	0.11	0.24	9.90e-1
MICAL1	728.68	0.37	0.22	7.93e-1
MICAL3	832.23	-0.15	0.2	9.87e-1
MICALL1	185.14	-0.3	0.24	9.25e-1
MICB	153.72	-0.03	0.24	9.93e-1
MICU1	327.36	0	0.21	9.98e-1
MICU2	229.2	0.45	0.22	6.59e-1
MICU3	23.43	0.08	0.24	9.90e-1
MID1IP1	311.25	-0.34	0.22	8.44e-1
MID1IP1-AS1	15.11	-0.38	0.23	7.99e-1
MIDN	1184.81	-0.37	0.23	8.38e-1
MIEF1	1008.95	-0.04	0.19	9.93e-1
MIEF2	19.25	0.15	0.24	9.90e-1
MIEN1	140.99	-0.23	0.24	9.59e-1
MIER1	254.73	0.17	0.22	9.87e-1
MIER2	181.71	-0.06	0.24	9.93e-1
MIER3	268.81	0.24	0.22	9.49e-1
MIF	789.75	-0.1	0.22	9.90e-1
MIF4GD	62.23	0.11	0.25	9.90e-1
MIIP	272.01	-0.3	0.24	9.33e-1
MILR1	19.76	0.26	0.24	9.49e-1
MINA	312.36	-0.22	0.21	9.54e-1
MINK1	684.45	-0.48	0.21	5.79e-1
MINOS1	197.84	0.16	0.22	9.87e-1
MINPP1	78.71	0.29	0.25	9.47e-1
MIOS	476.61	0.35	0.22	8.36e-1
MIPEP	221.27	0.22	0.22	9.54e-1
MIPEPP3	15.38	-0.04	0.23	9.93e-1
MIR142	29.28	0.06	0.25	9.93e-1
MIR155HG	42.73	0.28	0.25	9.47e-1
MIR17HG	96.98	-0.06	0.25	9.93e-1
MIR1914	10.37	-0.01	0.21	9.98e-1
MIR22HG	19.27	0.36	0.24	8.62e-1
MIR25	16.45	-0.04	0.23	9.93e-1
MIR3064	23.69	0.33	0.25	9.10e-1
MIR378I	17.44	0.3	0.24	9.20e-1
MIR4426	26.07	0.4	0.25	8.33e-1
MIR4435-2HG	77.2	0.1	0.25	9.90e-1
MIR5047	11.6	0.16	0.22	9.87e-1
MIR5195	30.54	0.14	0.25	9.90e-1
MIR600HG	170.74	-0.28	0.23	9.42e-1
MIR762HG	21.32	0.17	0.24	9.88e-1

MIS12	287.54	-0.01	0.21	9.96e-1
MIS18A	140.04	-0.04	0.23	9.93e-1
MIS18BP1	786.25	0.11	0.21	9.90e-1
MISP	10.34	0.05	0.2	9.93e-1
MITD1	125.48	0.23	0.24	9.60e-1
MKI67	6974	-0.41	0.18	5.45e-1
MKKS	221.81	0.33	0.22	8.54e-1
MKL1	480.54	-0.36	0.22	8.28e-1
MKL2	221.51	-0.02	0.22	9.94e-1
MKLN1	766.71	0.1	0.2	9.90e-1
MKLN1-AS	47.45	0.01	0.25	9.98e-1
MKNK1	173.68	0.08	0.23	9.90e-1
MKNK2	1619.04	-0.25	0.23	9.49e-1
MKRN1	739.02	0.3	0.19	8.49e-1
MKRN2	211.37	0.21	0.23	9.72e-1
MKRN3	41.25	-0.26	0.25	9.54e-1
MLEC	3551.18	-0.05	0.18	9.93e-1
MLF2	792.84	-0.39	0.24	8.15e-1
MLH1	670.12	0.07	0.2	9.90e-1
MLH3	140.41	0.04	0.24	9.93e-1
MLLT1	1107.73	-0.53	0.22	4.81e-1
MLLT10	498	-0.1	0.2	9.90e-1
MLLT11	57.14	-0.29	0.25	9.47e-1
MLLT3	263.37	-0.14	0.22	9.90e-1
MLLT4	652.94	-0.13	0.2	9.89e-1
MLLT6	1836.46	-0.39	0.22	7.57e-1
MLST8	560.56	-0.1	0.22	9.90e-1
MLX	379.97	-0.34	0.21	8.29e-1
MLXIP	781.74	-0.53	0.21	4.11e-1
MMAA	72.06	0.06	0.25	9.93e-1
MMAB	178.76	-0.21	0.23	9.67e-1
MMACHC	293.08	-0.74	0.23	1.05e-1
MMADHC	162.6	0.3	0.23	9.12e-1
MMD	199.13	0.27	0.23	9.47e-1
MME	1608.88	-0.64	0.2	1.15e-1
MMGT1	319.18	0.04	0.22	9.93e-1
MMP14	15.84	-0.09	0.23	9.90e-1
MMP24-AS1	67.25	-0.02	0.25	9.96e-1
MMP25-AS1	30.48	-0.43	0.25	7.80e-1
MMP9	23.78	-0.03	0.24	9.93e-1
MMS19	704.97	0.09	0.19	9.90e-1
MMS22L	523.6	0.17	0.2	9.80e-1
MNAT1	161.05	0.01	0.23	9.96e-1
MND1	227.61	0.17	0.22	9.87e-1
MNT	428.96	-0.6	0.23	3.70e-1
MX1	20.93	-0.04	0.24	9.93e-1
MOAP1	83.98	0.34	0.25	8.98e-1
MOB1A	491.4	0.03	0.21	9.93e-1
MOB1B	571.36	0.01	0.22	9.97e-1
MOB2	121.87	-0.15	0.25	9.90e-1
MOB3A	1243.85	0.03	0.2	9.93e-1
MOCS2	278.53	0.13	0.22	9.90e-1
MOCS3	77.59	-0.12	0.25	9.90e-1
MOGS	590.53	-0.54	0.24	5.68e-1
MOK	28.41	-0.09	0.25	9.90e-1
MON1A	121.42	-0.23	0.24	9.69e-1
MON1B	415.28	-0.32	0.22	8.64e-1
MON2	287.12	0.13	0.22	9.90e-1
MORC2	485.08	-0.11	0.2	9.90e-1
MORC3	213.99	-0.03	0.23	9.93e-1
MORF4L1	1667.15	0.11	0.19	9.90e-1
MORF4L2	1142.49	0.07	0.2	9.90e-1
MORF4L2-AS1	14.27	0.11	0.22	9.90e-1
MORN1	29.15	-0.13	0.25	9.90e-1
MOSPD1	33.19	0.25	0.25	9.58e-1
MOSPD2	106.68	0.12	0.24	9.90e-1
MOSPD3	36.75	-0.3	0.25	9.47e-1
MOV10	67.45	-0.37	0.25	8.64e-1
MPC1	255.71	0.4	0.22	7.13e-1
MPC2	289.78	-0.17	0.21	9.87e-1
MPDU1	507.69	-0.19	0.21	9.71e-1
MPEG1	96.57	0.58	0.24	4.83e-1
MPG	152.89	-0.23	0.25	9.73e-1
MPHOSPH10	727.83	-0.28	0.2	8.73e-1
MPHOSPH6	205.26	0.34	0.23	8.56e-1
MPHOSPH8	402.12	-0.48	0.21	5.31e-1
MPHOSPH9	303.63	0.08	0.22	9.90e-1
MPI	276.72	-0.1	0.21	9.90e-1
MPLKIP	135.85	0.02	0.24	9.95e-1
MPND	29.7	-0.04	0.25	9.93e-1
MPP2	58.89	-0.29	0.25	9.47e-1
MPP5	273.95	-0.1	0.22	9.90e-1
MPP6	599.61	0.13	0.21	9.90e-1

MPP7	51.78	-0.2	0.25	9.86e-1
MPPE1	51.58	0.27	0.25	9.50e-1
MPRIP	910.29	-0.11	0.19	9.90e-1
MPST	120.34	0.04	0.25	9.93e-1
MPV17	166.43	-0.06	0.23	9.93e-1
MPV17L2	259.91	-0.36	0.23	8.40e-1
MPZ	170.63	-0.42	0.25	8.04e-1
MPZL1	642.76	-0.4	0.2	6.56e-1
MPZL3	23.58	0.11	0.25	9.90e-1
MR1	98.15	0.26	0.24	9.49e-1
MRE11A	507.4	0.07	0.21	9.91e-1
MREG	144.38	0.54	0.24	5.42e-1
MRFAP1	1333.9	0.2	0.19	9.49e-1
MRFAP1L1	260.04	0.32	0.22	8.64e-1
MRGBP	249.73	0.19	0.22	9.74e-1
MRI1	89.67	-0.3	0.25	9.37e-1
MRM1	143.52	-0.3	0.24	9.33e-1
MROH1	153.25	-0.08	0.24	9.91e-1
MROH6	95.78	-0.36	0.25	8.78e-1
MROH8	12.17	-0.06	0.21	9.93e-1
MRPL1	166.38	0.16	0.23	9.88e-1
MRPL10	483.1	-0.18	0.22	9.86e-1
MRPL11	430.72	-0.09	0.22	9.90e-1
MRPL12	487.65	-0.18	0.2	9.79e-1
MRPL13	219.18	0.13	0.22	9.90e-1
MRPL14	213.22	-0.29	0.22	9.12e-1
MRPL15	529.57	-0.17	0.2	9.80e-1
MRPL16	516.73	0.1	0.2	9.90e-1
MRPL17	239.29	-0.1	0.22	9.90e-1
MRPL18	506.76	0.14	0.2	9.88e-1
MRPL19	620.25	-0.05	0.21	9.93e-1
MRPL2	301.67	-0.01	0.22	9.96e-1
MRPL20	370.8	-0.16	0.21	9.87e-1
MRPL21	200.7	0.08	0.22	9.90e-1
MRPL22	205.59	-0.11	0.22	9.90e-1
MRPL23	159.03	-0.02	0.24	9.93e-1
MRPL24	237.35	-0.12	0.23	9.90e-1
MRPL27	182.47	-0.16	0.23	9.87e-1
MRPL28	370.76	-0.41	0.23	7.57e-1
MRPL3	1595.33	0.08	0.19	9.90e-1
MRPL30	561.65	-0.01	0.21	9.96e-1
MRPL32	346.89	0.12	0.21	9.90e-1
MRPL33	90.54	-0.07	0.25	9.93e-1
MRPL34	359.78	-0.08	0.23	9.90e-1
MRPL35	618.74	-0.05	0.21	9.93e-1
MRPL36	241.54	-0.17	0.22	9.86e-1
MRPL37	1910.31	-0.1	0.18	9.90e-1
MRPL38	515.98	-0.06	0.22	9.93e-1
MRPL39	271	0.29	0.22	9.12e-1
MRPL4	1428.13	-0.31	0.21	8.66e-1
MRPL40	85.8	0.16	0.25	9.89e-1
MRPL41	88.41	0.19	0.25	9.87e-1
MRPL42	339.32	0.03	0.22	9.93e-1
MRPL43	182.12	-0.46	0.24	6.79e-1
MRPL44	408.65	0.17	0.21	9.85e-1
MRPL45	492.62	0.23	0.2	9.47e-1
MRPL45P2	10.77	0.08	0.21	9.90e-1
MRPL46	213.72	0.03	0.22	9.93e-1
MRPL47	304.52	0.11	0.21	9.90e-1
MRPL48	230.47	-0.08	0.22	9.90e-1
MRPL49	613.21	-0.32	0.2	8.45e-1
MRPL50	340.94	0.04	0.22	9.93e-1
MRPL51	520.24	-0.18	0.21	9.74e-1
MRPL52	137.69	-0.04	0.24	9.93e-1
MRPL53	94.95	0.06	0.24	9.93e-1
MRPL54	67.58	-0.19	0.25	9.87e-1
MRPL55	76.9	-0.14	0.25	9.90e-1
MRPL57	200.38	-0.09	0.23	9.90e-1
MRPL9	271.55	0.19	0.21	9.74e-1
MRPS10	480.23	0.17	0.21	9.86e-1
MRPS11	316.83	-0.13	0.21	9.90e-1
MRPS12	342.27	-0.52	0.25	5.94e-1
MRPS14	185.27	0.09	0.23	9.90e-1
MRPS15	830.99	-0.12	0.19	9.90e-1
MRPS16	708.64	-0.09	0.19	9.90e-1
MRPS17	117.72	-0.06	0.24	9.93e-1
MRPS18A	321.92	-0.22	0.22	9.54e-1
MRPS18B	701.49	0.21	0.19	9.49e-1
MRPS18C	164.85	-0.1	0.23	9.90e-1
MRPS2	1220.22	-0.36	0.21	7.84e-1
MRPS21	356.23	-0.12	0.21	9.90e-1
MRPS22	327.36	0.07	0.21	9.90e-1
MRPS23	312.53	0.24	0.21	9.47e-1

MRPS25	693.66	-0.09	0.19	9.90e-1
MRPS26	297.51	0.44	0.21	6.34e-1
MRPS27	1517.32	0.06	0.18	9.91e-1
MRPS28	139.11	0.21	0.23	9.74e-1
MRPS30	477.4	0.11	0.2	9.90e-1
MRPS31	300.98	-0.27	0.21	9.25e-1
MRPS31P5	44.73	0.03	0.25	9.93e-1
MRPS33	293.61	0.23	0.21	9.49e-1
MRPS34	718.38	-0.27	0.22	9.25e-1
MRPS35	578.31	0.36	0.2	7.69e-1
MRPS36	78.58	0.1	0.25	9.90e-1
MRPS5	757	-0.27	0.2	9.06e-1
MRPS6	293.61	-0.02	0.22	9.94e-1
MRPS7	520.58	-0.11	0.21	9.90e-1
MRPS9	400.84	0.21	0.21	9.54e-1
MRRF	354.14	0.13	0.21	9.90e-1
MRS2	378.65	-0.13	0.21	9.90e-1
MRT04	847.05	-0.32	0.19	8.21e-1
MS4A1	5824.33	0.5	0.19	3.44e-1
MS4A7	24.01	0.67	0.24	3.01e-1
MSANTD2	62.65	0.1	0.25	9.90e-1
MSANTD3	71.92	0.02	0.25	9.95e-1
MSANTD4	229.93	0.15	0.23	9.90e-1
MSH2	1243.52	0.12	0.2	9.90e-1
MSH3	301.46	0.12	0.21	9.90e-1
MSH6	2192.13	-0.02	0.18	9.93e-1
MSI2	372.48	-0.05	0.21	9.93e-1
MSL1	585.06	0.09	0.2	9.90e-1
MSL2	370.5	0.07	0.21	9.91e-1
MSL3	192.02	0.11	0.22	9.90e-1
MSMO1	275.64	-0.24	0.22	9.47e-1
MSN	5819.95	-0.12	0.18	9.90e-1
MSRB1	197.1	-0.16	0.23	9.87e-1
MSRB2	10.71	0.11	0.21	9.90e-1
MST1P2	18.09	-0.01	0.24	9.96e-1
MSTO2P	54.58	0.12	0.25	9.90e-1
MT1X	44.92	-0.01	0.25	9.96e-1
MT2A	157	-0.77	0.23	1.03e-1
MTA1	1210.46	-0.04	0.2	9.93e-1
MTA2	1669.9	-0.39	0.19	6.07e-1
MTA3	609.74	-0.1	0.2	9.90e-1
MTAP	625.45	-0.19	0.19	9.58e-1
MTBP	104.65	0.01	0.24	9.96e-1
MTCH1	541.09	-0.05	0.22	9.93e-1
MTCH2	880.07	0.16	0.19	9.80e-1
MTCL1	156.52	-0.47	0.24	6.69e-1
MTCP1	16.58	-0.05	0.23	9.93e-1
MTDH	2502.73	0.03	0.19	9.93e-1
MTERF1	179.37	0.05	0.23	9.93e-1
MTERF3	148.34	0.37	0.24	8.41e-1
MTERF4	311.85	-0.06	0.21	9.91e-1
MTF1	413.79	-0.14	0.21	9.90e-1
MTF2	330.04	0.12	0.21	9.90e-1
MTFMT	159.04	-0.1	0.23	9.90e-1
MTFP1	306.75	-0.02	0.23	9.93e-1
MTFR1	267.4	0.15	0.23	9.90e-1
MTFR1L	96.1	-0.02	0.24	9.95e-1
MTFR2	177.42	0.05	0.24	9.93e-1
MTG1	291.13	-0.24	0.21	9.49e-1
MTG2	293.77	-0.23	0.23	9.58e-1
MTHFD1	1765.69	-0.01	0.18	9.96e-1
MTHFD1L	843.45	0.38	0.2	6.87e-1
MTHFD2	1595.59	0.58	0.19	2.02e-1
MTHFD2L	62.36	-0.01	0.25	9.96e-1
MTHFR	179.76	-0.14	0.24	9.90e-1
MTHFSD	91.4	0.1	0.25	9.90e-1
MTIF2	855.52	0.08	0.2	9.90e-1
MTIF3	80.04	0.23	0.25	9.72e-1
MTM1	64.16	0.14	0.25	9.90e-1
MTMR1	309.33	0.27	0.22	9.39e-1
MTMR10	222.89	0.28	0.22	9.32e-1
MTMR12	583.54	-0.08	0.2	9.90e-1
MTMR14	306.73	0.17	0.21	9.81e-1
MTMR2	394.23	0.11	0.22	9.90e-1
MTMR3	231.82	0.03	0.22	9.93e-1
MTMR4	974.71	0.17	0.19	9.74e-1
MTMR6	309.25	0.19	0.22	9.80e-1
MTMR9	320.66	0.11	0.21	9.90e-1
MTO1	2443.88	0.08	0.18	9.90e-1
MTOR	1260.48	-0.23	0.19	9.42e-1
MTPAP	279.7	0.19	0.23	9.80e-1
MTR	862.31	-0.05	0.19	9.93e-1
MTRF1	83.9	0.06	0.25	9.93e-1

MTRF1L	153.44	0.24	0.24	9.55e-1
MTRR	702.96	-0.15	0.2	9.87e-1
MTSS1	57.53	0.01	0.25	9.96e-1
MTURN	377.21	-0.06	0.21	9.93e-1
MTUS1	27.62	-0.12	0.25	9.90e-1
MTUS2	79.03	-0.77	0.25	1.45e-1
MTX1	198	-0.32	0.23	8.95e-1
MTX2	259.96	0.2	0.22	9.72e-1
MTX3	119.5	0.07	0.24	9.93e-1
MUL1	155.71	-0.13	0.23	9.90e-1
MUM1	363.74	-0.15	0.21	9.87e-1
MURC	41.16	0.15	0.25	9.90e-1
MUS81	265.5	-0.15	0.23	9.90e-1
MUT	178.86	0.29	0.23	9.39e-1
MUTYH	316.54	0	0.22	9.98e-1
MVB12A	107.79	-0.1	0.24	9.90e-1
MVD	316.37	-0.51	0.24	6.01e-1
MVK	124.29	-0.14	0.24	9.90e-1
MVP	81.6	-0.01	0.25	9.96e-1
MXD1	30.86	-0.08	0.25	9.91e-1
MXD3	29.07	-0.14	0.25	9.90e-1
MXD4	91.5	0.28	0.25	9.47e-1
MXI1	205.7	0.11	0.23	9.90e-1
MYADM	141.27	-0.47	0.24	6.80e-1
MYB	541.54	-0.03	0.21	9.93e-1
MYBBP1A	2392.6	-0.5	0.21	5.13e-1
MYBL1	943.42	-0.18	0.2	9.66e-1
MYBL2	5707.98	-0.3	0.2	8.52e-1
MYC	2729.72	-0.59	0.19	1.42e-1
MYCBP2	1886.54	-0.14	0.19	9.87e-1
MYCL	19.36	-0.03	0.24	9.93e-1
MYD88	692.22	-0.49	0.2	4.53e-1
MYDGF	161.74	0.35	0.23	8.53e-1
MYEOV	70.09	0.89	0.25	6.46e-2
MYEOV2	40.87	0	0.25	9.98e-1
MYH10	488.92	-0.18	0.2	9.73e-1
MYH3	32.4	0.1	0.25	9.90e-1
MYH9	7113.63	-0.3	0.19	8.30e-1
MYL12A	336.06	0.15	0.21	9.87e-1
MYL12B	325.47	0.31	0.21	8.64e-1
MYL5	32.82	0.02	0.25	9.95e-1
MYL6	372.96	0.04	0.22	9.93e-1
MYL6B	166.81	0.15	0.24	9.90e-1
MYLIP	138.08	0.18	0.23	9.86e-1
MYLK4	16.18	0.29	0.23	9.25e-1
MYNN	209.34	0.18	0.23	9.86e-1
MYO18A	491.83	-0.22	0.21	9.49e-1
MYO19	443.13	-0.09	0.21	9.90e-1
MYO1C	603.73	-0.05	0.2	9.93e-1
MYO1D	294.47	-0.02	0.21	9.93e-1
MYO1E	241.17	0.23	0.22	9.49e-1
MYO1G	201.05	0.35	0.23	8.53e-1
MYO5A	382.43	-0.05	0.21	9.93e-1
MYO9A	344.42	-0.27	0.21	9.23e-1
MYO9B	1038.61	-0.14	0.2	9.87e-1
MYOM2	13.87	-0.06	0.22	9.93e-1
MYPOP	53.15	-0.24	0.25	9.66e-1
MYSM1	719.46	-0.03	0.2	9.93e-1
MZB1	945.79	-0.48	0.21	5.22e-1
MZF1	54.08	-0.08	0.25	9.91e-1
MZF1-AS1	58.67	-0.03	0.25	9.93e-1
MZT1	205.18	0.25	0.23	9.49e-1
MZT2A	45.42	-0.03	0.25	9.93e-1
MZT2B	79.26	0.04	0.25	9.93e-1
N4BP1	364.03	-0.19	0.21	9.66e-1
N4BP2	529.02	-0.12	0.22	9.90e-1
N4BP2L1	24.67	-0.1	0.25	9.90e-1
N4BP2L2	265.5	0.06	0.22	9.93e-1
N6AMT1	11.31	-0.02	0.22	9.93e-1
NAA10	463.34	0	0.2	9.98e-1
NAA15	1767.61	-0.15	0.2	9.87e-1
NAA16	261.84	-0.24	0.22	9.49e-1
NAA20	434.64	0.14	0.2	9.87e-1
NAA25	701.93	0.03	0.2	9.93e-1
NAA30	182.12	0.14	0.23	9.90e-1
NAA35	192.21	0.13	0.23	9.90e-1
NAA38	158.95	-0.24	0.23	9.54e-1
NAA40	327.29	-0.13	0.21	9.90e-1
NAA50	2503.13	-0.25	0.18	8.95e-1
NAA60	449.94	-0.36	0.22	8.30e-1
NAAA	129.22	0.16	0.24	9.90e-1
NAALADL2-AS2	128.85	-0.17	0.23	9.87e-1
NAB1	236.35	0.1	0.23	9.90e-1

NAB2	60.96	-0.02	0.25	9.94e-1
NABP1	117.21	-0.27	0.24	9.47e-1
NABP2	244.99	-0.06	0.22	9.93e-1
NACA	2066.23	0.27	0.18	8.66e-1
NACC1	1202.07	-0.65	0.24	3.14e-1
NADK	555.66	-0.06	0.21	9.92e-1
NADK2	209.65	0.18	0.22	9.81e-1
NADSYN1	242.67	-0.17	0.22	9.87e-1
NAE1	845.5	0.21	0.21	9.54e-1
NAF1	234.83	0.08	0.23	9.90e-1
NAGA	128.81	-0.03	0.23	9.93e-1
NAGK	129.66	-0.03	0.24	9.93e-1
NAGLU	148.77	-0.04	0.25	9.93e-1
NAGPA	65.42	0.02	0.25	9.94e-1
NAIF1	63.36	-0.1	0.25	9.90e-1
NAMPT	1857.16	-0.3	0.19	8.49e-1
NANP	122.53	-0.01	0.24	9.97e-1
NANS	459.88	0.21	0.2	9.52e-1
NAP1L1	7882.31	0.4	0.19	6.01e-1
NAP1L4	1442.73	-0.06	0.19	9.90e-1
NAPA	436.85	-0.26	0.21	9.42e-1
NAPA-AS1	10.04	-0.11	0.2	9.90e-1
NAPB	186.01	0.09	0.23	9.90e-1
NAPG	272.01	-0.05	0.22	9.93e-1
NAPRT	53.19	-0.18	0.25	9.87e-1
NAPSB	1159.29	0.14	0.21	9.89e-1
NARF	128.76	0.34	0.24	8.68e-1
NARFL	140.83	-0.15	0.24	9.90e-1
NARS	2005.43	0.16	0.18	9.74e-1
NARS2	249.18	-0.03	0.22	9.93e-1
NASP	4307.26	0.03	0.18	9.93e-1
NAT1	63.82	-0.08	0.25	9.91e-1
NAT10	1948.3	-0.22	0.18	9.39e-1
NAT14	49.19	-0.1	0.25	9.90e-1
NAT6	95.83	-0.22	0.25	9.80e-1
NAT9	183.19	-0.23	0.24	9.60e-1
NATD1	63.28	-0.16	0.25	9.90e-1
NAV1	18.39	0.17	0.24	9.87e-1
NAV2	14.3	-0.57	0.23	4.11e-1
NBAS	239.95	0.09	0.22	9.90e-1
NBEA	61.32	0.08	0.25	9.91e-1
NBEAL1	49.12	0.04	0.25	9.93e-1
NBEAL2	2052.53	-0.41	0.21	6.87e-1
NBN	961.7	0.29	0.2	8.73e-1
NBPF1	200.07	0.1	0.22	9.90e-1
NBPF10	20.02	0.03	0.24	9.93e-1
NBPF11	17.66	-0.15	0.24	9.90e-1
NBPF12	26.37	-0.06	0.25	9.93e-1
NBPF15	163.08	0.08	0.23	9.90e-1
NBPF3	66.57	-0.02	0.25	9.94e-1
NBPF8	53.27	-0.06	0.25	9.93e-1
NBR1	370.39	0.56	0.21	3.41e-1
NBR2	40.83	0.18	0.25	9.87e-1
NCALD	17.69	-0.34	0.24	8.68e-1
NCAPD2	2331.19	0	0.18	9.98e-1
NCAPD3	1078.55	-0.12	0.19	9.90e-1
NCAPG	906.03	-0.02	0.2	9.93e-1
NCAPG2	887.29	0.07	0.19	9.90e-1
NCAPH	376.94	-0.16	0.21	9.87e-1
NCAPH2	461.3	-0.19	0.23	9.80e-1
NCBP1	1035.93	0.06	0.2	9.91e-1
NCBP2	556.94	0.11	0.2	9.90e-1
NCBP2-AS2	106.66	0.2	0.24	9.81e-1
NCDN	511.48	-0.38	0.23	8.27e-1
NCEH1	79.16	-0.15	0.25	9.90e-1
NCF1	2825	0.24	0.19	9.23e-1
NCF1B	494.76	0.33	0.21	8.30e-1
NCF1C	621.98	0.88	0.2	4.63e-3
NCF2	12.76	0.19	0.22	9.80e-1
NCF4	46.82	-0.2	0.25	9.87e-1
NCK1	297.71	0.26	0.22	9.42e-1
NCK1-AS1	33.34	-0.12	0.25	9.90e-1
NCK2	133.61	-0.09	0.23	9.90e-1
NCKAP1L	863.4	0.24	0.19	9.31e-1
NCKIPSD	235.21	-0.14	0.23	9.90e-1
NCL	20600.98	-0.4	0.18	5.62e-1
NCLN	969.81	-0.43	0.23	7.13e-1
NCOA1	330.62	0.11	0.21	9.90e-1
NCOA2	355.17	-0.21	0.21	9.58e-1
NCOA3	3912.61	0.19	0.19	9.56e-1
NCOA4	1098.38	0.11	0.19	9.90e-1
NCOA5	897.26	-0.15	0.19	9.81e-1
NCOA6	1133.47	-0.37	0.19	6.79e-1

NCOA7	282.63	0.08	0.22	9.90e-1
NCOR1	1336.83	-0.16	0.19	9.80e-1
NCOR2	2408.67	-0.33	0.22	8.64e-1
NCR3LG1	689.08	-0.22	0.19	9.47e-1
NCSTN	543.8	0.2	0.2	9.58e-1
NDC1	2046.79	-0.08	0.2	9.90e-1
NDC80	420.02	0.13	0.22	9.90e-1
NDE1	361.99	-0.23	0.21	9.49e-1
NDEL1	191.63	0.18	0.22	9.86e-1
NDFIP1	174.31	0.33	0.23	8.73e-1
NDFIP2	82.36	0.49	0.25	6.69e-1
NDNL2	131.98	0.28	0.24	9.45e-1
NDOR1	713.18	-0.66	0.24	3.07e-1
NDRG3	562.98	-0.08	0.2	9.90e-1
NDST1	1115.09	0.08	0.2	9.90e-1
NDST2	208.98	0.05	0.23	9.93e-1
NDUFA1	170.88	0	0.24	9.98e-1
NDUFA10	962.67	-0.08	0.19	9.90e-1
NDUFA11	560.53	-0.15	0.21	9.87e-1
NDUFA12	254.3	0.34	0.22	8.45e-1
NDUFA13	341.19	0.14	0.21	9.88e-1
NDUFA2	110.79	0.15	0.24	9.90e-1
NDUFA3	177.98	-0.34	0.25	9.06e-1
NDUFA4	455.97	0.14	0.2	9.87e-1
NDUFA4L2	22.16	0.05	0.24	9.93e-1
NDUFA5	856.47	0.16	0.2	9.81e-1
NDUFA6	310.67	-0.01	0.21	9.96e-1
NDUFA7	280.08	-0.24	0.23	9.49e-1
NDUFA8	194.25	-0.13	0.23	9.90e-1
NDUFA9	468.15	0.03	0.2	9.93e-1
NDUFAB1	277.96	0.18	0.21	9.80e-1
NDUFAF1	125.4	-0.04	0.24	9.93e-1
NDUFAF2	255.18	-0.24	0.21	9.47e-1
NDUFAF3	128.46	0.04	0.24	9.93e-1
NDUFAF4	267.32	0.5	0.22	5.45e-1
NDUFAF5	115.21	0.16	0.24	9.90e-1
NDUFAF6	155.52	0.31	0.23	9.06e-1
NDUFAF7	191.51	-0.09	0.23	9.90e-1
NDUFB1	59.76	0.35	0.25	8.87e-1
NDUFB10	422	-0.09	0.21	9.90e-1
NDUFB11	214.44	0.03	0.22	9.93e-1
NDUFB2	163.61	0.02	0.23	9.93e-1
NDUFB2-AS1	26.53	-0.17	0.24	9.88e-1
NDUFB3	188.98	0.05	0.22	9.93e-1
NDUFB4	174.65	-0.11	0.23	9.90e-1
NDUFB5	345.91	0.41	0.21	6.87e-1
NDUFB6	75.2	0.4	0.25	8.35e-1
NDUFB7	211.22	-0.22	0.23	9.64e-1
NDUFB8	394.6	-0.28	0.22	9.25e-1
NDUFB9	489.7	0.08	0.2	9.90e-1
NDUFC1	106.97	-0.21	0.24	9.80e-1
NDUFC2	52.98	0.14	0.25	9.90e-1
NDUFS1	1090.8	0.02	0.19	9.93e-1
NDUFS2	655.31	0.27	0.19	8.95e-1
NDUFS3	276.65	0.1	0.22	9.90e-1
NDUFS4	79.68	0.02	0.25	9.93e-1
NDUFS5	811.56	0.18	0.19	9.64e-1
NDUFS6	447.51	-0.04	0.21	9.93e-1
NDUFS7	222.18	-0.12	0.25	9.90e-1
NDUFS8	291.93	-0.12	0.23	9.90e-1
NDUFV1	1761.34	0.06	0.2	9.92e-1
NDUFV2	567.71	-0.02	0.2	9.93e-1
NDUFV3	194.37	-0.03	0.22	9.93e-1
NEAT1	3492.37	-0.36	0.18	6.87e-1
NECAB3	104.2	-0.08	0.25	9.91e-1
NECAP1	209.16	-0.08	0.22	9.90e-1
NECAP2	531.02	-0.17	0.22	9.86e-1
NEDD1	426.33	0.14	0.21	9.90e-1
NEDD4	114.91	0.04	0.24	9.93e-1
NEDD4L	315.82	-0.39	0.21	7.05e-1
NEDD8	90.3	0.21	0.25	9.77e-1
NEDD9	228.11	0.35	0.22	8.40e-1
NEIL1	102.5	0.26	0.25	9.50e-1
NEIL2	29.65	0.26	0.25	9.54e-1
NEIL3	99.96	-0.02	0.24	9.96e-1
NEK1	139.42	-0.01	0.23	9.98e-1
NEK2	259.4	0.1	0.23	9.90e-1
NEK4	307.63	-0.05	0.21	9.93e-1
NEK6	605.45	0.23	0.2	9.47e-1
NEK7	142.96	0.5	0.24	6.07e-1
NEK8	131.44	-0.18	0.24	9.87e-1
NEK9	815.14	0.1	0.19	9.90e-1
NELFA	423.93	-0.12	0.23	9.90e-1

NELFB	419.03	0.03	0.22	9.93e-1
NELFCD	1030.33	0.05	0.19	9.93e-1
NELFE	441.85	0.01	0.2	9.97e-1
NEMF	698.01	-0.33	0.2	8.08e-1
NEMP1	695.15	0.24	0.2	9.43e-1
NEMP2	60.24	0.24	0.25	9.66e-1
NENF	55.48	0.5	0.25	6.79e-1
NEO1	335.7	0.09	0.21	9.90e-1
NET1	466.64	0.1	0.21	9.90e-1
NETO2	292.79	0.04	0.22	9.93e-1
NEU1	105.37	0.46	0.24	7.04e-1
NEU3	238.03	-0.5	0.22	5.37e-1
NEURL4	767.46	-0.26	0.21	9.39e-1
NF1	478.16	-0.05	0.21	9.93e-1
NF2	387.17	0.02	0.21	9.94e-1
NFAM1	41.56	0.55	0.25	5.91e-1
NFAT5	461.9	-0.14	0.21	9.89e-1
NFATC1	560.22	0.04	0.21	9.93e-1
NFATC2	679.09	0	0.19	9.98e-1
NFATC2IP	502.55	0.02	0.2	9.93e-1
NFATC3	784.29	-0.1	0.19	9.90e-1
NFATC4	181.68	0.17	0.24	9.88e-1
NFE2L1	2243.64	0.31	0.2	8.49e-1
NFE2L2	696.33	0.45	0.21	5.91e-1
NFE2L3	427.42	0.1	0.21	9.90e-1
NFIA	187.33	-0.22	0.22	9.59e-1
NFIB	22.59	-0.11	0.25	9.90e-1
NFIC	44.16	-0.29	0.25	9.47e-1
NFIL3	65.35	0.45	0.25	7.49e-1
NFKB1	742.9	0.27	0.19	8.91e-1
NFKB2	928.06	0.34	0.21	8.34e-1
NFKBIA	480.58	0.3	0.2	8.68e-1
NFKBIB	269.22	-0.24	0.24	9.57e-1
NFKBID	73.16	0	0.25	9.98e-1
NFKBIE	260.09	0.16	0.24	9.90e-1
NFKBIL1	53.23	-0.38	0.25	8.62e-1
NFKBIZ	236.29	0.11	0.22	9.90e-1
NFRKB	737.01	-0.37	0.2	7.04e-1
NFS1	455.74	-0.18	0.2	9.73e-1
NFU1	35.85	0.01	0.25	9.96e-1
NFX1	880.88	0.15	0.2	9.87e-1
NFXL1	209.4	0.3	0.23	9.06e-1
NFYA	496.53	0.19	0.2	9.66e-1
NFYB	219.78	0.02	0.22	9.93e-1
NFYC	875.99	0.04	0.19	9.93e-1
NFYC-AS1	36.13	0.16	0.25	9.90e-1
NGDN	284.92	0.08	0.21	9.90e-1
NGLY1	422.16	0.25	0.21	9.43e-1
NGRN	313.03	-0.03	0.21	9.93e-1
NHEJ1	165.19	0.32	0.23	8.95e-1
NHLRC2	151.59	-0.13	0.23	9.90e-1
NHLRC3	131.7	0.34	0.24	8.69e-1
NHP2	744.01	-0.23	0.22	9.52e-1
NHP2L1	947.61	0.12	0.19	9.90e-1
NICN1	96.53	-0.01	0.24	9.97e-1
NIF3L1	287.63	-0.04	0.21	9.93e-1
NIFK	362.46	0.15	0.22	9.87e-1
NIFK-AS1	14.35	0.05	0.22	9.93e-1
NIN	1874.9	0.25	0.19	9.10e-1
NINJ1	67.46	-0.13	0.25	9.90e-1
NINJ2	15.88	0.14	0.23	9.90e-1
NIP7	473.31	-0.19	0.2	9.65e-1
NIPA1	218.4	0.05	0.22	9.93e-1
NIPA2	836.57	0.3	0.2	8.64e-1
NIPAL2	55.36	0.24	0.25	9.66e-1
NIPAL3	55.37	0.21	0.25	9.81e-1
NIPBL	951.24	-0.03	0.2	9.93e-1
NIPBL-AS1	157.81	0.29	0.23	9.25e-1
NIPSNAP1	491.83	-0.07	0.21	9.90e-1
NIPSNAP3A	118.99	-0.07	0.24	9.92e-1
NIPSNAP3B	16.49	-0.17	0.23	9.87e-1
NISCH	488.8	-0.13	0.21	9.90e-1
NIT1	87.19	-0.08	0.25	9.90e-1
NIT2	196.84	0.22	0.22	9.61e-1
NKAP	56.58	-0.19	0.25	9.87e-1
NKIRAS1	56.49	-0.07	0.25	9.93e-1
NKIRAS2	322.59	-0.4	0.23	7.57e-1
NKRF	289.62	0.17	0.22	9.86e-1
NKTR	1034.79	-0.2	0.19	9.54e-1
NLE1	348.24	-0.21	0.23	9.66e-1
NLGN2	74.13	-0.1	0.25	9.90e-1
NLK	208.83	0.02	0.23	9.93e-1
NLN	1229.3	-0.23	0.19	9.47e-1

NLRC3	190.69	-0.29	0.22	9.19e-1
NLRC5	383.5	-0.21	0.23	9.66e-1
NLRP1	45.24	-0.18	0.25	9.87e-1
NLRP11	609.19	0.66	0.2	1.12e-1
NLRP4	502.19	1.1	0.2	7.00e-5
NLRP7	62.55	0.13	0.25	9.90e-1
NLRX1	119.76	-0.02	0.25	9.96e-1
NMD3	497.53	0.31	0.21	8.64e-1
NME1	265.34	-0.03	0.22	9.93e-1
NME4	433.84	-0.36	0.22	8.31e-1
NME6	150.05	-0.22	0.23	9.66e-1
NME7	53.05	0.11	0.25	9.90e-1
NMNAT1	89.95	0.13	0.24	9.90e-1
NMNAT3	69.49	0.11	0.25	9.90e-1
NMRAL1	337.74	-0.24	0.23	9.49e-1
NMT1	1305.06	-0.15	0.19	9.86e-1
NMT2	74.23	0.01	0.25	9.96e-1
NMU	46	0.05	0.25	9.93e-1
NNT	233.54	0.23	0.23	9.54e-1
NNT-AS1	94.67	-0.21	0.24	9.80e-1
NOA1	418.51	0.22	0.2	9.49e-1
NOB1	737.75	0.04	0.2	9.93e-1
NOC2L	2041.66	-0.45	0.21	5.99e-1
NOC3L	612.3	0.15	0.21	9.87e-1
NOC4L	442.32	-0.32	0.22	8.75e-1
NOCT	211.95	0.09	0.22	9.90e-1
NOD1	43.15	-0.04	0.25	9.93e-1
NOL10	535.42	0.1	0.21	9.90e-1
NOL11	1123.29	0.04	0.2	9.93e-1
NOL12	224.57	-0.2	0.23	9.80e-1
NOL3	19.71	0.12	0.23	9.90e-1
NOL6	1330.37	-0.52	0.22	4.86e-1
NOL7	457.9	0.26	0.2	9.23e-1
NOL8	869.62	0.07	0.2	9.90e-1
NOL9	441.06	-0.02	0.2	9.95e-1
NOLC1	4902.07	-0.19	0.18	9.49e-1
NOM1	844.98	-0.11	0.19	9.90e-1
NOMO1	665.71	-0.27	0.19	8.90e-1
NOMO2	351.69	-0.24	0.21	9.47e-1
NOMO3	20.85	-0.04	0.24	9.93e-1
NONO	4083	-0.01	0.18	9.96e-1
NOP10	350.71	-0.5	0.22	5.37e-1
NOP14	1415.05	0.09	0.18	9.90e-1
NOP14-AS1	30.28	-0.08	0.25	9.92e-1
NOP16	610.89	-0.14	0.2	9.88e-1
NOP2	1473.27	-0.3	0.19	8.30e-1
NOP56	2506.94	-0.11	0.18	9.90e-1
NOP58	1369.3	-0.19	0.19	9.56e-1
NOP9	997.97	-0.4	0.2	6.59e-1
NOS3	22.59	-0.07	0.24	9.93e-1
NOSIP	203.43	-0.27	0.24	9.47e-1
NOTCH1	394.35	-0.33	0.22	8.64e-1
NOTCH2	654.43	-0.14	0.19	9.87e-1
NOTCH2NL	49.94	-0.04	0.25	9.93e-1
NPAS1	29.82	0.1	0.25	9.90e-1
NPAT	358.35	0.22	0.21	9.49e-1
NPC1	173.09	0.11	0.23	9.90e-1
NPC2	112.64	0.47	0.24	6.84e-1
NPEPPS	1131.47	0.12	0.19	9.90e-1
NPHP4	151.32	-0.08	0.23	9.90e-1
NPIPA1	59.41	-0.12	0.25	9.90e-1
NPIPB11	50.52	-0.3	0.25	9.45e-1
NPIPB15	14.84	-0.03	0.23	9.93e-1
NPIPB3	95.96	-0.23	0.25	9.66e-1
NPIPB4	70.59	-0.17	0.25	9.90e-1
NPIPB5	193.05	-0.57	0.24	5.09e-1
NPL	46.18	0.07	0.25	9.93e-1
NPLOC4	782.28	-0.16	0.19	9.81e-1
NPM1	9958.44	0.31	0.19	8.27e-1
NPM3	560.04	-0.07	0.2	9.91e-1
NPR2	40.91	0.04	0.25	9.93e-1
NPRL2	153.7	0.08	0.23	9.91e-1
NPRL3	390.29	-0.27	0.22	9.31e-1
NPTN	317.46	0.19	0.21	9.73e-1
NPTN-IT1	16.96	0.2	0.23	9.80e-1
NQO1	157.79	-0.28	0.23	9.42e-1
NQO2	180.02	0.24	0.22	9.49e-1
NR1D1	199.6	-0.38	0.23	8.07e-1
NR1D2	279.32	0.25	0.23	9.49e-1
NR1H2	161.67	-0.11	0.25	9.90e-1
NR1H3	26.66	0	0.25	9.99e-1
NR2C1	204.71	-0.01	0.22	9.96e-1
NR2C2	268.46	0.18	0.22	9.82e-1

NR2C2AP	78.96	-0.1	0.25	9.90e-1
NR2F6	144.17	-0.07	0.25	9.92e-1
NR3C1	387.43	0.08	0.21	9.90e-1
NR3C2	15.11	0.07	0.23	9.91e-1
NR4A3	10.65	0.11	0.21	9.90e-1
NR6A1	243.41	-0.34	0.22	8.48e-1
NRADDP	22.87	0.06	0.24	9.93e-1
NRARP	17.99	-0.07	0.23	9.91e-1
NRAS	1086.97	-0.05	0.2	9.93e-1
NRAV	70.3	-0.1	0.25	9.90e-1
NRBF2	184.22	-0.04	0.22	9.93e-1
NRBP1	298.02	-0.08	0.21	9.90e-1
NRD1	1927.01	0	0.19	9.98e-1
NRDE2	120.39	0.03	0.24	9.93e-1
NREP	217.48	-0.88	0.22	1.60e-2
NRF1	191.12	-0.38	0.22	8.08e-1
NRG4	19.07	-0.19	0.24	9.86e-1
NRGN	16.47	-0.19	0.23	9.86e-1
NRM	188.29	-0.24	0.23	9.53e-1
NRROS	155.19	-0.15	0.24	9.90e-1
NRSN2-AS1	34.99	-0.17	0.25	9.90e-1
NSA2	1351.61	-0.06	0.19	9.92e-1
NSD1	1134.67	0.03	0.19	9.93e-1
NSDHL	209.86	-0.41	0.23	7.56e-1
NSF	520.46	0.1	0.21	9.90e-1
NSFL1C	800.9	-0.28	0.2	8.91e-1
NSG1	43.79	1.41	0.25	3.80e-5
NSL1	240.27	-0.02	0.23	9.96e-1
NSMAF	697.33	0.05	0.2	9.93e-1
NSMCE1	216.91	0.26	0.22	9.47e-1
NSMCE2	62.71	0.12	0.25	9.90e-1
NSMCE4A	370.47	0.35	0.21	8.33e-1
NSMF	928.73	-0.27	0.2	9.11e-1
NSRP1	460.2	-0.79	0.21	3.07e-2
NSUN2	1473.42	0.12	0.19	9.90e-1
NSUN3	61.06	0	0.25	9.98e-1
NSUN4	262.81	0.2	0.22	9.72e-1
NSUN5	398.93	-0.09	0.22	9.90e-1
NSUN5P1	226.87	-0.09	0.22	9.90e-1
NSUN5P2	188.06	0.04	0.24	9.93e-1
NSUN6	145.58	0.11	0.23	9.90e-1
NT5C	90.1	0	0.25	9.98e-1
NT5C2	695.5	-0.17	0.2	9.81e-1
NT5C3A	335.87	0.2	0.22	9.72e-1
NT5C3B	124.32	0.15	0.24	9.90e-1
NT5DC1	190.45	0.32	0.22	8.76e-1
NT5DC2	1083.78	-0.24	0.2	9.42e-1
NT5DC3	147.55	0.06	0.23	9.93e-1
NT5M	61.73	-0.26	0.25	9.55e-1
NTAN1	88.42	0.29	0.25	9.47e-1
NTHL1	168.55	-0.2	0.24	9.80e-1
NTMT1	173.98	0	0.23	9.99e-1
NTPCR	72.62	0.04	0.25	9.93e-1
NUAK2	94.05	-0.01	0.25	9.96e-1
NUB1	985.38	-0.11	0.19	9.90e-1
NUBP1	246.36	0.21	0.22	9.58e-1
NUBP2	251.61	-0.19	0.25	9.87e-1
NUBPL	83.76	-0.16	0.25	9.90e-1
NUCB1	391.87	0.09	0.22	9.90e-1
NUCB2	430.37	0.21	0.21	9.53e-1
NUCKS1	4284.92	-0.15	0.18	9.81e-1
NUDC	1801.82	-0.37	0.2	7.04e-1
NUDCD1	377.2	0.03	0.21	9.93e-1
NUDCD2	211.92	-0.06	0.22	9.92e-1
NUDCD3	607.77	0.03	0.2	9.93e-1
NUDT1	73.04	-0.15	0.25	9.90e-1
NUDT14	28.01	0.13	0.25	9.90e-1
NUDT15	316.22	0.33	0.21	8.44e-1
NUDT16	29.44	-0.08	0.25	9.91e-1
NUDT16L1	62.93	-0.03	0.25	9.93e-1
NUDT17	20.84	-0.05	0.23	9.93e-1
NUDT18	25.45	-0.13	0.25	9.90e-1
NUDT19	101.28	0.08	0.24	9.90e-1
NUDT2	35.89	0.02	0.25	9.96e-1
NUDT21	2286.99	-0.1	0.19	9.90e-1
NUDT22	134.39	-0.22	0.25	9.74e-1
NUDT3	21.78	0.04	0.23	9.93e-1
NUDT5	409.64	-0.13	0.21	9.90e-1
NUDT6	24.62	0.22	0.25	9.73e-1
NUDT7	12.92	0.08	0.22	9.90e-1
NUDT8	66.09	0.33	0.25	9.12e-1
NUDT9	155.25	0.04	0.23	9.93e-1
NUF2	326.3	0.26	0.21	9.33e-1

NUFIP1	326.24	-0.24	0.21	9.47e-1
NUFIP2	1507.27	-0.24	0.19	9.25e-1
NUGGC	474.26	-0.17	0.2	9.80e-1
NUMA1	1745.74	-0.36	0.2	7.41e-1
NUMB	415.3	-0.24	0.2	9.47e-1
NUMBL	189.87	-0.64	0.25	3.52e-1
NUP107	855.1	0.21	0.21	9.57e-1
NUP133	734.27	0.04	0.19	9.93e-1
NUP153	3022.98	0.01	0.19	9.98e-1
NUP155	809.08	-0.11	0.2	9.90e-1
NUP160	801.52	0.11	0.19	9.90e-1
NUP188	2000.72	-0.19	0.18	9.49e-1
NUP205	2004.41	0.08	0.19	9.90e-1
NUP210	4595.61	-0.29	0.21	8.78e-1
NUP214	1623.08	-0.49	0.19	3.41e-1
NUP35	227.59	-0.14	0.22	9.90e-1
NUP37	258.82	0.18	0.22	9.80e-1
NUP43	485.63	0.04	0.2	9.93e-1
NUP50	1542.08	0.06	0.19	9.91e-1
NUP50-AS1	22.31	0.08	0.24	9.90e-1
NUP54	353.47	0.06	0.21	9.93e-1
NUP62	1972.66	-0.47	0.21	5.68e-1
NUP62CL	41.55	0.06	0.25	9.93e-1
NUP85	464.52	0.09	0.2	9.90e-1
NUP88	752.43	0.02	0.19	9.94e-1
NUP93	971.06	0.16	0.19	9.80e-1
NUP98	2184.92	-0.22	0.19	9.47e-1
NUPL1	1233.54	-0.04	0.19	9.93e-1
NUPL2	275.7	0.11	0.22	9.90e-1
NUS1	1395.32	0.18	0.2	9.73e-1
NUSAP1	1249.51	0.08	0.19	9.90e-1
NUTF2	917.91	-0.08	0.19	9.90e-1
NUTM2A-AS1	112.46	-0.04	0.24	9.93e-1
NUTM2B-AS1	124.79	-0.06	0.24	9.93e-1
NUTM2D	13.46	-0.08	0.22	9.90e-1
NVL	340.67	-0.06	0.21	9.93e-1
NXF1	861.75	-0.28	0.19	8.66e-1
NXPE3	187.15	0	0.23	9.98e-1
NXPH4	119.87	-0.27	0.25	9.49e-1
NXT1	166.51	0.04	0.23	9.93e-1
NXT2	184.57	0.14	0.23	9.90e-1
OARD1	177.25	0.26	0.23	9.47e-1
OAS1	45.69	-0.38	0.25	8.61e-1
OAS2	268.54	-0.2	0.21	9.66e-1
OAT	653.42	0.06	0.2	9.92e-1
OAZ1	1557.91	-0.14	0.2	9.87e-1
OAZ2	198.13	-0.13	0.23	9.90e-1
OBFC1	96.94	0.29	0.24	9.43e-1
OBSCN	158.19	-0.28	0.24	9.47e-1
OCEL1	74.95	-0.37	0.25	8.64e-1
OCIAD1	392.2	0.32	0.21	8.41e-1
OCIAD2	50.23	0.04	0.25	9.93e-1
ODC1	4228.32	0.22	0.19	9.43e-1
ODF2	1278.65	-0.14	0.19	9.87e-1
ODF2L	78.27	-0.02	0.25	9.94e-1
OFD1	253.74	0.08	0.22	9.90e-1
OGDH	2817.3	-0.45	0.2	5.37e-1
OGFOD1	948.26	-0.29	0.19	8.52e-1
OGFOD2	153.66	-0.24	0.25	9.60e-1
OGFOD3	128.84	0.13	0.24	9.90e-1
OGFR	695.22	-0.53	0.23	5.45e-1
OGFRL1	551.55	-0.1	0.21	9.90e-1
OGFRP1	12.11	0	0.22	9.98e-1
OGG1	182.8	-0.32	0.23	8.90e-1
OGT	1605.39	0.24	0.2	9.29e-1
OIP5	88.59	0.15	0.25	9.90e-1
OIP5-AS1	207.52	0.14	0.23	9.90e-1
OLA1	1222.66	0.1	0.19	9.90e-1
OLFML2A	10.29	0.1	0.2	9.90e-1
OLMALINC	70.26	-0.13	0.25	9.90e-1
OMA1	284.04	0.32	0.22	8.68e-1
OPA1	1221.08	0.16	0.2	9.86e-1
OPA3	400.26	-0.08	0.21	9.90e-1
OPRL1	57.82	0.04	0.25	9.93e-1
OR13A1	59.4	-0.34	0.25	9.03e-1
ORAI1	131.88	0.09	0.25	9.90e-1
ORAI2	2829.98	-0.29	0.23	9.21e-1
ORAOV1	81.05	0.02	0.25	9.93e-1
ORC1	905.42	0.03	0.19	9.93e-1
ORC2	348.73	-0.09	0.21	9.90e-1
ORC3	475.34	0.19	0.21	9.74e-1
ORC4	82.23	0.16	0.25	9.90e-1
ORC5	364.32	0.2	0.21	9.61e-1

ORC6	249	0.1	0.22	9.90e-1
ORMDL1	224.97	0.21	0.23	9.72e-1
ORMDL2	72.05	-0.11	0.25	9.90e-1
ORMDL3	188.99	-0.11	0.23	9.90e-1
OS9	903.23	0.1	0.19	9.90e-1
OSBP	822.6	0.14	0.2	9.87e-1
OSBPL10	812.76	-0.12	0.19	9.90e-1
OSBPL11	342.24	-0.01	0.21	9.96e-1
OSBPL2	184.46	0.11	0.22	9.90e-1
OSBPL3	748.28	0.44	0.21	5.94e-1
OSBPL7	186.41	-0.12	0.23	9.90e-1
OSBPL8	1240.31	-0.01	0.21	9.96e-1
OSBPL9	1377.15	0.04	0.19	9.93e-1
OSCP1	15.03	-0.12	0.23	9.90e-1
OSER1	239.19	0.39	0.22	7.57e-1
OSGEP	287.72	0.19	0.21	9.71e-1
OSGEPL1	30.95	0.19	0.25	9.87e-1
OSGIN2	294.99	0.14	0.22	9.90e-1
OST4	295.84	-0.07	0.21	9.90e-1
OSTC	373.97	0.42	0.21	6.69e-1
OSTF1	200.9	-0.12	0.22	9.90e-1
OSTM1	196.92	0.29	0.23	9.25e-1
OTUB1	571.84	-0.26	0.22	9.46e-1
OTUD1	13.85	0.06	0.23	9.93e-1
OTUD3	268.67	-0.4	0.21	7.13e-1
OTUD4	1400.61	-0.17	0.19	9.78e-1
OTUD5	611.59	0	0.21	9.99e-1
OTUD6B	394.72	-0.17	0.21	9.86e-1
OTUD6B-AS1	228.73	-0.28	0.22	9.20e-1
OTUD7B	24.77	-0.23	0.25	9.68e-1
OTULIN	538.54	0.3	0.2	8.64e-1
OTX1	27.74	-0.28	0.25	9.47e-1
OXA1L	1102.55	0.14	0.19	9.87e-1
OXCT1	1208.38	0.09	0.19	9.90e-1
OXLD1	73.37	-0.03	0.25	9.93e-1
OXNAD1	146.59	0.06	0.23	9.93e-1
OXR1	272.38	0.21	0.23	9.72e-1
OXSM	47.92	0.33	0.25	9.14e-1
OXSR1	853.63	0.21	0.2	9.50e-1
OXTR	10.83	-0.32	0.21	8.51e-1
P2RX4	55.06	0.26	0.25	9.54e-1
P2RX5	336.22	0.01	0.21	9.97e-1
P2RX5-TAX1BP3	17.16	0.03	0.24	9.93e-1
P2RY10	79.98	-0.39	0.25	8.41e-1
P2RY11	30.13	-0.18	0.25	9.87e-1
P2RY8	1673.02	0.05	0.2	9.93e-1
P3H1	335.26	-0.15	0.21	9.87e-1
P4HA1	301.66	0.08	0.22	9.90e-1
P4HB	2404.79	0.16	0.18	9.75e-1
P4HTM	73.19	0.08	0.25	9.91e-1
PA2G4	4696.93	-0.37	0.18	6.54e-1
PA2G4P4	21.98	0.17	0.24	9.88e-1
PAAF1	181.03	-0.16	0.22	9.88e-1
PABPC1	20309.25	0.01	0.18	9.96e-1
PABPC1L	196.28	0.17	0.23	9.87e-1
PABPC3	94.74	0.73	0.25	2.15e-1
PABPC4	3497.11	-0.15	0.18	9.81e-1
PABPN1	88.15	-0.25	0.18	8.91e-1
PACRGL	101.5	0.15	0.24	9.90e-1
PACS1	1140.53	-0.44	0.21	6.07e-1
PACS2	365.08	-0.05	0.22	9.93e-1
PACSIN1	18.5	-0.43	0.24	7.50e-1
PACSIN2	415.29	0.13	0.21	9.90e-1
PAF1	743.29	-0.24	0.2	9.47e-1
PAFAH1B1	905.23	0.4	0.2	6.54e-1
PAFAH1B2	702.88	-0.03	0.21	9.93e-1
PAFAH1B3	92.29	-0.08	0.25	9.91e-1
PAFAH2	61.18	-0.02	0.25	9.94e-1
PAG1	699.71	0.06	0.2	9.93e-1
PAGR1	496.29	-0.45	0.23	6.90e-1
PAICS	5562.4	-0.2	0.18	9.49e-1
PAIP1	346.83	0.39	0.21	7.41e-1
PAIP2	610.22	0.17	0.2	9.80e-1
PAIP2B	25.07	-0.07	0.25	9.92e-1
PAK1	312.28	-0.03	0.21	9.93e-1
PAK1IP1	217.23	0.02	0.22	9.93e-1
PAK2	2027.76	-0.11	0.19	9.90e-1
PAK4	265.51	-0.42	0.25	8.08e-1
PALB2	412.81	0.02	0.21	9.93e-1
PALD1	791.4	0.02	0.22	9.93e-1
PALLD	299.95	-0.13	0.21	9.90e-1
PAM	42.33	0.03	0.25	9.93e-1
PAN2	367.63	0.17	0.21	9.80e-1

PAN3	405.59	0.15	0.21	9.88e-1
PAN3-AS1	17.12	0.03	0.23	9.93e-1
PANK1	154.5	0.11	0.23	9.90e-1
PANK2	240.6	0.44	0.22	6.69e-1
PANK3	513.86	-0.03	0.21	9.93e-1
PANK4	206.74	-0.6	0.23	3.46e-1
PAPD4	476.29	-0.01	0.21	9.96e-1
PAPD5	274.15	-0.32	0.21	8.56e-1
PAPD7	438.41	-0.2	0.2	9.58e-1
PAPOLA	3147.52	0	0.2	9.98e-1
PAPOLG	196.93	0.15	0.23	9.90e-1
PAPSS1	344.86	0.1	0.21	9.90e-1
PAQR3	261.62	0.35	0.23	8.52e-1
PAQR4	627.97	-0.33	0.23	8.76e-1
PAQR6	27.5	-0.05	0.25	9.93e-1
PAQR8	147.13	0.49	0.23	6.03e-1
PARD6A	76.34	-0.06	0.25	9.93e-1
PARD6B	37.88	0.12	0.25	9.90e-1
PARG	209.79	0.1	0.23	9.90e-1
PARGP1	13.13	-0.26	0.22	9.47e-1
PARK7	990.14	0.13	0.19	9.88e-1
PARL	250.42	0.27	0.22	9.37e-1
PARN	797.19	0.13	0.2	9.88e-1
PARP1	7429.26	-0.04	0.18	9.93e-1
PARP10	237.56	-0.2	0.24	9.80e-1
PARP11	102.48	0.12	0.24	9.90e-1
PARP12	32.18	0.33	0.25	9.12e-1
PARP15	10.96	0.16	0.21	9.87e-1
PARP16	109.84	0.02	0.24	9.96e-1
PARP2	499.1	-0.08	0.2	9.90e-1
PARP3	136.32	-0.1	0.24	9.90e-1
PARP4	867.69	-0.02	0.19	9.94e-1
PARP6	323.22	-0.08	0.21	9.90e-1
PARP8	303.64	0.19	0.22	9.80e-1
PARP9	400.98	0.27	0.21	9.12e-1
PARPBP	287.59	-0.09	0.22	9.90e-1
PARS2	115.25	0.06	0.24	9.93e-1
PARTICL	11.58	0	0.21	9.98e-1
PARVB	283.24	0.34	0.21	8.39e-1
PARVG	81.18	-0.06	0.25	9.93e-1
PASK	302.88	-0.16	0.23	9.87e-1
PATL1	1064.13	0.03	0.2	9.93e-1
PATZ1	564.12	-0.33	0.21	8.39e-1
PAWR	230.82	0.17	0.22	9.86e-1
PAX5	3179.5	-0.32	0.2	8.29e-1
PAXBP1	446.45	0.13	0.21	9.90e-1
PAXIP1	555.18	-0.22	0.2	9.47e-1
PAXIP1-AS1	62.44	-0.01	0.25	9.96e-1
PAXIP1-AS2	18.57	0.01	0.24	9.96e-1
PBDC1	212.36	-0.26	0.22	9.47e-1
PBK	208.65	-0.21	0.23	9.66e-1
PBLD	20.27	0.18	0.24	9.87e-1
PBRM1	905.54	0.02	0.19	9.93e-1
PBX2	535.54	-0.27	0.21	9.21e-1
PBX3	204.24	0.1	0.22	9.90e-1
PBX4	24.21	-0.18	0.24	9.87e-1
PBXIP1	356.38	-0.24	0.22	9.49e-1
PCBD2	55.17	0.34	0.25	9.06e-1
PCBP1	2172.43	-0.36	0.2	7.41e-1
PCBP1-AS1	37.91	0.05	0.25	9.93e-1
PCBP2	2900.89	0.19	0.18	9.49e-1
PCCA	31.22	0.2	0.25	9.86e-1
PCCB	357.95	0.2	0.21	9.61e-1
PCDH9	39.91	-0.44	0.25	7.75e-1
PCDHGA12	19.55	-0.02	0.24	9.94e-1
PCDHGB2	18.61	0.13	0.24	9.90e-1
PCDHGB3	11.53	-0.04	0.22	9.93e-1
PCDHGC3	197.35	-0.3	0.23	9.10e-1
PCED1A	105.39	-0.1	0.25	9.90e-1
PCF11	945.99	-0.02	0.19	9.95e-1
PCGF1	67.84	0.2	0.25	9.83e-1
PCGF2	37.82	-0.18	0.25	9.87e-1
PCGF3	368.56	-0.16	0.21	9.86e-1
PCGF5	821.69	0	0.22	9.98e-1
PCGF6	86.7	0.36	0.25	8.68e-1
PCID2	314.24	0.3	0.21	8.84e-1
PCIF1	262.92	-0.05	0.21	9.93e-1
PCK2	362.09	0.52	0.23	5.37e-1
PCM1	1996.2	0.15	0.2	9.86e-1
PCMT1	482.41	0.39	0.2	6.84e-1
PCMTD1	122.93	0.27	0.24	9.47e-1
PCMTD2	334.92	0.46	0.22	6.07e-1
PCNA	2559.88	0.14	0.18	9.87e-1

PCNP	1106.25	0.06	0.2	9.91e-1
PCNT	841.13	-0.01	0.19	9.97e-1
PCNX	588.05	0.05	0.2	9.93e-1
PCNXL2	19.23	0.16	0.24	9.90e-1
PCNXL3	791.65	-0.3	0.23	9.08e-1
PCNXL4	432.33	0.42	0.22	6.90e-1
PCOLCE	10.26	0.15	0.21	9.87e-1
PCSK7	210.47	-0.14	0.23	9.90e-1
PCYOX1	49.75	-0.17	0.25	9.88e-1
PCYOX1L	229.96	-0.02	0.22	9.93e-1
PCYT1A	161.34	-0.07	0.23	9.92e-1
PCYT2	269.75	-0.33	0.22	8.64e-1
PDAP1	1175.88	-0.21	0.2	9.49e-1
PDCD10	405.81	0.18	0.22	9.81e-1
PDCD11	2054.23	-0.24	0.18	9.12e-1
PDCD2	458.21	0.22	0.21	9.49e-1
PDCD2L	85.9	0.24	0.25	9.58e-1
PDCD4	1505.5	0.43	0.19	5.47e-1
PDCD4-AS1	70.45	0.26	0.25	9.52e-1
PDCD5	493.71	-0.13	0.2	9.90e-1
PDCD6	352.12	0.09	0.21	9.90e-1
PDCD6IP	1576.37	-0.02	0.19	9.93e-1
PDCD7	209.64	-0.09	0.22	9.90e-1
PDCL	162.16	0.14	0.23	9.90e-1
PDCL3	257.19	-0.13	0.22	9.90e-1
PDDC1	503.43	-0.38	0.24	8.38e-1
PDE12	431.29	-0.19	0.2	9.66e-1
PDE1B	13.23	-0.06	0.22	9.93e-1
PDE3B	123.44	-0.08	0.24	9.90e-1
PDE4A	459.45	-0.27	0.21	9.33e-1
PDE4B	501.22	-0.46	0.2	5.31e-1
PDE4D	30.54	0.13	0.25	9.90e-1
PDE4DIP	249.15	-0.01	0.22	9.96e-1
PDE6B	42.66	0.15	0.25	9.90e-1
PDE6D	188.54	0.11	0.23	9.90e-1
PDE7A	437.45	0.08	0.21	9.90e-1
PDE8A	206.83	-0.29	0.22	9.12e-1
PDGFD	61.96	0.4	0.25	8.41e-1
PDHA1	1588.27	0.05	0.18	9.93e-1
PDHB	550.92	0.31	0.2	8.52e-1
PDHX	345.5	0.08	0.21	9.90e-1
PDIA3	3987.24	0.32	0.18	7.57e-1
PDIA3P1	35.91	0.44	0.25	7.61e-1
PDIA4	2440.98	0.17	0.18	9.64e-1
PDIA5	73.23	0.63	0.25	4.11e-1
PDIA6	3120.34	0.34	0.19	7.41e-1
PDIK1L	114.46	0.12	0.24	9.90e-1
PDK1	440.72	0.39	0.21	7.22e-1
PDK2	105.9	0.02	0.24	9.96e-1
PDK3	286.08	0.21	0.22	9.58e-1
PDLIM2	117.9	-0.43	0.25	8.04e-1
PDLIM5	333.41	0.03	0.21	9.93e-1
PDLIM7	86.43	-0.21	0.25	9.81e-1
PDP1	140.15	0.2	0.23	9.80e-1
PDP2	466.75	-0.27	0.2	9.10e-1
PDPK1	524.13	-0.07	0.2	9.90e-1
PDPR	830.3	-0.19	0.19	9.60e-1
PDRG1	135.7	-0.2	0.24	9.80e-1
PDSSA	2415.3	0.13	0.2	9.90e-1
PDSSB	615.43	-0.09	0.2	9.90e-1
PDSS1	207.72	0.31	0.23	9.01e-1
PDSS2	247.47	-0.09	0.22	9.90e-1
PDXDC1	969.66	0.15	0.19	9.86e-1
PDXDC2P	80.53	0.17	0.25	9.89e-1
PDXK	410.32	-0.08	0.22	9.90e-1
PDXP	361.86	0.12	0.22	9.90e-1
PDZD11	141.83	0.04	0.23	9.93e-1
PDZD8	393.34	0.01	0.21	9.96e-1
PEA15	1910.86	-0.39	0.2	6.83e-1
PEAK1	286.22	-0.14	0.22	9.90e-1
PEBP1	1577.02	-0.27	0.19	8.80e-1
PEF1	499.47	-0.07	0.21	9.90e-1
PEG10	129.95	-0.78	0.24	1.03e-1
PELI1	304.32	0.1	0.22	9.90e-1
PELI3	37.01	-0.28	0.25	9.49e-1
PELO	65.36	0.18	0.25	9.87e-1
PELP1	1605.19	-0.46	0.22	6.03e-1
PEMT	138.24	-0.09	0.24	9.90e-1
PEPD	91.48	0.17	0.25	9.88e-1
PER1	339.2	-0.31	0.23	9.12e-1
PER2	436.75	-0.03	0.2	9.93e-1
PER3	22.1	-0.27	0.24	9.49e-1
PES1	2172.48	-0.34	0.2	8.14e-1

PET100	55.13	0.36	0.25	8.73e-1
PET117	30.55	-0.53	0.25	5.94e-1
PEX1	179.34	0.2	0.23	9.72e-1
PEX10	75.37	0.2	0.25	9.86e-1
PEX11B	113.6	0.27	0.24	9.47e-1
PEX12	57.15	-0.09	0.25	9.90e-1
PEX13	86.77	0.1	0.25	9.90e-1
PEX14	123.09	-0.32	0.24	9.10e-1
PEX16	83	-0.04	0.25	9.93e-1
PEX19	395.19	0	0.2	1.00e+0
PEX2	182.3	0.21	0.23	9.66e-1
PEX26	436.86	-0.29	0.2	8.68e-1
PEX3	259.87	0.04	0.22	9.93e-1
PEX5	624.77	-0.1	0.2	9.90e-1
PEX6	164.56	-0.09	0.25	9.90e-1
PEX7	20.44	0.24	0.24	9.58e-1
PFA5	1892.36	-0.28	0.21	9.08e-1
PFDN1	348.84	-0.25	0.21	9.47e-1
PFDN2	227.22	0.06	0.22	9.93e-1
PFDN4	192.42	0.23	0.22	9.50e-1
PFDN5	413.95	-0.03	0.2	9.93e-1
PFDN6	252.95	-0.41	0.23	7.57e-1
PFKFB2	43.85	0.06	0.25	9.93e-1
PFKFB3	296.88	-0.27	0.21	9.23e-1
PFKFB4	55.43	-0.07	0.25	9.93e-1
PFKL	1380.36	0.01	0.21	9.97e-1
PFKM	1193.14	-0.06	0.19	9.91e-1
PFKP	917.86	-0.3	0.2	8.52e-1
PFN1	4182.03	-0.04	0.18	9.93e-1
PGAM1	2014.19	-0.19	0.18	9.54e-1
PGAM5	776.99	-0.45	0.21	5.91e-1
PGAP1	78.43	0.13	0.25	9.90e-1
PGAP2	265.94	-0.24	0.22	9.49e-1
PGAP3	35.43	0.06	0.25	9.93e-1
PGBD2	75.27	0.01	0.25	9.98e-1
PGBD4	31.22	-0.18	0.25	9.87e-1
PGD	3037.72	-0.15	0.18	9.84e-1
PGGT1B	101.03	0.2	0.25	9.81e-1
PGK1	2659.01	-0.1	0.18	9.90e-1
PGLS	283.63	0.25	0.22	9.47e-1
PGM1	859.1	-0.19	0.2	9.59e-1
PGM2	521.01	0.09	0.21	9.90e-1
PGM2L1	11.89	0.21	0.22	9.60e-1
PGM3	183.55	0.16	0.23	9.87e-1
PGP	148.09	0.1	0.23	9.90e-1
PGPEP1	56.98	0.29	0.25	9.47e-1
PGRMC1	284.08	0.22	0.22	9.58e-1
PGRMC2	345.06	0.2	0.21	9.60e-1
PGS1	132.16	0.28	0.24	9.42e-1
PHACTR1	117.57	0.46	0.24	6.87e-1
PHACTR4	487.31	-0.22	0.2	9.49e-1
PHAX	354.29	-0.12	0.21	9.90e-1
PHB	1654.88	-0.25	0.2	9.14e-1
PHB2	2423.21	0.09	0.18	9.90e-1
PHC1	356.37	-0.21	0.21	9.56e-1
PHC2	517.64	0.01	0.21	9.96e-1
PHC3	495.87	-0.18	0.21	9.80e-1
PHF1	144.84	-0.19	0.25	9.87e-1
PHF10	195.3	0.27	0.23	9.47e-1
PHF11	121.27	0.44	0.25	7.47e-1
PHF12	719.86	-0.26	0.19	9.10e-1
PHF13	104.14	0.09	0.24	9.90e-1
PHF14	974.42	-0.04	0.2	9.93e-1
PHF19	782.34	0.49	0.21	5.31e-1
PHF2	298.17	0.05	0.22	9.93e-1
PHF20	536.88	-0.09	0.2	9.90e-1
PHF20L1	493.25	0.12	0.21	9.90e-1
PHF21A	401.48	-0.34	0.2	8.07e-1
PHF21B	14.08	-0.24	0.22	9.49e-1
PHF23	519.63	-0.33	0.22	8.52e-1
PHF3	1353.98	-0.15	0.19	9.82e-1
PHF5A	302.53	-0.08	0.21	9.90e-1
PHF6	443	0.26	0.22	9.42e-1
PHF7	51.1	0.17	0.25	9.90e-1
PHF8	593.1	-0.27	0.2	8.97e-1
PHGDH	1105.92	0.26	0.22	9.39e-1
PHIP	1178.09	0.03	0.2	9.93e-1
PHKA2	349.3	-0.07	0.21	9.91e-1
PHKB	458.34	0.22	0.21	9.49e-1
PHKG2	185.25	-0.22	0.23	9.59e-1
PHLDB3	30.18	-0.02	0.25	9.94e-1
PHLPP1	372.77	-0.16	0.21	9.86e-1
PHLPP2	278.54	0.07	0.21	9.90e-1

PHOSPHO2	13.21	0.15	0.22	9.88e-1
PHPT1	300.86	-0.03	0.24	9.93e-1
PHRF1	963.36	-0.47	0.22	5.86e-1
PHTF1	143.91	0.33	0.23	8.77e-1
PHTF2	430.69	0.13	0.22	9.90e-1
PHYKPL	73.34	-0.02	0.25	9.95e-1
PI16	27.6	0.56	0.25	5.51e-1
PI4K2A	202.32	0.06	0.23	9.93e-1
PI4K2B	466.44	0.22	0.21	9.49e-1
PI4KA	948.53	0.03	0.19	9.93e-1
PI4KAP1	64.73	-0.29	0.25	9.47e-1
PI4KAP2	113.43	-0.06	0.24	9.93e-1
PI4KB	693.84	-0.19	0.19	9.61e-1
PIAS1	416.88	-0.2	0.21	9.61e-1
PIAS2	400.12	0.03	0.21	9.93e-1
PIAS3	381.24	-0.31	0.21	8.69e-1
PIAS4	228.48	-0.39	0.23	8.08e-1
PIBF1	144.31	0.14	0.24	9.90e-1
PICALM	790.57	-0.03	0.2	9.93e-1
PICK1	110.41	-0.17	0.24	9.88e-1
PIDD1	266.76	-0.53	0.25	5.91e-1
PIEZO1	1751.07	-0.21	0.22	9.66e-1
PIF1	194.06	-0.29	0.24	9.45e-1
PIGA	153.62	-0.06	0.23	9.93e-1
PIGB	70.47	0.53	0.25	6.03e-1
PIGBOS1	17.97	0.21	0.24	9.73e-1
PIGC	64.3	0.46	0.25	7.41e-1
PIGF	30.67	0.22	0.25	9.74e-1
PIGG	159.65	0.33	0.23	8.66e-1
PIGH	48.02	0.28	0.25	9.47e-1
PIGK	156.87	0.26	0.23	9.49e-1
PIGL	11.73	0.22	0.21	9.51e-1
PIGM	57.93	-0.02	0.25	9.95e-1
PIGN	177.3	0.46	0.24	6.76e-1
PIGO	186.52	-0.12	0.23	9.90e-1
PIGP	23.07	0.52	0.24	6.03e-1
PIGQ	193.9	-0.11	0.25	9.90e-1
PIGS	426.87	-0.16	0.21	9.86e-1
PIGT	1490.35	-0.26	0.2	9.06e-1
PIGU	385.78	0.15	0.2	9.87e-1
PIGV	67.97	0.43	0.25	8.04e-1
PIGW	220.88	0.33	0.22	8.64e-1
PIGX	166.6	0.38	0.23	8.30e-1
PIH1D1	524.97	-0.11	0.2	9.90e-1
PIK3AP1	2420.87	0.39	0.19	6.14e-1
PIK3C2A	731.92	-0.12	0.22	9.90e-1
PIK3C2B	877.08	-0.15	0.2	9.87e-1
PIK3C3	233.25	0.29	0.22	9.10e-1
PIK3CA	253.96	0.25	0.23	9.49e-1
PIK3CB	329.61	0	0.22	9.98e-1
PIK3CD	1717.35	-0.3	0.2	8.52e-1
PIK3CD-AS1	12.96	-0.15	0.22	9.89e-1
PIK3CG	215.32	0.22	0.22	9.58e-1
PIK3IP1	52.32	0.44	0.25	7.80e-1
PIK3R1	480.44	0.03	0.21	9.93e-1
PIK3R2	555.21	-0.19	0.22	9.80e-1
PIK3R3	114.26	-0.55	0.24	5.37e-1
PIK3R4	513.37	-0.14	0.2	9.88e-1
PIKFYVE	653.43	0.13	0.2	9.90e-1
PILRA	15.1	0.09	0.23	9.90e-1
PIM1	1018.27	0.04	0.2	9.93e-1
PIM2	1152.66	0.18	0.19	9.61e-1
PIM3	305.36	0.01	0.23	9.96e-1
PIN1	270.74	-0.38	0.24	8.29e-1
PIN4	55.13	0.1	0.25	9.90e-1
PINK1-AS	179.58	-0.06	0.23	9.93e-1
PINX1	283.89	-0.16	0.21	9.87e-1
PIP4K2A	1154.42	0.07	0.19	9.90e-1
PIP4K2B	787.1	-0.14	0.2	9.87e-1
PIP4K2C	202.04	-0.03	0.22	9.93e-1
PIP5K1A	829.52	-0.16	0.19	9.80e-1
PIP5K1B	21.51	-0.27	0.24	9.47e-1
PIP5K1C	257.13	-0.37	0.24	8.52e-1
PISD	245.56	0	0.22	1.00e+0
PITHD1	335.18	0.34	0.21	8.31e-1
PITPNA	888.38	0.29	0.19	8.56e-1
PITPNA-AS1	34.86	-0.02	0.25	9.95e-1
PITPNB	931.01	0.18	0.2	9.73e-1
PITPNC1	206.92	0.36	0.22	8.29e-1
PITPNM1	320.97	-0.3	0.24	9.25e-1
PITRM1	763	-0.04	0.2	9.93e-1
PITRM1-AS1	10.49	-0.1	0.21	9.90e-1
PITX1	56.48	-0.03	0.25	9.93e-1

PJA1	182.13	-0.26	0.23	9.47e-1
PJA2	861.69	0.47	0.2	5.36e-1
PKD1	501.09	-0.3	0.24	9.25e-1
PKD1P1	351.33	-0.23	0.22	9.50e-1
PKD1P6	323.56	-0.39	0.23	7.97e-1
PKD2	100.1	0.23	0.24	9.66e-1
PKHD1L1	16.51	0.11	0.23	9.90e-1
PKI55	75.91	0.16	0.25	9.90e-1
PKIA	68.75	0.03	0.25	9.93e-1
PKIG	140.19	-0.43	0.24	7.49e-1
PKM	12256.2	-0.24	0.18	9.10e-1
PKMYT1	583.29	-0.2	0.21	9.66e-1
PKN1	1496.37	-0.05	0.23	9.93e-1
PKN2	332.24	0.22	0.22	9.56e-1
PKNOX1	227.49	-0.12	0.22	9.90e-1
PKP4	543.53	-0.15	0.2	9.87e-1
PLA2G12A	261.09	0.21	0.22	9.64e-1
PLA2G15	28.9	-0.11	0.25	9.90e-1
PLA2G4C	13.23	0.22	0.22	9.59e-1
PLA2G6	143.97	-0.03	0.25	9.93e-1
PLAA	623.86	0.13	0.2	9.89e-1
PLAC8	79.71	0.19	0.25	9.86e-1
PLAG1	51.88	-0.1	0.25	9.90e-1
PLAGL2	702.74	-0.37	0.21	7.41e-1
PLBD2	191.78	-0.2	0.24	9.80e-1
PLCB3	40.42	-0.15	0.25	9.90e-1
PLCD3	82.99	-0.42	0.25	8.12e-1
PLCG1	786.13	-0.22	0.2	9.47e-1
PLCG2	2626.42	-0.1	0.18	9.90e-1
PLCL2	168.13	0.01	0.23	9.98e-1
PLCXD1	683.36	-0.24	0.21	9.47e-1
PLD2	51.47	-0.13	0.25	9.90e-1
PLD3	201.24	-0.14	0.24	9.90e-1
PLD4	124.28	-0.33	0.25	9.10e-1
PLD6	61.26	-0.24	0.25	9.61e-1
PLEC	759.34	-0.17	0.22	9.87e-1
PLEK	3277.37	0.65	0.18	4.72e-2
PLEKHA1	89.54	0.01	0.25	9.96e-1
PLEKHA2	1418.63	0.01	0.19	9.96e-1
PLEKHA3	135.49	0.25	0.24	9.49e-1
PLEKHA5	280.87	-0.2	0.22	9.74e-1
PLEKHA8	323.85	-0.03	0.22	9.93e-1
PLEKHA8P1	22.32	-0.02	0.24	9.94e-1
PLEKHB1	31.49	0.35	0.25	8.92e-1
PLEKHB2	384.14	0.17	0.21	9.81e-1
PLEKHF2	409.16	0.24	0.21	9.47e-1
PLEKHG1	691.47	0.3	0.2	8.53e-1
PLEKHG2	232.22	-0.14	0.23	9.90e-1
PLEKHG4	73.68	-0.06	0.25	9.93e-1
PLEKHH3	20.72	0.1	0.23	9.90e-1
PLEKHJ1	265.6	-0.08	0.23	9.91e-1
PLEKHM1	172.47	-0.32	0.24	9.04e-1
PLEKHM1P	51.38	-0.11	0.25	9.90e-1
PLEKHM2	457.49	-0.05	0.21	9.93e-1
PLEKHM3	66.32	0.1	0.25	9.90e-1
PLEKHO2	130.57	-0.14	0.24	9.90e-1
PLGRKT	39.38	0.57	0.25	5.62e-1
PLIN2	225.66	0.01	0.22	9.96e-1
PLIN3	394.35	0.12	0.22	9.90e-1
PLK1	1683.12	-0.63	0.2	1.12e-1
PLK3	116.74	-0.01	0.24	9.98e-1
PLK4	506.42	-0.01	0.2	9.96e-1
PLOD1	476.77	-0.49	0.23	5.96e-1
PLOD3	38.18	-0.02	0.25	9.96e-1
PLP2	663.69	0.26	0.19	9.11e-1
PLRG1	363.21	0.2	0.21	9.66e-1
PLS1	218.56	0.09	0.23	9.90e-1
PLSCR1	38.69	-0.25	0.25	9.59e-1
PLTP	18.29	0.16	0.24	9.88e-1
PLXNA1	588.46	-0.06	0.22	9.92e-1
PLXNA3	99.83	-0.26	0.24	9.49e-1
PLXNB2	1142.68	-0.32	0.21	8.62e-1
PLXNC1	25.97	0.27	0.25	9.49e-1
PM20D2	1625.58	-0.08	0.2	9.90e-1
PMAIP1	525	0.33	0.21	8.38e-1
PMF1	45.65	-0.05	0.25	9.93e-1
PMFBP1	20.55	0	0.24	9.99e-1
PML	359.66	-0.36	0.22	8.30e-1
PMM1	44.96	0.24	0.25	9.66e-1
PMM2	277.34	-0.2	0.21	9.61e-1
PMPCA	1078.32	-0.03	0.19	9.93e-1
PMPCB	990.31	0.12	0.19	9.90e-1
PMS1	216.22	0.16	0.23	9.87e-1

PMS2	397.72	0.08	0.2	9.90e-1
PMS2CL	72.32	-0.08	0.25	9.92e-1
PMS2P1	310.61	0.12	0.21	9.90e-1
PMS2P3	75.97	-0.14	0.25	9.90e-1
PMS2P4	27.36	-0.09	0.25	9.90e-1
PMS2P5	78.12	-0.27	0.25	9.49e-1
PMS2P9	10.01	-0.03	0.21	9.93e-1
PMVK	156.89	-0.27	0.24	9.47e-1
PNISR	1747.8	-0.28	0.18	8.49e-1
PNKD	1652.93	-0.39	0.22	7.57e-1
PNKP	176.15	-0.21	0.25	9.81e-1
PNMA1	132.01	-0.36	0.24	8.49e-1
PNN	3527.53	-0.29	0.18	8.30e-1
PN01	278.92	-0.35	0.21	8.15e-1
PNOC	73.61	0.1	0.25	9.90e-1
PNP	1527.08	-0.1	0.18	9.90e-1
PNPLA2	455.9	-0.21	0.23	9.68e-1
PNPLA4	65.83	-0.05	0.25	9.93e-1
PNPLA6	252.4	-0.1	0.23	9.90e-1
PNPLA7	18.12	-0.36	0.24	8.53e-1
PNPLA8	284.47	0.12	0.22	9.90e-1
PNPO	572.32	-0.34	0.2	8.03e-1
PNPT1	1162.17	-0.2	0.19	9.50e-1
PNRC1	227.62	0.15	0.22	9.90e-1
PNRC2	1634.52	-0.15	0.19	9.83e-1
POC1A	233.73	-0.14	0.22	9.90e-1
POC1B	148.36	0.08	0.23	9.91e-1
POC5	115.2	0.22	0.24	9.71e-1
PODXL	787.21	-0.66	0.2	8.97e-2
POF1B	30.69	-0.09	0.25	9.90e-1
POFUT1	671.46	-0.26	0.2	9.21e-1
POFUT2	91.31	-0.1	0.25	9.90e-1
POGK	678.12	-0.07	0.19	9.90e-1
POGLUT1	169.4	0.38	0.24	8.39e-1
POGZ	1176.71	-0.13	0.19	9.87e-1
POLA1	835.61	0.14	0.19	9.87e-1
POLA2	691.91	-0.07	0.19	9.90e-1
POLB	59.86	0.01	0.25	9.96e-1
POLD1	1080.23	-0.39	0.23	7.75e-1
POLD2	2469.4	-0.36	0.21	7.57e-1
POLD3	515.55	0.08	0.2	9.90e-1
POLD4	326.03	-0.35	0.24	8.64e-1
POLDIP2	1577.03	-0.16	0.19	9.80e-1
POLDIP3	867.32	-0.15	0.2	9.87e-1
POLE	1478.95	-0.27	0.19	8.73e-1
POLE2	209.28	-0.03	0.23	9.93e-1
POLE3	2271.33	-0.5	0.18	3.01e-1
POLE4	50.86	-0.03	0.25	9.93e-1
POLG	627.71	-0.16	0.21	9.86e-1
POLG2	101.13	0.2	0.24	9.81e-1
POLH	252.06	-0.19	0.22	9.80e-1
POLI	49.22	0.19	0.25	9.87e-1
POLK	183.98	-0.02	0.23	9.94e-1
POLL	121.51	-0.36	0.24	8.64e-1
POLM	279.42	-0.41	0.24	7.77e-1
POLQ	720.5	-0.15	0.2	9.87e-1
POLR1A	1671.28	-0.38	0.19	6.79e-1
POLR1B	585.4	0.05	0.2	9.93e-1
POLR1C	341.89	-0.19	0.21	9.74e-1
POLR1D	865.7	0.04	0.2	9.93e-1
POLR1E	407.07	0.29	0.21	8.78e-1
POLR2A	3491.46	-0.35	0.2	7.99e-1
POLR2B	1926.31	0.06	0.19	9.91e-1
POLR2C	363.62	0.01	0.21	9.96e-1
POLR2D	285.35	-0.02	0.21	9.95e-1
POLR2E	1056.89	-0.38	0.22	7.97e-1
POLR2F	284.05	-0.29	0.22	9.17e-1
POLR2G	189.36	0.03	0.23	9.93e-1
POLR2H	305.19	0.46	0.21	5.86e-1
POLR2I	138.6	0.16	0.23	9.87e-1
POLR2J	485.94	-0.77	0.22	6.75e-2
POLR2J2	30.58	-0.34	0.25	9.03e-1
POLR2J3	197.89	-0.64	0.24	3.04e-1
POLR2J4	109.25	-0.44	0.25	7.57e-1
POLR2K	272.02	-0.14	0.22	9.90e-1
POLR2L	225.82	-0.18	0.23	9.86e-1
POLR2M	18.12	-0.2	0.21	9.64e-1
POLR3A	560.9	-0.21	0.2	9.53e-1
POLR3B	349.32	0.06	0.21	9.92e-1
POLR3C	484.6	0.11	0.2	9.90e-1
POLR3D	304.87	0.16	0.21	9.86e-1
POLR3E	740.47	-0.17	0.2	9.73e-1
POLR3F	161.08	0	0.23	9.98e-1

POLR3G	999.21	-0.37	0.2	7.22e-1
POLR3GL	130.72	-0.05	0.24	9.93e-1
POLR3H	401.74	-0.4	0.22	7.49e-1
POLR3K	230.19	-0.06	0.22	9.93e-1
POLRMT	599.27	-0.18	0.23	9.87e-1
POM121	2730.79	-0.55	0.2	2.98e-1
POM121C	1950.99	-0.52	0.2	3.61e-1
POMGNT1	361.73	-0.1	0.22	9.90e-1
POMK	20.16	0.25	0.24	9.49e-1
POMP	372.36	-0.08	0.21	9.90e-1
POMT1	71.1	-0.01	0.25	9.96e-1
POMT2	154.68	-0.12	0.23	9.90e-1
POMZP3	13.41	0.06	0.22	9.93e-1
POP1	228.86	-0.16	0.22	9.87e-1
POP4	258.96	0.1	0.22	9.90e-1
POP5	98.06	0.21	0.24	9.76e-1
POP7	329.58	-0.32	0.23	8.73e-1
POR	697.15	-0.39	0.23	7.87e-1
PORCN	30.4	0.12	0.25	9.90e-1
POT1	421.05	0.19	0.21	9.73e-1
POTEE	16.36	0.25	0.23	9.49e-1
POU2AF1	4398.84	-0.52	0.19	3.14e-1
POU2F1	462.97	-0.22	0.2	9.48e-1
POU2F2	2371.1	-0.63	0.22	2.49e-1
POU6F1	30.69	0.21	0.25	9.81e-1
PP7080	107.26	0.05	0.24	9.93e-1
PPA1	1754.98	0.31	0.19	8.39e-1
PPA2	55.49	0.31	0.25	9.42e-1
PPAN	25.49	-0.3	0.24	9.25e-1
PPAP2A	66.45	0.31	0.25	9.33e-1
PPAPDC2	67.11	0.27	0.25	9.49e-1
PPARA	162.66	0.05	0.23	9.93e-1
PPARD	205.79	-0.41	0.24	7.96e-1
PPARGC1B	705.23	-0.29	0.2	8.64e-1
PPAT	858.71	0.06	0.21	9.93e-1
PPCDC	76.16	0.03	0.25	9.93e-1
PPCS	152.05	0.25	0.23	9.49e-1
PPDPF	230.95	-0.09	0.19	9.90e-1
PPFIA1	550.94	0.22	0.2	9.49e-1
PPFIA3	96.13	-0.23	0.25	9.72e-1
PPFIBP1	130.88	0.22	0.24	9.66e-1
PPFIBP2	174.7	0.19	0.23	9.80e-1
PPHLN1	604.64	0.09	0.2	9.90e-1
PPIA	4203.06	-0.04	0.18	9.93e-1
PIIB	1104.8	0.36	0.19	6.87e-1
PPID	302.59	-0.04	0.21	9.93e-1
PPIE	140.09	0.03	0.23	9.93e-1
PPIEL	19.72	0.07	0.24	9.92e-1
PPIF	2435.32	-0.06	0.19	9.91e-1
PPIG	916.67	-0.78	0.2	1.77e-2
PPIH	535	-0.27	0.2	9.03e-1
PPIL1	493.91	0.15	0.2	9.87e-1
PPIL2	919.47	-0.36	0.21	7.59e-1
PPIL3	99.51	0.25	0.24	9.54e-1
PPIL4	314.24	0.02	0.22	9.96e-1
PPIP5K1	330.3	-0.05	0.21	9.93e-1
PPIP5K2	539.51	0.1	0.21	9.90e-1
PPM1A	1104.65	0.13	0.2	9.90e-1
PPM1B	392.35	0.19	0.21	9.73e-1
PPM1D	165	-0.19	0.23	9.82e-1
PPM1E	292.52	-0.07	0.22	9.90e-1
PPM1F	267.84	-0.12	0.24	9.90e-1
PPM1G	3456.57	-0.34	0.18	7.33e-1
PPM1K	646.1	0.08	0.2	9.90e-1
PPM1L	82.52	0.17	0.25	9.88e-1
PPM1M	31.5	0.38	0.25	8.52e-1
PPME1	272.74	-0.11	0.21	9.90e-1
PPOX	60.5	0.06	0.25	9.93e-1
PPP1CA	1255.23	-0.22	0.19	9.47e-1
PPP1CB	1239.18	0.09	0.21	9.90e-1
PPP1CC	3008.19	0.24	0.19	9.25e-1
PPP1R10	794	-0.33	0.2	8.10e-1
PPP1R11	351.44	-0.19	0.21	9.74e-1
PPP1R12A	600.03	-0.11	0.2	9.90e-1
PPP1R12B	252.23	-0.07	0.22	9.91e-1
PPP1R12C	568.47	-0.27	0.24	9.47e-1
PPP1R13B	204.24	-0.42	0.22	7.04e-1
PPP1R13L	33.55	-0.23	0.25	9.72e-1
PPP1R14B	621.03	0.3	0.2	8.64e-1
PPP1R15A	161.15	0.52	0.24	5.91e-1
PPP1R15B	947.45	0.15	0.19	9.86e-1
PPP1R16A	132.96	0.06	0.25	9.93e-1
PPP1R16B	2214.8	0.25	0.19	9.17e-1

PPP1R18	1140.53	-0.42	0.23	7.31e-1
PPP1R2	352.97	0.06	0.21	9.92e-1
PPP1R21	131.84	0.3	0.24	9.31e-1
PPP1R35	97.99	-0.28	0.25	9.47e-1
PPP1R37	103.38	-0.04	0.25	9.93e-1
PPP1R3D	18.97	0.09	0.24	9.90e-1
PPP1R3E	159.2	0.24	0.23	9.49e-1
PPP1R3F	23.81	0.2	0.24	9.85e-1
PPP1R7	356.91	0.05	0.21	9.93e-1
PPP1R8	608.1	-0.07	0.2	9.90e-1
PPP1R9B	1739.29	0	0.21	9.98e-1
PPP2CA	913.23	0.22	0.2	9.47e-1
PPP2CB	196.71	0.18	0.23	9.86e-1
PPP2R1A	1317.97	-0.02	0.19	9.94e-1
PPP2R1B	483.14	0.07	0.21	9.90e-1
PPP2R2A	538.56	0.23	0.21	9.49e-1
PPP2R2D	213.61	0.22	0.22	9.58e-1
PPP2R3B	150.8	0.1	0.23	9.90e-1
PPP2R3C	151.39	-0.14	0.23	9.90e-1
PPP2R4	768.11	-0.08	0.21	9.90e-1
PPP2R5A	297.21	0.33	0.21	8.40e-1
PPP2R5B	21.45	-0.19	0.24	9.86e-1
PPP2R5C	1075.49	0.54	0.2	3.30e-1
PPP2R5D	617.5	-0.11	0.2	9.90e-1
PPP2R5E	617.94	0.04	0.2	9.93e-1
PPP3CA	292.96	-0.05	0.21	9.93e-1
PPP3CB	324.22	0.21	0.21	9.58e-1
PPP3CB-AS1	13.18	0.06	0.22	9.93e-1
PPP3CC	216.81	0.41	0.22	7.31e-1
PPP3R1	821.2	0.04	0.2	9.93e-1
PPP4C	441.61	-0.12	0.22	9.90e-1
PPP4R1	483.97	0.01	0.2	9.96e-1
PPP4R1L	53.92	0.13	0.25	9.90e-1
PPP4R2	296.52	0.08	0.22	9.90e-1
PPP4R3A	1033.04	0.05	0.19	9.93e-1
PPP4R3B	1029.29	0.04	0.2	9.93e-1
PPP4R4	14.16	-0.1	0.22	9.90e-1
PPP5C	940.37	-0.24	0.19	9.25e-1
PPP6C	746.85	0.17	0.2	9.80e-1
PPP6R1	3563.18	-0.43	0.22	6.87e-1
PPP6R2	445.25	-0.15	0.2	9.87e-1
PPP6R3	1118.84	-0.02	0.19	9.95e-1
PPRC1	2184.13	-0.41	0.2	6.07e-1
PPT1	1845.7	0.17	0.19	9.66e-1
PPTC7	566.82	0.17	0.21	9.86e-1
PPWD1	266.2	-0.02	0.22	9.95e-1
PQBP1	319.53	0.13	0.21	9.90e-1
PQLC1	185.31	-0.11	0.24	9.90e-1
PQLC2	37.81	0.1	0.25	9.90e-1
PRADC1	91.58	-0.26	0.25	9.51e-1
PRAF2	15.34	0.26	0.23	9.47e-1
PRC1	958.44	-0.12	0.19	9.90e-1
PRCC	729.23	-0.68	0.22	1.44e-1
PRCP	213.38	0.01	0.22	9.96e-1
PRDM1	46.78	-0.72	0.25	2.56e-1
PRDM10	681.77	-0.15	0.2	9.87e-1
PRDM11	61.39	0.19	0.25	9.87e-1
PRDM15	678.93	-0.19	0.2	9.65e-1
PRDM2	1915.42	0.14	0.18	9.86e-1
PRDM4	459.39	-0.04	0.2	9.93e-1
PRDX1	4430.4	0.38	0.18	6.07e-1
PRDX3	1224.39	0.3	0.2	8.53e-1
PRDX4	236.62	0.23	0.22	9.50e-1
PRDX5	662.72	-0.07	0.23	9.91e-1
PRDX6	961.1	0.14	0.19	9.87e-1
PREB	647.31	-0.26	0.22	9.45e-1
PRELID1	1414.79	0.11	0.19	9.90e-1
PRELP	30.93	-0.08	0.25	9.91e-1
PREP	519.09	0.09	0.2	9.90e-1
PREPL	965.52	0.05	0.2	9.93e-1
PREX1	837.46	-0.27	0.21	9.12e-1
PRICKLE1	15.67	0.15	0.23	9.90e-1
PRICKLE3	68.9	-0.13	0.25	9.90e-1
PRICKLE4	37.18	-0.21	0.25	9.80e-1
PRIM1	248.57	0.4	0.22	7.57e-1
PRIM2	164.34	0.02	0.23	9.95e-1
PRIMPOL	28.48	0.07	0.25	9.93e-1
PRKAA1	413.18	0.02	0.21	9.93e-1
PRKAB1	262.6	-0.3	0.22	9.06e-1
PRKAB2	246.2	-0.08	0.22	9.90e-1
PRKACA	286.2	-0.44	0.22	6.54e-1
PRKACB	355.43	-0.65	0.21	1.57e-1
PRKAG1	234.06	0.15	0.22	9.88e-1

PRKAG2	121.67	0.25	0.24	9.49e-1
PRKAR1A	1233.5	0.06	0.19	9.90e-1
PRKAR1B	572.49	-0.31	0.22	8.92e-1
PRKAR2A	268.58	0.14	0.22	9.89e-1
PRKAR2B	1204.88	-0.08	0.21	9.90e-1
PRKCA	207.76	-0.07	0.22	9.90e-1
PRKCB	1433.3	-0.39	0.19	6.07e-1
PRKCD	985.04	-0.1	0.19	9.90e-1
PRKCE	214.29	0.14	0.22	9.90e-1
PRKCI	931.19	-0.07	0.21	9.90e-1
PRKCQ-AS1	28.42	0.03	0.25	9.93e-1
PRKCSH	2089.02	-0.28	0.21	9.04e-1
PRKCZ	129.54	0.13	0.23	9.90e-1
PRKD2	316.33	-0.36	0.23	8.41e-1
PRKD3	594.2	0.12	0.2	9.90e-1
PRKDC	5387.01	0.05	0.19	9.93e-1
PRKRA	254.82	0.26	0.22	9.47e-1
PRKRIP1	34.84	-0.15	0.25	9.90e-1
PRKRIR	1007.78	0.1	0.2	9.90e-1
PRKX	258.65	-0.22	0.22	9.58e-1
PRKXP1	66.71	0.12	0.25	9.90e-1
PRKY	122.45	-0.1	0.24	9.90e-1
PRMT1	2616.13	-0.15	0.2	9.86e-1
PRMT2	211.87	0.09	0.22	9.90e-1
PRMT3	512.9	0.19	0.21	9.68e-1
PRMT5	1866.86	-0.17	0.18	9.68e-1
PRMT6	187.28	0.01	0.23	9.96e-1
PRMT7	239.3	-0.06	0.22	9.93e-1
PRMT9	152.35	-0.03	0.23	9.93e-1
PRNP	316.18	0.19	0.21	9.74e-1
PROB1	86.01	-0.53	0.25	6.07e-1
PROCA1	18.04	-0.04	0.24	9.93e-1
PRORS1P	18.58	0.04	0.24	9.93e-1
PROSC	462.03	0.02	0.21	9.93e-1
PROSER1	1869.78	-0.24	0.19	9.25e-1
PROSER2	11.02	-0.16	0.21	9.86e-1
PROSER3	153.97	-0.39	0.24	8.30e-1
PRPF18	137.22	0.01	0.23	9.98e-1
PRPF19	2158.56	-0.22	0.19	9.47e-1
PRPF3	489.95	-0.22	0.2	9.49e-1
PRPF31	962.15	-0.33	0.2	8.29e-1
PRPF38A	1198.66	0.13	0.19	9.87e-1
PRPF38B	1180.76	-0.68	0.2	7.79e-2
PRPF39	355.74	0.08	0.21	9.90e-1
PRPF4	865.13	-0.14	0.19	9.87e-1
PRPF40A	1928.94	-0.2	0.19	9.49e-1
PRPF40B	21.26	-0.01	0.24	9.96e-1
PRPF4B	1669.12	-0.04	0.19	9.93e-1
PRPF6	1588.76	-0.14	0.19	9.87e-1
PRPF8	7305.75	-0.32	0.18	7.61e-1
PRPS1	649.65	-0.01	0.19	9.96e-1
PRPS2	770.91	0.11	0.2	9.90e-1
PRPSAP1	199.28	0.36	0.22	8.29e-1
PRPSAP2	340.35	0.26	0.21	9.25e-1
PRR11	869.84	-0.32	0.2	8.19e-1
PRR12	706.74	-0.26	0.23	9.47e-1
PRR13	902.3	-0.36	0.19	7.13e-1
PRR14	474.59	-0.35	0.23	8.53e-1
PRR14L	533.92	-0.11	0.2	9.90e-1
PRR22	63.6	-0.38	0.25	8.53e-1
PRR3	441.68	-0.26	0.2	9.21e-1
PRR5	36.19	-0.19	0.25	9.87e-1
PRR7	51.24	0.06	0.25	9.93e-1
PRRC1	645.27	0.05	0.2	9.93e-1
PRRC2A	5216.9	-0.66	0.22	2.15e-1
PRRC2B	2372.87	-0.35	0.2	7.57e-1
PRRC2C	5232.5	-0.41	0.18	5.45e-1
PRSS53	31.12	-0.41	0.25	8.25e-1
PRUNE	221.86	-0.03	0.22	9.93e-1
PSAP	4685.4	0.81	0.18	3.36e-3
PSAT1	835.89	0.89	0.2	2.67e-3
PSD3	11.48	0.12	0.21	9.90e-1
PSD4	442.06	-0.28	0.23	9.42e-1
PSEN1	247.94	0.18	0.22	9.80e-1
PSENEN	73	-0.03	0.25	9.93e-1
PSIP1	2090.71	-0.51	0.18	2.57e-1
PSKH1	222.33	0.05	0.23	9.93e-1
PSMA1	770.81	0.29	0.2	8.68e-1
PSMA2	597.73	0.22	0.2	9.47e-1
PSMA3	851.16	0.3	0.2	8.64e-1
PSMA3-AS1	132.8	0.03	0.24	9.93e-1
PSMA4	1086.72	0.14	0.19	9.87e-1
PSMA5	713.81	0.22	0.19	9.47e-1

PSMA6	689.21	0.26	0.2	9.17e-1
PSMA7	918.73	0.03	0.19	9.93e-1
PSMB1	699.86	0.16	0.19	9.82e-1
PSMB10	241.52	-0.44	0.24	7.41e-1
PSMB2	2534.31	-0.08	0.18	9.90e-1
PSMB3	584.12	0.06	0.2	9.93e-1
PSMB4	850.87	0.13	0.19	9.90e-1
PSMB5	612.39	-0.07	0.2	9.90e-1
PSMB6	495.98	-0.19	0.2	9.64e-1
PSMB7	589.36	-0.05	0.2	9.93e-1
PSMB8	473.99	-0.04	0.2	9.93e-1
PSMB8-AS1	82.24	0.04	0.25	9.93e-1
PSMB9	241.51	-0.1	0.22	9.90e-1
PSMC1	848.01	-0.28	0.19	8.64e-1
PSMC2	1013.53	0.09	0.19	9.90e-1
PSMC3	1044.96	0.02	0.19	9.95e-1
PSMC3IP	156.5	0.07	0.23	9.93e-1
PSMC4	728.27	-0.09	0.19	9.90e-1
PSMC5	932.46	-0.17	0.19	9.80e-1
PSMC6	673.12	-0.05	0.2	9.93e-1
PSMD1	1656.56	-0.16	0.18	9.74e-1
PSMD10	204.16	0.25	0.23	9.47e-1
PSMD11	1343.93	-0.2	0.19	9.49e-1
PSMD12	728.22	-0.01	0.2	9.98e-1
PSMD13	860.29	0.19	0.19	9.59e-1
PSMD14	648.94	0.39	0.2	6.80e-1
PSMD2	2334.42	0.06	0.18	9.91e-1
PSMD3	1902.7	-0.17	0.2	9.74e-1
PSMD4	440.06	0.17	0.2	9.80e-1
PSMD5	472.41	-0.16	0.2	9.82e-1
PSMD5-AS1	147.17	0.25	0.23	9.49e-1
PSMD6	464.44	0.46	0.21	5.89e-1
PSMD6-AS2	19.23	0.01	0.24	9.96e-1
PSMD7	1129.14	0.09	0.19	9.90e-1
PSMD8	1098.03	-0.21	0.19	9.49e-1
PSMD9	238.43	0	0.23	9.98e-1
PSME1	927.38	0.09	0.19	9.90e-1
PSME2	734.79	-0.05	0.19	9.93e-1
PSME3	2136.09	-0.23	0.18	9.23e-1
PSME4	1936.05	0.09	0.2	9.90e-1
PSMF1	926.94	-0.24	0.2	9.42e-1
PSMG1	561.14	0.2	0.2	9.58e-1
PSMG2	262.62	0.48	0.22	5.91e-1
PSMG3	142.4	-0.09	0.25	9.90e-1
PSMG3-AS1	25.82	-0.25	0.25	9.54e-1
PSMG4	86.23	-0.25	0.25	9.58e-1
PSPC1	462.01	-0.04	0.2	9.93e-1
PSPH	353.17	0.22	0.21	9.51e-1
PSRC1	25.48	0.07	0.25	9.93e-1
PSTK	21	0.1	0.24	9.90e-1
PTAFR	303.46	-0.71	0.23	1.42e-1
PTAR1	333.98	0.03	0.23	9.93e-1
PTBP1	3430.76	-0.39	0.2	6.87e-1
PTBP2	135.1	-0.09	0.24	9.90e-1
PTBP3	1423.72	-0.07	0.19	9.90e-1
PTCD2	99.27	0.09	0.24	9.90e-1
PTCD3	1234.07	0.02	0.19	9.93e-1
PTCH1	91.65	-0.04	0.24	9.93e-1
PTDSS1	1634.98	0.21	0.19	9.47e-1
PTDSS2	165.31	0.2	0.24	9.81e-1
PTEN	796.86	0.28	0.2	8.92e-1
PTENP1	12.73	0.18	0.22	9.81e-1
PTER	455.61	0.14	0.21	9.90e-1
PTGER4	168.17	0.16	0.23	9.87e-1
PTGES2	360.53	-0.03	0.22	9.93e-1
PTGES3	3605.09	-0.12	0.19	9.90e-1
PTGS1	44.49	0.09	0.25	9.90e-1
PTK2	435.4	0.06	0.21	9.93e-1
PTK2B	1602.93	-0.31	0.2	8.52e-1
PTMA	13550.84	-0.4	0.19	6.06e-1
PTMS	68.88	-0.13	0.25	9.90e-1
PTOV1	224.55	-0.06	0.24	9.93e-1
PTOV1-AS2	54.7	0.07	0.25	9.93e-1
PTP4A1	1005.03	0.05	0.21	9.93e-1
PTP4A2	3871.1	0.03	0.19	9.93e-1
PTPMT1	120.72	0.04	0.24	9.93e-1
PTPN1	794.92	-0.21	0.2	9.49e-1
PTPN11	2060.14	-0.04	0.19	9.93e-1
PTPN12	222.05	-0.13	0.23	9.90e-1
PTPN18	800.72	-0.59	0.2	2.07e-1
PTPN2	442.14	0.18	0.21	9.74e-1
PTPN22	517.05	-0.23	0.21	9.49e-1
PTPN23	593.69	-0.49	0.24	6.14e-1

PTPN3	19.23	-0.01	0.24	9.96e-1
PTPN4	69.67	0.05	0.25	9.93e-1
PTPN6	303.03	1.63	0.22	0.00e+0
PTPN7	493.41	-0.4	0.21	6.87e-1
PTPN9	358.82	0.09	0.21	9.90e-1
PTPRA	810.61	0.17	0.19	9.75e-1
PTPRB	15.06	0.22	0.23	9.62e-1
PTPRC	2551.33	-0.42	0.19	5.60e-1
PTPRCAP	523.74	-0.04	0.24	9.93e-1
PTPRE	70.12	0.65	0.25	3.67e-1
PTPRJ	383.72	0.02	0.21	9.95e-1
PTPRR	121.64	0.32	0.24	9.11e-1
PTPRU	17.42	-0.09	0.23	9.90e-1
PTRH1	16.41	0.04	0.23	9.93e-1
PTRH2	199.08	-0.13	0.23	9.90e-1
PTRHD1	129.65	-0.01	0.24	9.97e-1
PTS	56.07	0.22	0.25	9.74e-1
PTTG1	439.8	-0.25	0.2	9.40e-1
PTTG1IP	393.46	0.22	0.2	9.49e-1
PUF60	886.21	-0.34	0.22	8.39e-1
PUM1	1192.4	-0.1	0.19	9.90e-1
PUM2	1310.54	0.2	0.2	9.60e-1
PURA	234.2	-0.39	0.22	7.46e-1
PURB	647.57	-0.07	0.2	9.90e-1
PUS1	319.08	-0.63	0.23	3.32e-1
PUS10	122.41	0.08	0.24	9.90e-1
PUS3	161.39	-0.03	0.23	9.93e-1
PUS7	1164.83	-0.07	0.2	9.90e-1
PUS7L	226.51	-0.04	0.23	9.93e-1
PUSL1	60.55	-0.09	0.25	9.90e-1
PVRIG	269.68	-0.19	0.23	9.81e-1
PVRL1	1655.88	0.55	0.22	4.11e-1
PVT1	61.48	0.28	0.25	9.47e-1
PWAR5	10.41	-0.18	0.21	9.80e-1
PWARSN	17.08	-0.06	0.24	9.93e-1
PWP1	817.96	0.09	0.19	9.90e-1
PWP2	810.12	-0.21	0.2	9.52e-1
PWWP2A	239.21	0.01	0.22	9.96e-1
PXK	883.72	-0.04	0.2	9.93e-1
PXMP2	103.24	-0.08	0.24	9.91e-1
PXN	202.04	-0.33	0.24	8.97e-1
PXN-AS1	15.16	-0.1	0.22	9.90e-1
PYCR1	880.87	-0.17	0.22	9.87e-1
PYCR2	523.01	-0.25	0.22	9.47e-1
PYCRL	184.47	-0.51	0.25	6.49e-1
PYGB	546.16	-0.09	0.2	9.90e-1
PYGO2	460.14	-0.33	0.22	8.66e-1
PYROXD1	84.12	0.33	0.25	9.12e-1
QARS	2922.19	-0.07	0.19	9.90e-1
QKI	657.35	0.18	0.21	9.80e-1
QPCTL	234.61	-0.17	0.23	9.87e-1
QPRT	28.67	-0.01	0.25	9.98e-1
QRICH1	1199.99	-0.23	0.19	9.42e-1
QRS11	595.43	0.1	0.2	9.90e-1
QSER1	1313.04	-0.24	0.2	9.47e-1
QSOX1	61.85	-0.4	0.25	8.40e-1
QSOX2	498.78	0.06	0.2	9.92e-1
QTRT1	287.56	0.07	0.23	9.93e-1
QTRTD1	572.29	-0.07	0.2	9.90e-1
R3HCC1	200.97	-0.22	0.23	9.66e-1
R3HCC1L	196.8	0.1	0.23	9.90e-1
R3HDM1	846.45	-0.25	0.19	9.12e-1
R3HDM2	317.61	0.09	0.21	9.90e-1
R3HDM4	172.73	-0.24	0.25	9.59e-1
RAB10	1335.78	0.09	0.19	9.90e-1
RAB11A	932.5	0.54	0.21	3.52e-1
RAB11B	382.21	0	0.22	9.98e-1
RAB11B-AS1	13.97	0.12	0.22	9.90e-1
RAB11FIP1	627.48	0.19	0.2	9.66e-1
RAB11FIP2	364.77	0.11	0.21	9.90e-1
RAB11FIP3	344.57	-0.17	0.22	9.86e-1
RAB11FIP4	486.42	-0.44	0.21	6.07e-1
RAB12	127.05	0.08	0.24	9.91e-1
RAB14	670.32	0.24	0.2	9.43e-1
RAB18	316.17	0.12	0.22	9.90e-1
RAB1A	629.54	0.26	0.2	9.20e-1
RAB1B	1055.29	-0.37	0.22	8.16e-1
RAB20	61.68	-0.05	0.25	9.93e-1
RAB21	325.26	0.24	0.21	9.47e-1
RAB22A	355.39	0.22	0.21	9.49e-1
RAB23	66.22	0.22	0.25	9.74e-1
RAB24	83.51	0.18	0.25	9.87e-1
RAB28	125.63	0.03	0.24	9.93e-1

RAB29	314.34	-0.04	0.21	9.93e-1
RAB2A	445.78	0.24	0.21	9.47e-1
RAB2B	172.54	0	0.23	9.98e-1
RAB30	716.55	0.29	0.2	8.64e-1
RAB30-AS1	14.32	0.11	0.22	9.90e-1
RAB33A	34.34	-0.02	0.25	9.96e-1
RAB33B	121.19	0.27	0.24	9.49e-1
RAB35	762.74	-0.31	0.21	8.64e-1
RAB39A	52.45	-0.27	0.25	9.49e-1
RAB39B	55.44	0.64	0.25	4.11e-1
RAB3A	77.83	-0.18	0.25	9.87e-1
RAB3GAP1	229.81	0.32	0.22	8.66e-1
RAB3GAP2	495.06	0.22	0.21	9.49e-1
RAB3IP	252.53	-0.06	0.22	9.93e-1
RAB40C	124.61	-0.19	0.25	9.87e-1
RAB5A	332.62	0.15	0.21	9.87e-1
RAB5B	485.53	0.23	0.2	9.47e-1
RAB5C	722.12	-0.39	0.21	7.05e-1
RAB6A	659.71	0.13	0.2	9.90e-1
RAB7A	1701.13	0.03	0.19	9.93e-1
RAB8A	1082.42	-0.41	0.19	6.03e-1
RAB8B	426.43	0.61	0.21	2.45e-1
RAB9A	91.38	0.14	0.25	9.90e-1
RABAC1	139.4	-0.01	0.25	9.97e-1
RABEP1	1270.34	0.17	0.19	9.80e-1
RABEP2	170.14	0.01	0.24	9.96e-1
RABEPK	230.59	-0.04	0.22	9.93e-1
RABGAP1	492.44	0.11	0.21	9.90e-1
RABGAP1L	1039.52	-0.25	0.2	9.25e-1
RABGEF1	383.6	0.29	0.21	8.78e-1
RABGGTA	152.7	0.05	0.24	9.93e-1
RABGGTB	497.96	0.07	0.2	9.90e-1
RABIF	133.92	0.24	0.24	9.54e-1
RABL2A	13.25	0.06	0.22	9.93e-1
RABL2B	148.17	-0.15	0.23	9.90e-1
RABL3	271.71	-0.12	0.22	9.90e-1
RABL6	1377.95	-0.27	0.21	9.25e-1
RAC1	1810.07	0.14	0.19	9.87e-1
RAC2	1995.72	-0.28	0.22	9.17e-1
RAC3	58.99	-0.23	0.25	9.71e-1
RACGAP1	735.67	-0.19	0.2	9.59e-1
RAD1	345.93	0.05	0.21	9.93e-1
RAD17	701.26	-0.09	0.2	9.90e-1
RAD18	536.87	-0.12	0.21	9.90e-1
RAD21	2429.54	0.31	0.2	8.38e-1
RAD23A	1072.29	-0.33	0.21	8.41e-1
RAD23B	2543.18	0.04	0.19	9.93e-1
RAD50	774.6	-0.16	0.2	9.80e-1
RAD51	272.86	0.02	0.21	9.93e-1
RAD51AP1	225.82	0.12	0.22	9.90e-1
RAD51-AS1	10.86	-0.15	0.21	9.87e-1
RAD51B	39.46	0.3	0.25	9.47e-1
RAD51C	163.4	0.06	0.23	9.93e-1
RAD51D	79.1	-0.03	0.25	9.93e-1
RAD52	112.47	-0.06	0.24	9.93e-1
RAD54B	140.48	0.05	0.23	9.93e-1
RAD54L	732.61	-0.17	0.2	9.74e-1
RAD54L2	206.1	-0.26	0.22	9.47e-1
RAD9A	175.46	-0.33	0.24	8.92e-1
RAE1	538.24	-0.06	0.2	9.91e-1
RAET1K	25.47	0.1	0.25	9.90e-1
RAF1	651	0.08	0.2	9.90e-1
RAI1	618.51	-0.5	0.24	6.28e-1
RALA	526.23	0.27	0.2	9.08e-1
RALB	28.68	0.51	0.25	6.34e-1
RALBP1	777.72	-0.07	0.2	9.90e-1
RALGAPA2	203.98	0.1	0.22	9.90e-1
RALGAPB	834.56	0.02	0.2	9.95e-1
RALGDS	307.7	-0.03	0.22	9.93e-1
RALGPS1	74.18	-0.02	0.25	9.95e-1
RALGPS2	485.61	0	0.21	9.99e-1
RALY	1150.31	-0.28	0.22	9.25e-1
RAMP1	26.45	-0.08	0.25	9.91e-1
RAN	3660.02	0.19	0.19	9.58e-1
RANBP1	1550.05	0.23	0.19	9.32e-1
RANBP10	471.88	-0.22	0.22	9.54e-1
RANBP2	1427.94	-0.02	0.2	9.93e-1
RANBP3	652.62	-0.18	0.2	9.72e-1
RANBP6	254.99	0.23	0.23	9.58e-1
RANBP9	490.1	0.16	0.21	9.86e-1
RANGAP1	1649.06	-0.32	0.21	8.52e-1
RANGRF	195.17	-0.16	0.23	9.88e-1
RAP1A	591.72	0.31	0.21	8.73e-1

RAP1B	1129.46	0.06	0.2	9.92e-1
RAP1GAP2	22.66	-0.32	0.24	9.17e-1
RAP1GDS1	308.27	0.21	0.21	9.60e-1
RAP2A	384.12	0.04	0.21	9.93e-1
RAP2B	161.49	0.11	0.23	9.90e-1
RAP2C	252.35	0.34	0.22	8.52e-1
RAPGEF1	2142.37	-0.2	0.19	9.55e-1
RAPGEF2	560.77	-0.6	0.2	2.23e-1
RAPGEF5	179.01	0.15	0.23	9.90e-1
RAPGEF6	430.98	0.06	0.22	9.93e-1
RAPGEFL1	26.75	-0.04	0.25	9.93e-1
RARA	334.32	-0.33	0.24	8.98e-1
RARG	44.56	-0.15	0.25	9.90e-1
RARRES3	15.9	0.2	0.23	9.80e-1
RARS	729.71	0.12	0.21	9.90e-1
RARS2	320.87	0.16	0.22	9.87e-1
RASA1	333.62	-0.02	0.22	9.96e-1
RASA2	217.39	0.37	0.23	8.38e-1
RASA4	18.29	-0.13	0.24	9.90e-1
RASA4B	21.77	0.11	0.24	9.90e-1
RASA4CP	26.17	-0.24	0.25	9.59e-1
RASAL1	139.01	-0.29	0.24	9.42e-1
RASGEF1B	76.27	0.48	0.25	6.87e-1
RASGRF1	13.7	0.03	0.22	9.93e-1
RASGRP1	478.94	0.46	0.21	5.60e-1
RASGRP2	507.82	-0.19	0.2	9.72e-1
RASGRP3	1061.57	0.64	0.2	1.03e-1
RASL11A	14.16	0.04	0.22	9.93e-1
RASSF1	83.43	0.04	0.25	9.93e-1
RASSF2	1942.25	-0.22	0.18	9.39e-1
RASSF3	584.49	-0.01	0.2	9.96e-1
RASSF4	93.58	-0.16	0.25	9.90e-1
RASSF5	572.84	-0.03	0.2	9.93e-1
RASSF6	1009.41	-0.9	0.19	1.79e-3
RASSF7	44.1	-0.04	0.25	9.93e-1
RAVER1	1664.74	-0.28	0.23	9.45e-1
RB1	761.37	-0.03	0.21	9.93e-1
RB1CC1	558.65	0.05	0.21	9.93e-1
RBAK	384.34	-0.06	0.21	9.92e-1
RBBP4	4070.38	0.33	0.18	7.57e-1
RBBP5	333.73	0.1	0.21	9.90e-1
RBBP6	1389.38	-0.32	0.19	7.89e-1
RBBP7	1957.71	-0.17	0.18	9.66e-1
RBBP8	1286.63	0.21	0.2	9.50e-1
RBBP9	38.75	-0.02	0.25	9.94e-1
RBCK1	470.55	-0.15	0.23	9.89e-1
RBFA	286.82	0.03	0.21	9.93e-1
RBFOX2	537.59	-0.08	0.2	9.90e-1
RBL1	471.96	-0.03	0.2	9.93e-1
RBL2	608.51	0.44	0.2	5.79e-1
RBM10	973.32	-0.26	0.21	9.30e-1
RBM12	1550.83	-0.61	0.18	1.02e-1
RBM12B	303.98	-0.14	0.21	9.89e-1
RBM14	939.6	-0.43	0.22	6.84e-1
RBM15	197.2	-0.18	0.22	9.86e-1
RBM15B	812.25	-0.21	0.2	9.52e-1
RBM17	1057.5	0.06	0.19	9.92e-1
RBM18	278.67	-0.07	0.22	9.90e-1
RBM19	706.4	-0.23	0.2	9.47e-1
RBM22	536.96	0.23	0.2	9.47e-1
RBM23	518.55	-0.09	0.2	9.90e-1
RBM25	2787.29	-0.67	0.18	3.73e-2
RBM26	1211.16	-0.3	0.19	8.41e-1
RBM26-AS1	14.66	0.01	0.23	9.96e-1
RBM27	1037.09	-0.08	0.2	9.90e-1
RBM28	779.68	-0.3	0.19	8.51e-1
RBM3	1623.73	0.05	0.18	9.93e-1
RBM33	843.75	-0.22	0.19	9.47e-1
RBM34	427.34	-0.08	0.21	9.90e-1
RBM38	1762	-0.35	0.21	8.06e-1
RBM39	1993.31	0.04	0.19	9.93e-1
RBM4	259.52	-0.15	0.22	9.87e-1
RBM41	154.15	-0.09	0.23	9.90e-1
RBM42	374.6	-0.33	0.24	8.86e-1
RBM45	86.81	0.12	0.25	9.90e-1
RBM48	50.52	0.06	0.25	9.93e-1
RBM4B	114.38	0.12	0.24	9.90e-1
RBM5	803.06	0.04	0.19	9.93e-1
RBM6	1896.97	-0.12	0.18	9.90e-1
RBM7	233.06	0.03	0.23	9.93e-1
RBM8A	861.01	-0.05	0.2	9.93e-1
RBMS2	38.14	-0.15	0.25	9.90e-1
RBMX	3035.45	0.03	0.18	9.93e-1

RBMX2	111.54	-0.38	0.24	8.39e-1
RBMXL1	192.73	0.07	0.23	9.91e-1
RBPJ	814.6	-0.08	0.2	9.90e-1
RBSN	150.25	-0.11	0.23	9.90e-1
RBX1	259.13	0.15	0.22	9.88e-1
RC3H1	354.16	-0.09	0.22	9.90e-1
RC3H2	362.02	-0.03	0.21	9.93e-1
RCAN3	72.44	0.2	0.25	9.83e-1
RCBTB1	265.29	0.33	0.21	8.52e-1
RCBTB2	41.92	-0.02	0.25	9.94e-1
RCC1	1929.9	-0.19	0.19	9.58e-1
RCC2	3314.59	-0.1	0.18	9.90e-1
RCCD1	166.69	0.21	0.24	9.77e-1
RCE1	88.39	-0.09	0.25	9.90e-1
RCHY1	210.16	0.37	0.24	8.39e-1
RCL1	308.21	0.03	0.21	9.93e-1
RCN2	273.75	0.38	0.22	8.03e-1
RCOR1	694.78	0.25	0.2	9.25e-1
RCOR3	263.39	0.07	0.22	9.91e-1
RCSD1	1227.04	-0.43	0.19	5.37e-1
RDH10	96.77	0.15	0.24	9.90e-1
RDH11	463.78	-0.05	0.2	9.93e-1
RDH13	245.36	-0.69	0.23	2.07e-1
REC8	431.79	-0.44	0.21	6.14e-1
RECQL	604.4	0.24	0.21	9.47e-1
RECQL4	468.73	-0.36	0.24	8.56e-1
RECQL5	397.31	0.3	0.23	9.12e-1
REEP3	90.55	0.13	0.25	9.90e-1
REEP4	284.7	-0.26	0.24	9.49e-1
REEP5	422.26	0.11	0.21	9.90e-1
REEP6	44.92	-0.12	0.25	9.90e-1
REL	890.13	-0.59	0.2	2.31e-1
RELA	737.92	-0.44	0.21	6.07e-1
RELB	426.96	0.74	0.22	8.97e-2
RELT	206.56	-0.19	0.24	9.83e-1
REPIN1	1443.06	-0.36	0.22	8.30e-1
REPS1	506.91	-0.16	0.21	9.86e-1
RER1	427.73	0.26	0.2	9.25e-1
RERE	2248.37	-0.49	0.21	5.31e-1
REST	409.47	0.11	0.22	9.90e-1
RETSAT	189.1	-0.14	0.22	9.90e-1
REV1	330.11	0.1	0.22	9.90e-1
REV3L	1002.42	0.11	0.2	9.90e-1
REXO1	401.29	-0.45	0.25	7.40e-1
REXO2	193.59	-0.06	0.23	9.93e-1
REXO4	478.02	-0.25	0.22	9.47e-1
RFC1	1499.83	-0.29	0.19	8.51e-1
RFC2	526.53	0.19	0.2	9.64e-1
RFC3	768.23	0	0.21	9.98e-1
RFC4	372.9	0.32	0.21	8.52e-1
RFC5	459.55	-0.2	0.2	9.58e-1
RFFL	199.53	-0.37	0.23	8.39e-1
RFK	293.12	-0.06	0.22	9.93e-1
RFNG	94.59	-0.15	0.25	9.90e-1
RFT1	354.01	0.13	0.21	9.90e-1
RFTN1	928.19	-0.23	0.2	9.45e-1
RFWD2	330.71	0.26	0.22	9.47e-1
RFWD3	1281.35	-0.12	0.19	9.90e-1
RFX1	111.92	-0.13	0.25	9.90e-1
RFX2	119.94	-0.15	0.24	9.90e-1
RFX3	95.72	0.2	0.25	9.81e-1
RFX5	1383.3	0.1	0.19	9.90e-1
RFX7	809.29	-0.4	0.2	6.47e-1
RFXANK	328.86	-0.44	0.23	6.69e-1
RFXAP	97.61	0.06	0.24	9.93e-1
RGCC	24.17	-0.18	0.24	9.87e-1
RGL1	22.63	0.06	0.24	9.93e-1
RGL2	193.38	-0.22	0.25	9.72e-1
RGMB	76.43	0	0.25	9.98e-1
RGP1	144.67	-0.33	0.24	8.88e-1
RGS1	132.44	1.19	0.24	5.35e-4
RGS10	204.02	0.44	0.22	6.69e-1
RGS13	1197.75	0.23	0.21	9.47e-1
RGS14	368.1	-0.34	0.22	8.52e-1
RGS16	227.19	0.14	0.22	9.90e-1
RGS19	309.57	0.21	0.23	9.66e-1
RGS2	10.82	0.05	0.2	9.93e-1
RGS3	182.52	-0.46	0.24	7.09e-1
RGS5	12.88	0.01	0.22	9.96e-1
RHBDD1	169.88	0.26	0.23	9.47e-1
RHBDD2	376.94	-0.21	0.22	9.66e-1
RHBDD3	148.42	-0.3	0.25	9.40e-1
RHBDF2	379.89	-0.38	0.24	8.38e-1

RHBDL1	23.51	0.08	0.24	9.90e-1
RHEB	657.31	0.43	0.2	5.94e-1
RHNO1	345.53	-0.44	0.21	6.06e-1
RHOA	2852.42	0.22	0.18	9.47e-1
RHOBTB2	1870.62	0.28	0.22	9.23e-1
RHOF	343.55	0.07	0.22	9.90e-1
RHOG	446.04	-0.16	0.23	9.89e-1
RHOH	587.7	-0.13	0.2	9.90e-1
RHOQ	767.84	0.42	0.2	6.03e-1
RHOT1	379.72	0.29	0.22	9.13e-1
RHOT2	634.72	-0.27	0.23	9.42e-1
RHOV	93.01	-0.11	0.25	9.90e-1
RHPN2	129.58	-0.25	0.23	9.49e-1
RIC1	681.74	0.14	0.2	9.88e-1
RIC8A	717.41	-0.21	0.21	9.56e-1
RICTOR	326.9	0.08	0.22	9.90e-1
RIF1	625.56	0.02	0.21	9.94e-1
RILP	11.24	-0.12	0.21	9.90e-1
RILPL2	170.81	0.18	0.24	9.87e-1
RIMKLA	147.33	0.15	0.23	9.90e-1
RIMKLB	128.33	-0.18	0.24	9.87e-1
RIMS2	36.6	-0.18	0.25	9.87e-1
RIMS3	1576.07	0.57	0.2	2.48e-1
RIN1	19.54	-0.19	0.24	9.81e-1
RING1	192.67	0.01	0.23	9.96e-1
RINL	148.82	-0.26	0.25	9.52e-1
RINT1	416.72	0.13	0.21	9.90e-1
RIOK1	544.79	-0.11	0.2	9.90e-1
RIOK2	259.45	0.09	0.22	9.90e-1
RIOK3	287.02	0.31	0.22	8.84e-1
RIPK1	225.99	0.09	0.22	9.90e-1
RIPK2	342.97	0.2	0.22	9.64e-1
RIT1	52.93	0.34	0.25	9.06e-1
RITA1	598.31	-0.52	0.23	5.45e-1
RLF	477.12	0.03	0.21	9.93e-1
RLIM	349.58	0.16	0.22	9.87e-1
RLTPR	1108.67	-0.25	0.22	9.49e-1
RMDN1	203.43	0.28	0.23	9.30e-1
RMDN3	180.17	-0.11	0.23	9.90e-1
RMI1	399.21	0.06	0.22	9.93e-1
RMI2	265.1	0.99	0.23	5.15e-3
RMND1	126.57	0.22	0.24	9.72e-1
RMND5A	969.25	0.05	0.2	9.93e-1
RMND5B	158.76	0.01	0.23	9.96e-1
RMRP	16.34	-0.4	0.22	7.33e-1
RNASEH1	406.17	-0.07	0.21	9.90e-1
RNASEH1-AS1	64.77	-0.13	0.25	9.90e-1
RNASEH2A	249.25	-0.07	0.22	9.91e-1
RNASEH2B	229.41	0.31	0.23	9.04e-1
RNASEH2C	250.46	-0.11	0.23	9.90e-1
RNASEK	21.64	-0.2	0.24	9.80e-1
RNASET2	11.56	0.23	0.22	9.50e-1
RND1	86.6	0.07	0.25	9.91e-1
RNF10	964.43	0.01	0.19	9.98e-1
RNF103	101.42	0.35	0.25	8.73e-1
RNF11	93.07	0.31	0.24	9.25e-1
RNF111	377.2	0.09	0.21	9.90e-1
RNF113A	86.97	0.26	0.25	9.50e-1
RNF114	483.36	0.15	0.2	9.87e-1
RNF115	299.24	0.06	0.21	9.93e-1
RNF121	131.66	0.19	0.23	9.81e-1
RNF123	312.54	-0.09	0.22	9.90e-1
RNF126	407.9	-0.2	0.24	9.80e-1
RNF13	222.87	0.11	0.23	9.90e-1
RNF135	23.95	0.05	0.25	9.93e-1
RNF138	637.51	-0.12	0.2	9.90e-1
RNF139	228.46	0.48	0.23	6.07e-1
RNF14	363.82	0.53	0.22	4.37e-1
RNF141	214.52	0.1	0.23	9.90e-1
RNF144B	872.67	-0.58	0.2	2.15e-1
RNF145	358.43	1.18	0.22	5.60e-5
RNF146	90.98	0.64	0.24	3.61e-1
RNF149	149.95	0.39	0.24	8.23e-1
RNF166	177.31	-0.04	0.24	9.93e-1
RNF167	334.03	-0.31	0.22	8.73e-1
RNF168	444.12	-0.17	0.2	9.80e-1
RNF169	270.13	-0.1	0.22	9.90e-1
RNF170	78.17	0.29	0.25	9.47e-1
RNF181	114.52	0.3	0.24	9.32e-1
RNF185	273.52	-0.18	0.22	9.81e-1
RNF187	1093.9	0.44	0.22	6.74e-1
RNF19A	181.1	0.15	0.23	9.88e-1
RNF19B	1318.15	-0.01	0.19	9.96e-1

RNF20	653.56	0.03	0.2	9.93e-1
RNF213	607.44	0.01	0.2	9.96e-1
RNF214	172.66	-0.18	0.23	9.86e-1
RNF215	27.86	0.17	0.25	9.89e-1
RNF216	597.47	-0.07	0.2	9.90e-1
RNF216P1	221.01	-0.27	0.22	9.30e-1
RNF219	393.25	-0.07	0.22	9.90e-1
RNF220	770.02	0.06	0.2	9.91e-1
RNF24	58.55	0.03	0.25	9.93e-1
RNF25	144.27	-0.08	0.23	9.90e-1
RNF26	564.89	-0.28	0.22	9.25e-1
RNF31	371.76	-0.12	0.21	9.90e-1
RNF32	22.48	-0.09	0.24	9.90e-1
RNF34	344.34	0.08	0.21	9.90e-1
RNF38	582.48	0.13	0.2	9.90e-1
RNF4	1153.47	-0.25	0.19	9.01e-1
RNF40	1119.3	-0.26	0.2	9.23e-1
RNF41	183.78	0.13	0.23	9.90e-1
RNF44	462.87	-0.11	0.24	9.90e-1
RNF6	657.51	-0.26	0.2	9.10e-1
RNF7	185.58	-0.1	0.23	9.90e-1
RNF8	600.98	0	0.2	9.98e-1
RNFT1	78.3	-0.11	0.25	9.90e-1
RNFT2	39.17	-0.21	0.25	9.81e-1
RNGTT	713.72	0.17	0.2	9.80e-1
RNH1	597.72	-0.37	0.23	8.39e-1
RNMT	427.92	0.38	0.21	7.41e-1
RNMTL1	253.95	-0.11	0.22	9.90e-1
RNPC3	151.35	0.01	0.24	9.96e-1
RNPEP	233.38	0.14	0.22	9.90e-1
RNPEPL1	298.17	-0.27	0.24	9.49e-1
RNPS1	2285.86	-0.33	0.19	7.97e-1
ROCK1	1103.9	-0.02	0.19	9.93e-1
ROCK1P1	12.12	0.44	0.21	6.28e-1
ROCK2	446.69	0	0.21	9.98e-1
ROGDI	54.29	-0.37	0.25	8.66e-1
ROMO1	125.45	-0.21	0.24	9.74e-1
ROR1	59.64	-0.83	0.25	1.04e-1
RP2	110.32	-0.05	0.24	9.93e-1
RP9	62.39	0.1	0.25	9.90e-1
RPA1	1426.5	0.06	0.19	9.91e-1
RPA2	550.15	0.08	0.2	9.90e-1
RPA3	124.33	0.27	0.24	9.47e-1
RPAIN	127.05	0.18	0.24	9.87e-1
RPAP1	306.2	-0.33	0.23	8.73e-1
RPAP2	120.32	0.13	0.24	9.90e-1
RPAP3	743.46	-0.19	0.2	9.66e-1
RPARP-AS1	189.28	-0.14	0.22	9.90e-1
RPE	674.43	0.01	0.2	9.96e-1
RPF1	191.65	-0.11	0.23	9.90e-1
RPF2	730.72	0	0.2	9.98e-1
RPGR	134.88	0.24	0.24	9.54e-1
RPGRIP1L	128.2	-0.02	0.24	9.95e-1
RPIA	374.36	-0.15	0.21	9.87e-1
RPL10	2504.4	-0.2	0.21	9.66e-1
RPL10A	2632.09	0.36	0.18	6.59e-1
RPL11	3271.88	0.15	0.18	9.80e-1
RPL12	2649.24	0.06	0.18	9.91e-1
RPL13	2280.57	0.41	0.18	5.68e-1
RPL13A	642.37	0.75	0.2	2.42e-2
RPL13AP20	22.32	0.59	0.24	4.59e-1
RPL14	3378.59	0.28	0.18	8.58e-1
RPL15	3689.55	0.22	0.18	9.42e-1
RPL17	175.07	-0.26	0.21	9.33e-1
RPL18	2105.62	-0.11	0.2	9.90e-1
RPL18A	2517.86	-0.24	0.21	9.47e-1
RPL19	4232.31	0.26	0.18	8.64e-1
RPL22	1540.27	0.11	0.19	9.90e-1
RPL22L1	570.7	0.05	0.2	9.93e-1
RPL23	1842.34	0.39	0.19	6.49e-1
RPL23A	2295.24	0.22	0.18	9.42e-1
RPL23AP53	154.27	0.13	0.23	9.90e-1
RPL23AP7	28.75	0.02	0.25	9.95e-1
RPL23AP82	62.15	-0.22	0.25	9.80e-1
RPL24	1456.28	0	0.19	9.99e-1
RPL26	2418.56	0.26	0.19	8.87e-1
RPL26L1	124.07	-0.03	0.24	9.93e-1
RPL27	1529.72	0.02	0.18	9.93e-1
RPL27A	3191.56	0.11	0.18	9.90e-1
RPL28	3271.35	-0.15	0.19	9.86e-1
RPL29	1764.04	0.03	0.19	9.93e-1
RPL3	8225.4	0.29	0.18	8.34e-1
RPL30	1874.23	0.17	0.18	9.72e-1

RPL31	818.18	0.48	0.19	4.32e-1
RPL32	2438.82	0.24	0.18	9.06e-1
RPL32P3	23.35	-0.1	0.25	9.90e-1
RPL34	532.58	0.44	0.2	5.86e-1
RPL35	1822.92	0.14	0.18	9.86e-1
RPL35A	1099.8	-0.14	0.19	9.87e-1
RPL36	880.28	-0.14	0.21	9.88e-1
RPL36A	43.06	-0.14	0.25	9.90e-1
RPL36AL	695.38	-0.03	0.19	9.93e-1
RPL37	1514.56	0.05	0.19	9.93e-1
RPL37A	1072	0.14	0.19	9.87e-1
RPL38	720.67	0.2	0.19	9.54e-1
RPL39	653.55	0.16	0.2	9.83e-1
RPL39L	61.32	-0.25	0.25	9.59e-1
RPL4	9640.13	0.24	0.18	9.06e-1
RPL41	773.25	0.14	0.21	9.88e-1
RPL5	4320.1	0.4	0.19	5.91e-1
RPL6	4849.48	0.24	0.18	9.10e-1
RPL7	3910.08	0.41	0.19	5.84e-1
RPL7A	4990.04	0.16	0.18	9.77e-1
RPL7L1	909.21	-0.31	0.19	8.30e-1
RPL8	5063.51	-0.13	0.22	9.90e-1
RPL9	1987.46	0.2	0.18	9.49e-1
RPLP0	5379.35	0.07	0.18	9.90e-1
RPLP1	1367.58	-0.22	0.23	9.58e-1
RPLP2	1315.67	0.24	0.19	9.23e-1
RPN1	2010.02	0.1	0.18	9.90e-1
RPN2	2243.57	0.2	0.18	9.49e-1
RPP14	288.52	-0.11	0.21	9.90e-1
RPP25L	67.55	-0.06	0.25	9.93e-1
RPP30	257.66	-0.11	0.22	9.90e-1
RPP38	125.82	0.05	0.24	9.93e-1
RPP40	140.51	-0.22	0.23	9.61e-1
RPRD1A	512.84	0.06	0.21	9.91e-1
RPRD1B	586.11	-0.02	0.2	9.94e-1
RPRD2	1171.53	-0.42	0.19	5.83e-1
RPS10	92.82	-1.04	0.25	1.20e-2
RPS10P7	10.71	0.05	0.21	9.93e-1
RPS11	3033.31	-0.08	0.19	9.90e-1
RPS12	1157.07	0.47	0.19	4.07e-1
RPS13	1236.7	0.47	0.2	4.84e-1
RPS14	1447.29	-0.01	0.19	9.96e-1
RPS15	1390.77	-0.09	0.2	9.90e-1
RPS15A	1673.57	-0.01	0.18	9.96e-1
RPS16	2243	0.21	0.18	9.47e-1
RPS17	255.77	0.62	0.22	2.45e-1
RPS18	2811.29	0.25	0.18	8.80e-1
RPS19	1468.07	0.24	0.19	9.25e-1
RPS19BP1	232.24	-0.35	0.24	8.64e-1
RPS2	6069.69	-0.09	0.21	9.90e-1
RPS20	1839.27	0.26	0.19	8.98e-1
RPS21	721.02	0.09	0.19	9.90e-1
RPS23	2397.04	0.2	0.18	9.47e-1
RPS24	2375.65	0.2	0.18	9.49e-1
RPS25	1543.34	-0.11	0.19	9.90e-1
RPS26	1148.94	-0.11	0.19	9.90e-1
RPS27	874.04	0.18	0.19	9.63e-1
RPS27A	1215.85	0.13	0.19	9.88e-1
RPS27L	119.96	0.22	0.24	9.66e-1
RPS28	692.66	0.15	0.19	9.86e-1
RPS29	335.65	0.03	0.21	9.93e-1
RPS3	4048.83	0.03	0.18	9.93e-1
RPS3A	3499.12	0.57	0.19	2.11e-1
RPS4X	3884.04	0.19	0.18	9.54e-1
RPS4Y1	1026.05	0.41	0.19	5.88e-1
RPS5	2307.91	0.25	0.18	9.03e-1
RPS6	5789.45	0.36	0.18	6.40e-1
RPS6KA1	953.3	0.17	0.19	9.73e-1
RPS6KA3	686.52	0.01	0.21	9.98e-1
RPS6KA4	237.43	-0.36	0.25	8.69e-1
RPS6KA5	71.23	-0.07	0.25	9.92e-1
RPS6KB1	776.18	-0.31	0.19	8.39e-1
RPS6KB2	298.5	-0.45	0.24	7.04e-1
RPS6KC1	45.67	-0.1	0.25	9.90e-1
RPS7	2704.52	0.21	0.18	9.47e-1
RPS8	3567.24	0.49	0.18	3.20e-1
RPS9	1788.18	0.21	0.19	9.47e-1
RPSA	4530.66	0.28	0.18	8.45e-1
RPSAP58	83.82	0.29	0.25	9.47e-1
RPTOR	516.46	-0.23	0.21	9.49e-1
RPUSD1	415.29	-0.44	0.24	7.56e-1
RPUSD2	174.45	0	0.23	9.99e-1
RPUSD3	116.86	-0.18	0.24	9.87e-1

RPUSD4	314.78	0.22	0.21	9.49e-1
RQCD1	1150.51	-0.09	0.19	9.90e-1
RRAGA	137.95	0.21	0.23	9.74e-1
RRAGB	33.72	-0.08	0.25	9.91e-1
RRAGC	282.49	0.24	0.22	9.49e-1
RRAS	11.38	0.14	0.21	9.90e-1
RRAS2	533.5	0.47	0.21	5.62e-1
RRBP1	1804.12	0.04	0.19	9.93e-1
RREB1	339.01	-0.24	0.21	9.47e-1
RRM1	1755.39	0.23	0.19	9.47e-1
RRM2	1539.25	-0.07	0.19	9.90e-1
RRM2B	1061.84	-0.3	0.2	8.64e-1
RRN3	477.09	0.1	0.2	9.90e-1
RRN3P1	99.47	0.32	0.25	9.12e-1
RRN3P2	27.22	0.17	0.25	9.89e-1
RRN3P3	62.57	0.13	0.25	9.90e-1
RRNAD1	77.72	0.22	0.25	9.80e-1
RRP1	627.66	-0.24	0.21	9.47e-1
RRP12	998.46	-0.21	0.2	9.49e-1
RRP15	406.31	-0.09	0.21	9.90e-1
RRP1B	2627.37	-0.39	0.18	5.91e-1
RRP36	337.32	0	0.22	9.99e-1
RRP7A	886.49	-0.25	0.21	9.47e-1
RRP7BP	247.66	-0.41	0.22	7.31e-1
RRP8	209.43	-0.23	0.22	9.49e-1
RRP9	479.03	-0.41	0.22	7.04e-1
RRS1	539.55	-0.53	0.22	4.44e-1
RSAD1	135.19	0.05	0.24	9.93e-1
RSBN1	197.12	0.08	0.23	9.90e-1
RSBN1L	449.24	-0.09	0.21	9.90e-1
RSC1A1	208.57	-0.41	0.22	7.36e-1
RSF1	480.51	-0.16	0.21	9.87e-1
RSG1	20.09	-0.02	0.24	9.95e-1
RSL1D1	2740.51	-0.12	0.18	9.90e-1
RSL24D1	778.31	0.69	0.21	9.64e-2
RSPH3	21.93	-0.03	0.24	9.93e-1
RSPRY1	245.72	0.05	0.22	9.93e-1
RSRC1	289.7	-0.21	0.21	9.60e-1
RSRC2	842.78	-0.41	0.19	5.96e-1
RSRP1	155.7	0.2	0.23	9.80e-1
RSU1	352.59	-0.06	0.21	9.93e-1
RTCA	353.33	0.26	0.21	9.23e-1
RTCB	748.21	0	0.19	1.00e+0
RTF1	935.62	-0.35	0.19	7.31e-1
RTFDC1	669.41	0.1	0.19	9.90e-1
RTN2	29.98	0.05	0.25	9.93e-1
RTN3	1029.68	0.13	0.19	9.88e-1
RTN4	618.8	-0.05	0.2	9.93e-1
RTN4IP1	93.76	0.36	0.25	8.64e-1
RTTN	162.24	0.24	0.23	9.54e-1
RUFY1	332.68	0.28	0.21	9.07e-1
RUFY2	59.78	0.17	0.25	9.89e-1
RUFY3	523.7	-0.16	0.21	9.86e-1
RUNDC1	122.53	0.07	0.24	9.93e-1
RUNX1	365.8	0.04	0.21	9.93e-1
RUNX1T1	59.1	-0.31	0.25	9.39e-1
RUNX3	1756.49	0.02	0.21	9.95e-1
RUSC1	63.31	-0.15	0.25	9.90e-1
RUVBL1	1294.85	-0.07	0.19	9.90e-1
RUVBL2	1260.46	-0.23	0.22	9.50e-1
RWDD1	465.2	-0.24	0.2	9.42e-1
RWDD2A	19.83	0.12	0.24	9.90e-1
RWDD2B	199.84	0.04	0.23	9.93e-1
RWDD3	26.08	0.29	0.25	9.47e-1
RWDD4	368.61	0.19	0.22	9.80e-1
RXRA	23.75	-0.13	0.25	9.90e-1
RXRB	271.54	-0.06	0.24	9.93e-1
RYBP	176.54	0.27	0.23	9.45e-1
RYK	252.43	-0.26	0.21	9.42e-1
S100A13	11.87	0.21	0.22	9.63e-1
S100PBP	383.24	0.11	0.21	9.90e-1
S1PR2	1279.43	-0.26	0.22	9.47e-1
S1PR4	201.47	-0.14	0.2	9.87e-1
SAAL1	342.04	0.08	0.21	9.90e-1
SAC3D1	65.36	0.12	0.25	9.90e-1
SACM1L	409.1	0.09	0.22	9.90e-1
SACS	374.87	-0.11	0.22	9.90e-1
SAE1	1417.85	0.06	0.19	9.91e-1
SAFB	1772.93	-0.3	0.19	8.38e-1
SAFB2	1125.15	-0.57	0.21	3.01e-1
SAMD1	527.47	-0.28	0.23	9.39e-1
SAMD10	408.2	0.01	0.23	9.97e-1
SAMD12	85.98	-0.19	0.25	9.87e-1

SAMD13	13.29	-0.03	0.22	9.93e-1
SAMD15	33.52	-0.11	0.25	9.90e-1
SAMD4A	38.6	0.25	0.25	9.58e-1
SAMD4B	564.67	-0.42	0.22	6.90e-1
SAMD8	145.13	0.28	0.24	9.47e-1
SAMD9	235.61	-0.12	0.23	9.90e-1
SAMD9L	23.46	-0.07	0.25	9.93e-1
SAMHD1	620.06	-0.09	0.2	9.90e-1
SAMM50	715.66	0.03	0.19	9.93e-1
SAMSN1	88.96	0.11	0.25	9.90e-1
SAP130	302.07	-0.17	0.21	9.86e-1
SAP18	645.15	-0.13	0.19	9.90e-1
SAP25	27.89	-0.07	0.24	9.92e-1
SAP30	127.61	-0.17	0.23	9.87e-1
SAP30BP	644.49	0.15	0.19	9.86e-1
SAP30L	134.25	0.42	0.23	7.41e-1
SAPCD2	925.74	-0.18	0.23	9.87e-1
SAR1A	590.9	0.03	0.2	9.93e-1
SAR1B	224.66	0.18	0.23	9.86e-1
SARAF	698.56	0.32	0.2	8.29e-1
SARNP	409.78	0.12	0.21	9.90e-1
SARS	1329.33	0.45	0.19	4.40e-1
SARS2	335.12	-0.25	0.22	9.47e-1
SART1	988.47	-0.14	0.2	9.88e-1
SART3	882.08	-0.03	0.19	9.93e-1
SASH3	1602.4	-0.29	0.21	8.94e-1
SASS6	433.98	-0.11	0.21	9.90e-1
SAT1	283.61	0.08	0.21	9.90e-1
SAT2	19.64	0.12	0.24	9.90e-1
SATB1	75.58	0.24	0.25	9.61e-1
SATB2	13.73	-0.2	0.22	9.73e-1
SAV1	155.25	0.14	0.23	9.90e-1
SAYSD1	104.32	0.18	0.24	9.87e-1
SBD5	769.69	0.21	0.2	9.49e-1
SBDSP1	567.85	0.09	0.2	9.90e-1
SBF1	1869.52	0.04	0.22	9.93e-1
SBF2	178.58	0.12	0.23	9.90e-1
SBK1	11.51	-0.04	0.21	9.93e-1
SBNO1	1368.85	0.09	0.2	9.90e-1
SBNO2	292.42	-0.16	0.23	9.87e-1
SC5D	311.76	0.28	0.21	9.17e-1
SCAF1	558.32	-0.17	0.23	9.87e-1
SCAF11	1629.24	-0.02	0.19	9.93e-1
SCAF4	1246.86	-0.3	0.19	8.30e-1
SCAF8	791.14	-0.12	0.19	9.90e-1
SCAI	155.31	-0.12	0.24	9.90e-1
SCAMP1	412.05	-0.05	0.22	9.93e-1
SCAMP1-AS1	25.76	0.25	0.25	9.57e-1
SCAMP2	520.39	-0.46	0.23	6.47e-1
SCAMP3	414.74	-0.21	0.21	9.58e-1
SCAMP4	294.43	-0.28	0.24	9.47e-1
SCAMP5	121.02	0.01	0.25	9.96e-1
SCAND1	88.09	-0.13	0.25	9.90e-1
SCAND2P	30.37	0.04	0.25	9.93e-1
SCAP	683.6	-0.32	0.22	8.64e-1
SCAPER	61.81	0.17	0.25	9.89e-1
SCARB1	1189.38	-0.56	0.21	3.26e-1
SCARB2	128.09	0.1	0.24	9.90e-1
SCARF1	29.16	-0.11	0.25	9.90e-1
SCARNA12	22.85	-0.02	0.24	9.95e-1
SCART1	175.84	-0.51	0.23	5.83e-1
SCCPDH	53.51	0.07	0.25	9.93e-1
SCD	5837.15	-0.66	0.18	3.91e-2
SCD5	14.44	0.09	0.23	9.90e-1
SCFD1	341.39	0.37	0.23	8.20e-1
SCFD2	172.36	-0.16	0.23	9.89e-1
SCLT1	176.87	0.21	0.23	9.72e-1
SCMH1	1052.04	-0.36	0.19	7.24e-1
SCN4A	128.34	-0.13	0.24	9.90e-1
SCNN1D	31.28	-0.31	0.25	9.25e-1
SCO1	516.19	0.06	0.2	9.91e-1
SCO2	83.71	-0.14	0.25	9.90e-1
SCOC	87.03	0.32	0.25	9.23e-1
SCP2	404.15	0.05	0.2	9.93e-1
SCPEP1	177.28	0.2	0.23	9.72e-1
SCRIB	543.19	-0.32	0.24	9.18e-1
SCRN2	25.76	-0.29	0.24	9.47e-1
SCRN3	12.38	0.04	0.21	9.93e-1
SCYL1	742.25	-0.45	0.22	6.54e-1
SCYL2	388.61	0.18	0.21	9.81e-1
SCYL3	51.13	0.2	0.25	9.86e-1
SDAD1	689.36	0.12	0.2	9.90e-1
SDCBP	81.38	0.29	0.25	9.47e-1

SDCBP2-AS1	11.92	-0.05	0.22	9.93e-1
SDCCAG3	677.86	-0.08	0.2	9.90e-1
SDCCAG8	56.21	0.25	0.25	9.59e-1
SDE2	170.21	0.18	0.23	9.86e-1
SDF2	90.55	0.18	0.24	9.87e-1
SDF2L1	140.38	0.27	0.24	9.47e-1
SDF4	772.82	-0.2	0.22	9.72e-1
SDHA	1061.48	0.11	0.19	9.90e-1
SDHAF1	90.37	0.15	0.25	9.90e-1
SDHAF2	212.53	-0.08	0.22	9.90e-1
SDHAF3	160.46	0.16	0.24	9.88e-1
SDHAF4	22.75	0	0.25	9.98e-1
SDHAP1	147.99	0.13	0.24	9.90e-1
SDHAP2	62.26	-0.04	0.25	9.93e-1
SDHAP3	96.29	-0.25	0.24	9.54e-1
SDHB	774.87	0.13	0.19	9.89e-1
SDHC	131.71	0.11	0.24	9.90e-1
SDHD	599.89	-0.04	0.2	9.93e-1
SDK1	55.26	-0.05	0.25	9.93e-1
SDR39U1	163.75	-0.21	0.23	9.73e-1
SEC11A	267.7	0.36	0.22	8.28e-1
SEC11C	307.83	0.48	0.21	5.45e-1
SEC13	553.88	0.05	0.21	9.93e-1
SEC14L1	1077.14	-0.32	0.19	7.99e-1
SEC16A	1555.02	-0.34	0.2	7.75e-1
SEC22A	71.75	0.24	0.25	9.59e-1
SEC22B	364.97	0.05	0.21	9.93e-1
SEC22C	190.9	0.15	0.23	9.89e-1
SEC23A	293.3	0.03	0.22	9.93e-1
SEC23B	790.02	0.25	0.19	9.11e-1
SEC23IP	697.04	-0.14	0.2	9.88e-1
SEC24A	631.43	0.1	0.21	9.90e-1
SEC24B	468.3	0.04	0.21	9.93e-1
SEC24C	1593.6	-0.41	0.2	6.54e-1
SEC24D	308.14	-0.04	0.21	9.93e-1
SEC31A	1140.67	-0.11	0.19	9.90e-1
SEC31B	152.7	-0.06	0.23	9.93e-1
SEC61A1	2206.95	-0.04	0.18	9.93e-1
SEC61A2	48.97	0.21	0.25	9.81e-1
SEC61B	270.8	-0.01	0.22	9.96e-1
SEC61G	218.11	0.11	0.22	9.90e-1
SEC62	1139.55	0.09	0.19	9.90e-1
SEC63	1685.79	0.11	0.19	9.90e-1
SECISBP2	569.3	0.29	0.2	8.68e-1
SECISBP2L	233.36	0.21	0.23	9.66e-1
SEH1L	1252.85	0.15	0.2	9.87e-1
SEL1L	710.76	0.28	0.2	8.90e-1
SEL1L3	979.36	0.16	0.19	9.80e-1
SELK	94.32	0.26	0.25	9.49e-1
SELL	156.25	-0.34	0.23	8.64e-1
SELO	158.84	-0.18	0.23	9.86e-1
SELPLG	77.63	-0.14	0.25	9.90e-1
SELT	713.42	0.22	0.22	9.52e-1
SEMA3G	41.45	-0.5	0.25	6.69e-1
SEMA4A	61.5	0	0.25	9.98e-1
SEMA4B	143.52	-0.46	0.23	6.79e-1
SEMA4D	262.79	0.09	0.22	9.90e-1
SEMA4F	14.44	0.04	0.23	9.93e-1
SEMA7A	179.67	0.57	0.23	4.15e-1
SENP1	527.74	-0.2	0.2	9.59e-1
SENP2	573.97	-0.25	0.2	9.25e-1
SENP3	22.1	-0.14	0.24	9.90e-1
SENP5	289.9	-0.03	0.21	9.93e-1
SENP6	4067.86	0.15	0.2	9.87e-1
SENP7	38.1	-0.01	0.25	9.97e-1
SENP8	10.11	0.04	0.2	9.93e-1
SEP15	637.67	0.22	0.21	9.54e-1
SEPHS1	721.26	0.2	0.2	9.58e-1
SEPHS2	452.17	0.37	0.2	7.33e-1
SEPSECS	75.91	0.03	0.25	9.93e-1
SEPT1	258.99	0.05	0.22	9.93e-1
SEPT11	1016.31	0.03	0.2	9.93e-1
SEPT2	2797.76	-0.04	0.19	9.93e-1
SEPT6	3219.26	-0.53	0.18	2.24e-1
SEPT7	1583.46	0.27	0.19	8.97e-1
SEPT7P2	86.05	0.25	0.25	9.54e-1
SEPT8	273.74	0.26	0.22	9.47e-1
SEPT9	5790.77	-0.26	0.21	9.30e-1
SEPW1	61.67	-1.08	0.25	6.96e-3
SERAC1	47.56	0.06	0.25	9.93e-1
SERBP1	6599.28	-0.23	0.18	9.12e-1
SERF2	384.34	-0.02	0.21	9.93e-1
SERGEF	56.18	0.07	0.25	9.93e-1

SERHL2	12.99	-0.15	0.22	9.89e-1
SERINC1	258.38	0.41	0.22	7.13e-1
SERINC3	680.7	0.21	0.2	9.49e-1
SERINC5	78.56	-0.18	0.25	9.87e-1
SERP1	1113.65	0.47	0.2	4.63e-1
SERPINA9	1601.59	0.27	0.19	8.73e-1
SERPINB1	11.42	0.35	0.21	8.21e-1
SERPINB8	107.09	0.07	0.24	9.92e-1
SERPINB9	733.69	0.46	0.2	5.32e-1
SERPINB9P1	159.58	0.37	0.23	8.34e-1
SERTAD1	14.23	-0.09	0.22	9.90e-1
SERTAD2	653.83	-0.45	0.2	5.37e-1
SERTAD3	45.68	0.06	0.25	9.93e-1
SESN1	177.28	-0.05	0.23	9.93e-1
SESN2	252.1	0.84	0.23	3.89e-2
SESN3	170.19	-0.25	0.23	9.49e-1
SESTD1	148.86	0.04	0.23	9.93e-1
SET	6319.63	0.05	0.18	9.93e-1
SETBP1	110.06	-0.21	0.24	9.74e-1
SETD1A	1175.97	-0.45	0.22	6.52e-1
SETD1B	382.45	-0.42	0.22	7.05e-1
SETD2	1537.32	-0.09	0.19	9.90e-1
SETD3	681.99	0.06	0.2	9.91e-1
SETD4	62.59	0.06	0.25	9.93e-1
SETD5	1452.96	-0.24	0.19	9.23e-1
SETD6	214.93	-0.07	0.22	9.90e-1
SETD7	1733.25	-0.21	0.18	9.47e-1
SETD8	917.44	-0.08	0.19	9.90e-1
SETD9	22.3	0.11	0.24	9.90e-1
SETDB1	491.49	0.09	0.2	9.90e-1
SETDB2	447.79	0.38	0.21	7.57e-1
SETMAR	93.6	-0.25	0.24	9.53e-1
SETSIP	25.01	0.22	0.25	9.72e-1
SETX	1083	0.48	0.2	4.40e-1
SEZ6L2	20.86	-0.26	0.23	9.47e-1
SF1	3443.87	-0.56	0.2	2.89e-1
SF3A1	2815.84	-0.42	0.19	5.68e-1
SF3A2	1236.65	-0.65	0.23	2.80e-1
SF3A3	2502.25	-0.07	0.18	9.90e-1
SF3B1	3401.83	0.07	0.19	9.90e-1
SF3B2	2645.93	-0.24	0.18	9.10e-1
SF3B3	3562.18	0	0.18	9.98e-1
SF3B4	981.75	-0.42	0.21	6.42e-1
SF3B5	348.12	-0.13	0.21	9.90e-1
SF3B6	370.18	0.08	0.21	9.90e-1
SFI1	302.06	0.06	0.21	9.93e-1
SFMBT1	202.54	-0.17	0.22	9.87e-1
SFMBT2	347.71	-0.04	0.21	9.93e-1
SFPQ	5593.35	-0.34	0.18	7.13e-1
SFR1	24.9	0.12	0.25	9.90e-1
SFSWAP	795.78	-0.38	0.2	6.81e-1
SFT2D1	217.12	0.9	0.22	1.28e-2
SFT2D2	25.98	0.04	0.25	9.93e-1
SFT2D3	13.66	0.07	0.22	9.91e-1
SFXN1	882.03	0.12	0.2	9.90e-1
SFXN2	244.74	-0.22	0.22	9.56e-1
SFXN4	334.72	0.26	0.22	9.45e-1
SFXN5	22.12	-0.08	0.24	9.91e-1
SGCB	60.96	0.26	0.25	9.54e-1
SGCE	77.82	-0.09	0.25	9.90e-1
SGK1	381.49	1.37	0.21	0.00e+0
SGK223	201.66	-0.23	0.23	9.59e-1
SGK494	145.27	-0.45	0.23	6.87e-1
SGMS1	180.21	-0.39	0.23	7.98e-1
SGOL1	194.98	0.07	0.22	9.90e-1
SGOL2	367.67	-0.07	0.22	9.91e-1
SGPL1	282.34	0.19	0.21	9.73e-1
SGPP1	425.85	0.73	0.2	5.15e-2
SGPP2	67.64	0.32	0.25	9.23e-1
SGSM2	461.18	-0.19	0.22	9.80e-1
SGSM3	270.45	-0.1	0.24	9.90e-1
SGTA	1518.77	-0.34	0.19	7.41e-1
SGTB	170.86	0.22	0.23	9.66e-1
SH2B1	463.13	-0.37	0.24	8.40e-1
SH2B2	729.96	-0.05	0.22	9.93e-1
SH2B3	590.46	-0.03	0.2	9.93e-1
SH2D3A	15.65	-0.02	0.21	9.95e-1
SH2D3C	217.58	0.61	0.23	3.64e-1
SH3BGR	17.87	-0.11	0.24	9.90e-1
SH3BGRL	419.26	0.16	0.22	9.87e-1
SH3BGRL3	314.27	-0.42	0.21	6.69e-1
SH3BP1	348.74	-0.34	0.22	8.53e-1
SH3BP2	289.2	-0.09	0.22	9.90e-1

SH3BP5	127.58	-0.35	0.24	8.62e-1
SH3BP5-AS1	72.14	0.17	0.25	9.88e-1
SH3BP5L	185.7	0.02	0.24	9.93e-1
SH3D21	45.84	-0.11	0.25	9.90e-1
SH3GL1	481.12	-0.3	0.24	9.32e-1
SH3GLB1	567.22	0.09	0.21	9.90e-1
SH3GLB2	500.45	-0.34	0.22	8.41e-1
SH3KBP1	1585.67	0.19	0.18	9.49e-1
SH3PXD2A	222.3	-0.02	0.22	9.95e-1
SH3RF1	37.99	-0.01	0.25	9.96e-1
SH3TC1	257.65	-0.14	0.24	9.90e-1
SHANK2	99.68	-0.54	0.24	5.70e-1
SHARPIN	130.35	-0.28	0.25	9.47e-1
SHC1	423.94	-0.42	0.23	7.31e-1
SHCBP1	318.18	0.16	0.21	9.87e-1
SHFM1	325.06	0.25	0.21	9.45e-1
SHISA5	1365.15	-0.4	0.22	7.41e-1
SHKBP1	522.2	-0.18	0.23	9.86e-1
SHMT1	489.52	-0.14	0.2	9.88e-1
SHMT2	2826.92	-0.04	0.21	9.93e-1
SHOC2	623.91	0.15	0.21	9.87e-1
SHPK	231.97	-0.09	0.22	9.90e-1
SHPRH	308.74	-0.04	0.22	9.93e-1
SHQ1	221.21	0.1	0.22	9.90e-1
SHROOM3	103.66	-0.71	0.24	2.15e-1
SIAE	82.57	0.13	0.25	9.90e-1
SIAH1	103.62	0.27	0.25	9.49e-1
SIAH2	190.37	0.18	0.22	9.83e-1
SIDT2	225.94	-0.11	0.23	9.90e-1
SIGLEC10	360.63	-0.43	0.22	6.90e-1
SIGMAR1	1179.82	-0.37	0.21	7.57e-1
SIK1	171.72	-0.28	0.24	9.47e-1
SIK2	239.84	-0.13	0.22	9.90e-1
SIK3	645.44	-0.31	0.2	8.40e-1
SIKE1	401.41	0.1	0.22	9.90e-1
SIL1	47.93	0.15	0.25	9.90e-1
SIMC1	230.53	-0.43	0.22	6.84e-1
SIN3A	786.33	-0.01	0.19	9.96e-1
SIN3B	435.25	-0.08	0.21	9.90e-1
SIPA1	265.79	0.01	0.24	9.98e-1
SIPA1L1	262.81	0.04	0.22	9.93e-1
SIPA1L3	806.55	-0.09	0.22	9.90e-1
SIRT1	480.42	0.28	0.21	9.04e-1
SIRT2	111.78	-0.15	0.25	9.90e-1
SIRT3	104.37	-0.14	0.24	9.90e-1
SIRT5	103.72	0.04	0.25	9.93e-1
SIRT6	165.48	-0.25	0.25	9.58e-1
SIRT7	99.15	-0.11	0.25	9.90e-1
SIT1	358.37	0.26	0.23	9.47e-1
SIVA1	135.13	-0.25	0.25	9.60e-1
SKA1	245.91	0.01	0.22	9.96e-1
SKA2	398.64	-0.04	0.21	9.93e-1
SKA3	534.77	-0.15	0.21	9.88e-1
SKAP2	245.79	0.28	0.22	9.25e-1
SKI	339.51	-0.15	0.21	9.87e-1
SKIDA1	12.52	-0.02	0.21	9.93e-1
SKIL	266.11	0.52	0.22	4.96e-1
SKIV2L	584.94	-0.33	0.21	8.52e-1
SKIV2L2	1393.65	-0.11	0.2	9.90e-1
SKP1	849.43	0.15	0.2	9.87e-1
SKP2	361.15	-0.16	0.21	9.87e-1
SLAIN1	347.6	-0.03	0.21	9.93e-1
SLAIN2	443.7	-0.06	0.21	9.91e-1
SLAMF1	56.03	0.74	0.25	2.24e-1
SLAMF6	442.7	-0.55	0.2	3.13e-1
SLBP	683.04	0.41	0.21	6.69e-1
SLC10A3	117.91	-0.16	0.25	9.90e-1
SLC10A7	59.19	0.01	0.25	9.96e-1
SLC11A2	205.67	0.19	0.23	9.81e-1
SLC12A2	276.74	0.14	0.22	9.90e-1
SLC12A4	91.68	-0.19	0.25	9.87e-1
SLC12A5	12.9	-0.02	0.22	9.95e-1
SLC12A6	113.6	-0.5	0.24	6.10e-1
SLC12A8	59.6	0.07	0.25	9.93e-1
SLC12A9	313.76	-0.45	0.24	7.04e-1
SLC15A2	34.12	0.18	0.25	9.87e-1
SLC15A3	29.05	0.34	0.25	8.97e-1
SLC15A4	183.9	0.68	0.23	2.15e-1
SLC16A1	1875.83	0.04	0.19	9.93e-1
SLC16A13	38.79	-0.25	0.25	9.58e-1
SLC16A1-AS1	30.09	-0.32	0.25	9.17e-1
SLC16A6	339.24	-0.22	0.21	9.52e-1
SLC16A7	192.44	-0.03	0.24	9.93e-1

SLC17A5	671.38	0.43	0.2	6.03e-1
SLC17A9	764.81	-0.27	0.24	9.47e-1
SLC19A1	453.32	-0.6	0.24	4.14e-1
SLC19A2	102.49	0.05	0.24	9.93e-1
SLC1A1	164.87	-0.15	0.23	9.90e-1
SLC1A4	319.14	0.44	0.21	6.14e-1
SLC1A5	2141.04	-0.23	0.22	9.52e-1
SLC20A1	363.6	0.3	0.21	8.73e-1
SLC20A2	227.59	0.09	0.22	9.90e-1
SLC22A5	48.79	-0.27	0.25	9.49e-1
SLC23A1	12.86	0.13	0.22	9.90e-1
SLC23A2	751.68	0.17	0.19	9.74e-1
SLC23A3	11.86	-0.08	0.22	9.90e-1
SLC24A1	17.49	-0.22	0.24	9.70e-1
SLC25A1	350.9	-0.28	0.23	9.40e-1
SLC25A10	283.02	-0.54	0.23	5.31e-1
SLC25A11	330.62	-0.31	0.23	9.06e-1
SLC25A12	310.52	-0.04	0.21	9.93e-1
SLC25A13	191.39	0.08	0.23	9.90e-1
SLC25A14	45.43	0.11	0.25	9.90e-1
SLC25A15	248.28	-0.01	0.22	9.98e-1
SLC25A16	42.8	0.11	0.25	9.90e-1
SLC25A17	216.79	-0.16	0.22	9.87e-1
SLC25A19	419.95	-0.1	0.21	9.90e-1
SLC25A20	186.83	0.24	0.22	9.49e-1
SLC25A22	265.74	-0.26	0.25	9.50e-1
SLC25A23	732.17	-0.45	0.2	5.71e-1
SLC25A25	150.32	0.53	0.24	5.86e-1
SLC25A25-AS1	232.23	-0.25	0.24	9.51e-1
SLC25A26	67.08	0.34	0.25	9.03e-1
SLC25A27	137.9	-0.03	0.23	9.93e-1
SLC25A28	121.18	0.03	0.24	9.93e-1
SLC25A3	2027.28	0.18	0.18	9.58e-1
SLC25A32	581.33	0.08	0.21	9.90e-1
SLC25A33	146.46	0.41	0.24	7.59e-1
SLC25A35	11.04	-0.09	0.21	9.90e-1
SLC25A36	867.32	0.07	0.21	9.91e-1
SLC25A37	397	-0.12	0.21	9.90e-1
SLC25A38	272.16	0.26	0.21	9.46e-1
SLC25A39	1641.12	-0.28	0.22	9.25e-1
SLC25A4	168.66	-0.05	0.23	9.93e-1
SLC25A40	225.09	0.3	0.22	8.99e-1
SLC25A42	54.39	-0.12	0.25	9.90e-1
SLC25A43	208.11	0.19	0.23	9.83e-1
SLC25A44	357.78	-0.33	0.21	8.38e-1
SLC25A45	53.25	-0.2	0.25	9.86e-1
SLC25A46	908.62	-0.07	0.2	9.90e-1
SLC25A5	1954.15	0.4	0.18	5.86e-1
SLC25A51	131.96	0.11	0.24	9.90e-1
SLC25A6	3553.87	0	0.21	9.99e-1
SLC26A2	79.02	0.2	0.25	9.85e-1
SLC26A6	223.93	-0.26	0.23	9.47e-1
SLC27A1	19.17	0.1	0.24	9.90e-1
SLC27A3	32.28	-0.15	0.25	9.90e-1
SLC27A4	345.21	-0.22	0.22	9.59e-1
SLC27A5	57	-0.33	0.25	9.12e-1
SLC29A1	2446.24	-0.4	0.19	5.96e-1
SLC29A2	308.63	-0.55	0.24	5.37e-1
SLC29A3	65.16	-0.21	0.25	9.80e-1
SLC2A1	960.82	-0.27	0.22	9.25e-1
SLC2A11	80.52	-0.02	0.25	9.96e-1
SLC2A13	15.88	0.16	0.23	9.87e-1
SLC2A3	15.29	0.51	0.23	5.71e-1
SLC2A4RG	149.51	0.19	0.24	9.86e-1
SLC2A5	2002.19	-0.51	0.19	3.49e-1
SLC2A6	76.59	-0.31	0.25	9.41e-1
SLC2A8	60.27	-0.01	0.25	9.96e-1
SLC30A1	81.87	-0.09	0.25	9.90e-1
SLC30A5	378.38	0.32	0.21	8.49e-1
SLC30A6	256.04	0.1	0.22	9.90e-1
SLC30A7	139.13	0.2	0.24	9.81e-1
SLC30A9	572.12	0.28	0.2	8.83e-1
SLC31A1	414.6	-0.05	0.21	9.93e-1
SLC33A1	265.59	0.35	0.22	8.30e-1
SLC35A1	127.61	0.41	0.24	8.10e-1
SLC35A2	103.24	-0.25	0.25	9.54e-1
SLC35A3	231.4	-0.08	0.23	9.90e-1
SLC35A4	416.14	-0.22	0.21	9.49e-1
SLC35A5	187.8	0.31	0.23	9.10e-1
SLC35B1	158.14	0.51	0.24	5.91e-1
SLC35B2	146.64	-0.19	0.24	9.86e-1
SLC35B3	76.09	0.14	0.25	9.90e-1
SLC35B4	584.11	0.22	0.2	9.49e-1

SLC35C1	134.15	-0.13	0.25	9.90e-1
SLC35C2	346.24	-0.02	0.22	9.94e-1
SLC35D1	231.58	-0.03	0.22	9.93e-1
SLC35E1	703.72	-0.04	0.2	9.93e-1
SLC35E2	71.03	0.26	0.25	9.53e-1
SLC35E2B	318.78	-0.01	0.21	9.97e-1
SLC35E3	151.23	-0.27	0.23	9.47e-1
SLC35F2	579.75	0.11	0.2	9.90e-1
SLC35F5	163.62	0.23	0.23	9.59e-1
SLC35F6	184.42	-0.29	0.22	9.19e-1
SLC36A1	216.81	-0.2	0.22	9.72e-1
SLC36A4	120.15	0.19	0.24	9.86e-1
SLC37A1	272.33	0.06	0.22	9.93e-1
SLC37A3	43.91	0.16	0.25	9.90e-1
SLC37A4	280.42	-0.26	0.22	9.47e-1
SLC38A1	3509.45	0.14	0.19	9.87e-1
SLC38A10	419.8	-0.16	0.24	9.89e-1
SLC38A2	637.29	0.83	0.21	1.33e-2
SLC38A5	747.82	-0.34	0.19	7.69e-1
SLC38A6	31.9	0.05	0.25	9.93e-1
SLC38A7	105.83	-0.19	0.24	9.86e-1
SLC38A9	138.71	-0.07	0.23	9.91e-1
SLC39A1	409.51	-0.28	0.23	9.42e-1
SLC39A10	243.32	-0.04	0.24	9.93e-1
SLC39A11	218.02	0.22	0.22	9.58e-1
SLC39A13	89.07	-0.14	0.25	9.90e-1
SLC39A14	1083.83	-0.06	0.19	9.92e-1
SLC39A3	193.04	-0.03	0.23	9.93e-1
SLC39A4	89.42	-0.07	0.25	9.93e-1
SLC39A6	585.41	-0.09	0.21	9.90e-1
SLC39A7	531.85	-0.09	0.21	9.90e-1
SLC39A8	367.17	0.39	0.22	7.57e-1
SLC39A9	764.8	0.23	0.19	9.47e-1
SLC3A2	783.77	0.2	0.21	9.58e-1
SLC41A1	1345.72	-0.73	0.19	2.34e-2
SLC41A2	88.51	0.17	0.25	9.89e-1
SLC41A3	100.36	0.17	0.24	9.88e-1
SLC43A1	466.44	0.69	0.2	8.18e-2
SLC43A2	137.54	-0.52	0.25	6.07e-1
SLC43A3	2012.25	-0.44	0.18	4.72e-1
SLC44A1	489.62	0.12	0.21	9.90e-1
SLC44A2	1032.68	-0.03	0.2	9.93e-1
SLC45A3	306.52	-0.03	0.24	9.93e-1
SLC45A4	68.96	-0.12	0.25	9.90e-1
SLC46A3	88.72	0.11	0.25	9.90e-1
SLC48A1	194.23	-0.42	0.24	7.76e-1
SLC4A1AP	316.59	-0.07	0.21	9.90e-1
SLC4A2	496.22	-0.34	0.23	8.69e-1
SLC4A7	720.87	0.1	0.2	9.90e-1
SLC4A8	31.51	0.1	0.25	9.90e-1
SLC50A1	263.74	0.02	0.22	9.95e-1
SLC52A2	180.32	-0.12	0.25	9.90e-1
SLC5A3	1127.93	-0.53	0.2	3.10e-1
SLC5A5	10.05	0.24	0.21	9.47e-1
SLC5A6	773.39	-0.34	0.2	8.03e-1
SLC6A16	25.45	-0.03	0.25	9.93e-1
SLC6A6	805.95	-0.35	0.19	7.41e-1
SLC6A9	80.34	0.4	0.25	8.38e-1
SLC7A1	2603.19	-0.23	0.19	9.39e-1
SLC7A11	623.13	0.78	0.21	3.89e-2
SLC7A5	4071.56	-0.26	0.22	9.42e-1
SLC7A5P1	20.95	0.01	0.24	9.97e-1
SLC7A5P2	21.16	-0.02	0.24	9.93e-1
SLC7A6	849.87	0.03	0.19	9.93e-1
SLC7A6OS	111.87	0.05	0.24	9.93e-1
SLC7A7	55.77	0.24	0.25	9.61e-1
SLC8B1	28.59	-0.36	0.25	8.69e-1
SLC9A1	471.62	-0.42	0.23	7.23e-1
SLC9A3R1	620.41	-0.38	0.22	7.64e-1
SLC9A6	197.72	0.13	0.23	9.90e-1
SLC9A7	595.21	0.14	0.2	9.87e-1
SLC9A8	243.89	-0.13	0.22	9.90e-1
SLC9A9	16.94	0.07	0.23	9.91e-1
SLC9B2	125.93	-0.02	0.24	9.95e-1
SLCO3A1	350.44	0.01	0.21	9.96e-1
SLCO4A1	432.97	-0.31	0.23	9.06e-1
SLFN11	86.14	-0.3	0.25	9.42e-1
SLFNL1-AS1	42.01	-0.4	0.25	8.41e-1
SLIRP	274.98	0.01	0.22	9.96e-1
SLK	787.03	-0.21	0.21	9.57e-1
SLMAP	448.18	0.03	0.21	9.93e-1
SLMO1	67.24	-0.08	0.25	9.91e-1
SLMO2	1042.77	0.04	0.21	9.93e-1

SLTM	2188.88	-0.17	0.18	9.71e-1
SLU7	291.52	0.02	0.21	9.94e-1
SLX4	298.55	-0.36	0.22	8.30e-1
SLX4IP	30.58	-0.11	0.25	9.90e-1
SMA4	15.89	-0.1	0.23	9.90e-1
SMAD2	537.27	0.37	0.21	7.55e-1
SMAD3	252.39	0.02	0.22	9.94e-1
SMAD4	467.96	0.05	0.21	9.93e-1
SMAD5	442.46	-0.3	0.21	8.69e-1
SMAD7	19.68	-0.07	0.24	9.91e-1
SMAP1	411.99	0.27	0.21	9.14e-1
SMAP2	1704.95	0.01	0.18	9.96e-1
SMARCA2	655.3	0.14	0.19	9.87e-1
SMARCA4	5601.11	-0.15	0.19	9.87e-1
SMARCA5	2246.5	-0.09	0.19	9.90e-1
SMARCAD1	470.36	0.17	0.22	9.83e-1
SMARCA11	148.89	0.05	0.23	9.93e-1
SMARCB1	942.36	0.25	0.19	9.12e-1
SMARCC1	3423.26	-0.36	0.18	6.69e-1
SMARCC2	1664.15	-0.35	0.2	7.56e-1
SMARCD1	1101.73	-0.17	0.19	9.79e-1
SMARCD2	1053	-0.14	0.2	9.88e-1
SMARCE1	1165.09	0.1	0.19	9.90e-1
SMC1A	3095.42	-0.16	0.18	9.72e-1
SMC2	1388.94	0.14	0.2	9.88e-1
SMC3	2171.16	-0.03	0.18	9.93e-1
SMC4	3151.24	-0.19	0.19	9.58e-1
SMC5	729.46	-0.1	0.2	9.90e-1
SMC6	725.43	0.14	0.2	9.87e-1
SMCHD1	1499.61	-0.08	0.2	9.90e-1
SMCO4	29.94	0.26	0.25	9.50e-1
SMCR8	483.18	-0.3	0.2	8.64e-1
SMDT1	66.31	0.28	0.25	9.48e-1
SMG1	2160.7	-0.03	0.2	9.93e-1
SMG1P1	35.12	0	0.25	9.98e-1
SMG1P2	27.45	0.01	0.25	9.96e-1
SMG1P3	56.56	0.02	0.25	9.95e-1
SMG1P7	83.12	-0.2	0.25	9.86e-1
SMG5	1177.41	-0.23	0.2	9.47e-1
SMG6	383.12	-0.42	0.22	6.87e-1
SMG7	1806.8	-0.53	0.18	2.33e-1
SMG8	216.89	0.01	0.22	9.96e-1
SMG9	345.48	-0.25	0.22	9.47e-1
SMIM10L1	156.54	0.39	0.23	8.11e-1
SMIM11	59.53	-0.27	0.25	9.49e-1
SMIM12	393.33	-0.24	0.21	9.47e-1
SMIM13	286.51	0.25	0.22	9.47e-1
SMIM14	1198.23	0.21	0.19	9.49e-1
SMIM15	34.7	-0.05	0.25	9.93e-1
SMIM19	67.24	0.33	0.25	9.10e-1
SMIM20	99.08	0	0.24	9.99e-1
SMIM4	32.39	-0.2	0.25	9.86e-1
SMIM7	180.17	0	0.23	9.98e-1
SMIM8	66.18	0.07	0.25	9.93e-1
SMNDC1	422.39	0.21	0.21	9.57e-1
SMPD1	38.36	0.12	0.25	9.90e-1
SMPD4	879.51	-0.62	0.22	2.33e-1
SMS	1313.62	0.08	0.19	9.90e-1
SMTN	49.91	-0.14	0.25	9.90e-1
SMU1	554.03	0	0.2	9.98e-1
SMUG1	63.81	0.03	0.25	9.93e-1
SMURF1	287.11	-0.08	0.21	9.90e-1
SMURF2	153.77	0.16	0.23	9.88e-1
SMYD2	155.08	0.34	0.23	8.64e-1
SMYD3	74.62	-0.03	0.25	9.93e-1
SMYD4	282.26	-0.07	0.21	9.91e-1
SMYD5	410.52	-0.24	0.21	9.47e-1
SNAI3	18.99	-0.25	0.24	9.49e-1
SNAI3-AS1	19	-0.17	0.24	9.87e-1
SNAP23	496.34	-0.01	0.21	9.96e-1
SNAP29	318.05	-0.19	0.21	9.74e-1
SNAP47	110.81	0.17	0.24	9.87e-1
SNAPC1	81.94	0.01	0.25	9.98e-1
SNAPC2	93.65	-0.06	0.25	9.93e-1
SNAPC3	158.09	-0.07	0.23	9.91e-1
SNAPC4	727.08	-0.56	0.23	4.62e-1
SNAPC5	48.32	-0.08	0.25	9.91e-1
SNAPIN	87.42	0.08	0.25	9.91e-1
SND1	2944.65	0.08	0.18	9.90e-1
SNF8	255.38	0.19	0.22	9.80e-1
SNHG1	816.5	0.13	0.19	9.89e-1
SNHG10	52.16	0.1	0.25	9.90e-1
SNHG11	37.41	0.11	0.25	9.90e-1

SNHG12	73.89	0.14	0.25	9.90e-1
SNHG15	195.07	0.06	0.23	9.93e-1
SNHG16	772.81	0.1	0.19	9.90e-1
SNHG17	262.34	0.12	0.22	9.90e-1
SNHG19	29.13	-0.22	0.25	9.73e-1
SNHG20	55.41	-0.19	0.25	9.87e-1
SNHG21	31.55	0.04	0.25	9.93e-1
SNHG3	547.4	0.45	0.2	5.83e-1
SNHG4	123.13	-0.08	0.24	9.90e-1
SNHG5	773.06	0.58	0.2	2.15e-1
SNHG6	208.83	0.44	0.22	6.69e-1
SNHG7	249.08	0.01	0.23	9.96e-1
SNHG8	75.28	0.35	0.25	8.87e-1
SNIP1	220.24	-0.05	0.22	9.93e-1
SNN	435.25	0.7	0.21	1.04e-1
SNORA18	25.63	0.27	0.24	9.49e-1
SNORA40	34.27	0.15	0.25	9.90e-1
SNORA6	17.21	0.4	0.23	7.98e-1
SNORA61	31.68	0.49	0.25	6.87e-1
SNORA64	15.3	0.23	0.23	9.58e-1
SNORA67	18.52	0.07	0.24	9.93e-1
SNORA70	12.77	0.19	0.21	9.74e-1
SNORA8	29.32	0.17	0.25	9.89e-1
SNORA9	28.91	0.33	0.25	9.12e-1
SNORD10	14.52	-0.14	0.23	9.90e-1
SNORD101	10.8	0.01	0.21	9.96e-1
SNORD102	14.58	0.31	0.23	8.94e-1
SNORD104	29.34	-0.25	0.25	9.59e-1
SNORD16	12.41	-0.02	0.22	9.95e-1
SNORD17	91.82	-0.55	0.25	5.68e-1
SNORD22	13.22	0.18	0.22	9.81e-1
SNORD25	11.03	0.07	0.21	9.91e-1
SNORD26	30.94	-0.09	0.25	9.90e-1
SNORD30	13.13	-0.01	0.22	9.96e-1
SNORD31	20.14	0.17	0.24	9.87e-1
SNORD35A	12.84	-0.12	0.22	9.90e-1
SNORD35B	15.71	0.04	0.23	9.93e-1
SNORD44	18.11	0.12	0.23	9.90e-1
SNORD47	13.21	0.21	0.22	9.61e-1
SNORD58A	11.04	0.05	0.2	9.93e-1
SNORD76	15.77	-0.17	0.23	9.87e-1
SNORD88B	38.61	-0.44	0.24	7.41e-1
SNRK	152.6	0.11	0.23	9.90e-1
SNRNP200	4033.48	-0.16	0.18	9.73e-1
SNRNP25	329.12	-0.08	0.21	9.90e-1
SNRNP27	228.68	-0.2	0.22	9.66e-1
SNRNP35	130.93	-0.54	0.24	5.68e-1
SNRNP40	692.94	0.04	0.19	9.93e-1
SNRNP48	228.66	0.16	0.23	9.87e-1
SNRNP70	2108.56	-0.55	0.23	4.46e-1
SNRPA	1032.92	-0.3	0.21	8.64e-1
SNRPA1	810.46	-0.04	0.19	9.93e-1
SNRPB	1095.81	-0.32	0.22	8.64e-1
SNRPB2	410.98	-0.2	0.2	9.58e-1
SNRPC	756.87	-0.15	0.2	9.86e-1
SNRPD1	909.74	-0.02	0.2	9.93e-1
SNRPD2	742.2	-0.05	0.2	9.93e-1
SNRPD3	1251.21	-0.27	0.19	8.73e-1
SNRPE	328.74	0.25	0.21	9.47e-1
SNRPF	520.75	-0.19	0.2	9.64e-1
SNRPG	348.51	-0.21	0.21	9.54e-1
SNTA1	31.17	-0.27	0.25	9.49e-1
SNB2	270.09	-0.05	0.22	9.93e-1
SNUPN	259.51	0.21	0.22	9.61e-1
SNW1	691.27	0.04	0.2	9.93e-1
SNX1	724.51	0.01	0.19	9.98e-1
SNX10	263.27	0.27	0.23	9.47e-1
SNX11	162.01	0.25	0.23	9.49e-1
SNX12	245.13	-0.24	0.22	9.47e-1
SNX13	302.01	0.15	0.22	9.89e-1
SNX14	452.27	0.23	0.21	9.47e-1
SNX16	35.89	0.42	0.25	8.14e-1
SNX17	198.09	0.14	0.23	9.90e-1
SNX18	76.31	-0.26	0.25	9.53e-1
SNX19	208.18	-0.06	0.22	9.93e-1
SNX2	989.64	0.02	0.2	9.95e-1
SNX22	399.97	-0.13	0.21	9.90e-1
SNX25	307.51	0.14	0.22	9.90e-1
SNX27	376.64	-0.04	0.21	9.93e-1
SNX29	367.82	0.06	0.21	9.93e-1
SNX29P1	17.19	0.16	0.23	9.88e-1
SNX29P2	214.94	0.49	0.23	5.91e-1
SNX3	917.18	0.3	0.2	8.52e-1

SNX30	279.51	-0.01	0.21	9.96e-1
SNX4	313.08	0.46	0.22	6.21e-1
SNX5	1335.25	0.29	0.19	8.52e-1
SNX6	480.48	0.18	0.22	9.83e-1
SNX8	638.08	-0.1	0.22	9.90e-1
SOAT1	443.18	0.15	0.21	9.87e-1
SOBP	307.35	-0.31	0.21	8.64e-1
SOC51	67.69	0.45	0.25	7.57e-1
SOC54	401.16	0.14	0.22	9.90e-1
SOC55	136.76	0.04	0.24	9.93e-1
SOC57	306.78	0.03	0.21	9.93e-1
SOD1	1395.05	0.19	0.19	9.51e-1
SOD2	496.15	-0.11	0.2	9.90e-1
SOGA1	357.96	-0.01	0.22	9.96e-1
SON	3636.84	-0.11	0.18	9.90e-1
SORD	40.17	-0.09	0.25	9.90e-1
SORL1	1344.99	0.77	0.19	1.19e-2
SOS1	792.42	-0.12	0.2	9.90e-1
SOS2	258.24	0.57	0.22	3.77e-1
SOX12	342.61	-0.46	0.23	6.79e-1
SOX4	90.65	-0.36	0.25	8.64e-1
SOX5	62.62	-0.41	0.25	8.30e-1
SP1	1051.22	-0.06	0.19	9.91e-1
SP100	497.57	0.11	0.21	9.90e-1
SP110	576.64	-0.57	0.2	2.52e-1
SP140	485.92	-0.27	0.2	9.07e-1
SP140L	76.77	-0.3	0.25	9.42e-1
SP2	423.67	-0.41	0.23	7.57e-1
SP3	897.57	0.12	0.2	9.90e-1
SP4	190.02	-0.13	0.23	9.90e-1
SPAG1	17.32	-0.07	0.23	9.91e-1
SPAG5	1007.24	-0.07	0.19	9.90e-1
SPAG7	227.57	0.17	0.22	9.86e-1
SPAG9	815.77	0.17	0.21	9.81e-1
SPARCL1	605.61	-0.37	0.2	7.14e-1
SPAST	417.66	0.07	0.21	9.90e-1
SPATA13	612.88	-0.39	0.2	6.69e-1
SPATA2	218.91	0.04	0.22	9.93e-1
SPATA24	11.82	-0.09	0.22	9.90e-1
SPATA2L	13.63	-0.06	0.22	9.93e-1
SPATA33	78.79	-0.16	0.25	9.90e-1
SPATA5	112.53	-0.08	0.24	9.90e-1
SPATA5L1	132.14	0.3	0.23	9.17e-1
SPATA7	14.75	0.19	0.22	9.74e-1
SPATS2	418.22	-0.22	0.21	9.49e-1
SPC24	77.56	-0.26	0.25	9.49e-1
SPC25	145.32	-0.11	0.23	9.90e-1
SPCS1	355.11	0.33	0.21	8.38e-1
SPCS2	423.04	0.19	0.2	9.66e-1
SPCS3	1240.53	0.35	0.2	7.79e-1
SPDL1	347	0.23	0.22	9.49e-1
SPECC1	87.35	0.03	0.25	9.93e-1
SPECC1L	211.41	0.05	0.23	9.93e-1
SPEN	1874.2	-0.39	0.19	5.99e-1
SPG11	391.94	0.29	0.21	9.06e-1
SPG21	735.6	0.43	0.2	6.03e-1
SPG7	398.15	0.06	0.2	9.93e-1
SPHK2	256.44	-0.38	0.25	8.52e-1
SPI1	451.87	-0.42	0.22	7.04e-1
SPIB	1599.24	-0.06	0.22	9.93e-1
SPICE1	134	0.18	0.24	9.87e-1
SPIDR	361.11	-0.09	0.21	9.90e-1
SPIN1	594.85	-0.01	0.21	9.96e-1
SPINK2	18.86	0.11	0.24	9.90e-1
SPINT2	192.57	0.19	0.23	9.80e-1
SPIRE1	218.36	-0.07	0.22	9.91e-1
SPIRE2	13.4	0.27	0.21	9.25e-1
SPN	75.26	-0.11	0.25	9.90e-1
SPNS1	264.21	-0.08	0.24	9.91e-1
SPOCK2	30.73	-0.08	0.25	9.91e-1
SPOP	394.96	0.09	0.21	9.90e-1
SPOPL	105.12	0.03	0.25	9.93e-1
SPPL2A	120.02	0.44	0.24	7.41e-1
SPPL2B	279.47	-0.27	0.24	9.47e-1
SPPL3	277.72	0.35	0.21	8.15e-1
SPRED1	149.88	0.77	0.24	1.12e-1
SPRED2	158.71	0.35	0.23	8.53e-1
SPRED3	11.67	-0.09	0.21	9.90e-1
SPRTN	118.52	-0.01	0.24	9.96e-1
SPRYD3	241.65	-0.26	0.24	9.49e-1
SPRYD4	106.48	-0.28	0.24	9.47e-1
SPRYD7	115.93	0.08	0.24	9.91e-1
SPSB1	84.09	0.39	0.25	8.40e-1

SPSB2	15.6	-0.09	0.21	9.90e-1
SPSB3	36.01	-0.07	0.25	9.93e-1
SPTAN1	1741.69	-0.04	0.18	9.93e-1
SPTLC1	489.84	0.09	0.21	9.90e-1
SPTLC2	586.86	0.49	0.2	4.66e-1
SPTSSA	328.35	-0.05	0.22	9.93e-1
SPTY2D1	325.13	-0.05	0.21	9.93e-1
SQLE	1480.16	-0.09	0.19	9.90e-1
SQSTM1	1581.52	0.39	0.2	6.87e-1
SRA1	68.75	0.18	0.25	9.87e-1
SRBD1	154.35	0.05	0.23	9.93e-1
SRC	31.51	0.59	0.25	5.09e-1
SRCAP	2663.3	-0.52	0.2	3.80e-1
SRD5A1	129.55	0.37	0.24	8.49e-1
SRD5A3	239.4	0.17	0.23	9.87e-1
SREBF1	753.25	-0.38	0.23	8.12e-1
SREBF2	2141.34	-0.06	0.2	9.91e-1
SREK1	856.55	-0.49	0.19	3.80e-1
SREK1IP1	113.89	-0.09	0.25	9.90e-1
SRF	869.91	-0.56	0.22	4.11e-1
SRFBP1	106.38	0.06	0.25	9.93e-1
SRGAP2	265.98	-0.24	0.21	9.47e-1
SRGAP2B	118.66	0.07	0.24	9.92e-1
SRGN	67.23	0.02	0.25	9.96e-1
SRI	393.32	0.24	0.21	9.47e-1
SRM	1870.14	-0.2	0.19	9.49e-1
SRP14	1260.39	-0.2	0.19	9.49e-1
SRP14-AS1	19.4	0.13	0.24	9.90e-1
SRP19	259.37	-0.17	0.21	9.81e-1
SRP54	798.33	0.11	0.2	9.90e-1
SRP68	715.37	0.27	0.2	8.91e-1
SRP72	1777	-0.08	0.19	9.90e-1
SRP9	688.87	0.19	0.2	9.63e-1
SRPK1	2250.2	-0.09	0.19	9.90e-1
SRPK2	408.81	-0.37	0.2	7.41e-1
SRPR	1050.98	0.06	0.19	9.92e-1
SRPRB	522.72	0.19	0.2	9.60e-1
SRR	36.64	0.15	0.25	9.90e-1
SRRD	228.97	0.14	0.22	9.90e-1
SRRM1	2644.17	-0.56	0.19	2.00e-1
SRRM2	12829.03	-0.49	0.19	3.52e-1
SRRT	2286.25	-0.38	0.2	7.04e-1
SRSF1	4253.35	-0.05	0.18	9.93e-1
SRSF10	1984.21	-0.03	0.19	9.93e-1
SRSF11	1587.93	-0.42	0.18	5.45e-1
SRSF2	2764.71	0.15	0.18	9.81e-1
SRSF3	2415.06	0.21	0.19	9.49e-1
SRSF4	1011.42	0.05	0.19	9.93e-1
SRSF5	1603.73	-0.08	0.18	9.90e-1
SRSF6	2255.39	0.11	0.18	9.90e-1
SRSF7	1315.47	0.04	0.19	9.93e-1
SRSF8	371.23	0.04	0.21	9.93e-1
SRSF9	645.21	0.33	0.2	7.97e-1
SRXN1	419.86	-0.07	0.2	9.90e-1
SS18	1323.35	-0.25	0.19	9.06e-1
SS18L1	140.35	0.11	0.23	9.90e-1
SS18L2	96.17	0.31	0.25	9.29e-1
SSB	2153.09	-0.27	0.18	8.59e-1
SSBP1	986.99	-0.09	0.19	9.90e-1
SSBP2	294.08	-0.04	0.21	9.93e-1
SSBP3	584.53	-0.5	0.22	5.36e-1
SSBP4	160.15	-0.4	0.25	8.40e-1
SSC5D	16.25	-0.01	0.22	9.96e-1
SSFA2	145.44	0.06	0.23	9.93e-1
SSH1	222.49	0.01	0.22	9.96e-1
SSH2	855.23	-0.3	0.19	8.38e-1
SSH3	10.9	-0.07	0.21	9.91e-1
SSNA1	258.91	0	0.23	1.00e+0
SSR1	1562.26	0.32	0.2	8.40e-1
SSR2	698.52	0.07	0.2	9.90e-1
SSR3	665.1	0.34	0.2	8.12e-1
SSR4	357.82	0.02	0.22	9.93e-1
SSRP1	4060.1	0.02	0.18	9.93e-1
SSSCA1	124.5	-0.26	0.24	9.49e-1
SSU72	765.05	0.42	0.2	6.10e-1
SSX2IP	229.83	0.08	0.23	9.90e-1
ST13	2178.82	0.06	0.18	9.91e-1
ST14	904.65	-0.25	0.21	9.40e-1
ST20	20.96	0.16	0.24	9.90e-1
ST20-AS1	13.34	-0.12	0.22	9.90e-1
ST3GAL1	59.53	0.45	0.25	7.56e-1
ST3GAL2	367.62	-0.16	0.23	9.87e-1
ST3GAL3	119.66	0.43	0.24	7.36e-1

ST3GAL4	60.06	-0.07	0.25	9.93e-1
ST3GAL5	14.34	-0.04	0.22	9.93e-1
ST6GAL1	3898.56	0.27	0.18	8.52e-1
ST6GALNAC4	414.42	-0.39	0.24	8.38e-1
ST6GALNAC6	166.3	-0.29	0.24	9.39e-1
ST7	241.77	-0.13	0.22	9.90e-1
ST7L	40.98	0	0.25	9.99e-1
ST8SIA4	66.31	0.11	0.25	9.90e-1
STAC3	48.8	-0.05	0.25	9.93e-1
STAG1	404.98	0.01	0.21	9.96e-1
STAG2	1473.48	0.14	0.2	9.87e-1
STAG3	11.19	-0.23	0.21	9.49e-1
STAG3L1	62.54	-0.3	0.25	9.42e-1
STAG3L2	163.79	-0.51	0.24	5.92e-1
STAG3L4	63.28	0.04	0.25	9.93e-1
STAG3L5P-PVRIG2P-PILRB	327.87	-0.34	0.22	8.44e-1
STAM	195.79	-0.13	0.23	9.90e-1
STAM2	235.65	0.3	0.23	9.12e-1
STAMBP	358.56	0.09	0.21	9.90e-1
STAMBPL1	110.82	0.27	0.24	9.49e-1
STAP1	437.19	-0.2	0.2	9.58e-1
STARD10	15.51	0	0.23	9.99e-1
STARD3	199.01	-0.09	0.24	9.90e-1
STARD3NL	144.95	0.26	0.23	9.47e-1
STARD4	190.85	0.26	0.23	9.47e-1
STARD5	17.13	0.11	0.23	9.90e-1
STARD7	2149.8	0	0.19	9.99e-1
STARD7-AS1	29.35	0.27	0.25	9.49e-1
STARD9	32.16	-0.28	0.25	9.47e-1
STAT1	217.72	0.45	0.23	6.59e-1
STAT2	304.64	0.29	0.21	8.98e-1
STAT3	340.89	-0.09	0.21	9.90e-1
STAT5B	644.64	-0.06	0.2	9.91e-1
STAT6	2865.76	-0.3	0.21	8.75e-1
STAU1	2067.16	-0.21	0.18	9.47e-1
STAU2	432.11	-0.1	0.21	9.90e-1
STIL	939.36	-0.03	0.19	9.93e-1
STIM1	461.15	0.07	0.2	9.90e-1
STIM2	550.03	-0.26	0.2	9.25e-1
STIP1	3138.04	-0.4	0.18	5.71e-1
STK10	663.74	0.01	0.2	9.96e-1
STK11	323.33	-0.04	0.22	9.93e-1
STK11IP	282.1	-0.34	0.24	8.66e-1
STK16	98.19	0.07	0.24	9.92e-1
STK17A	634.28	0.42	0.21	6.69e-1
STK17B	1136.68	0.18	0.2	9.76e-1
STK19	45.24	0.19	0.25	9.87e-1
STK24	1105.24	0.1	0.2	9.90e-1
STK25	323.14	-0.09	0.23	9.90e-1
STK26	602.73	-0.03	0.2	9.93e-1
STK3	23.87	-0.05	0.25	9.93e-1
STK32C	13.78	0.09	0.23	9.90e-1
STK33	89.99	0.17	0.25	9.88e-1
STK35	730.54	-0.37	0.2	7.41e-1
STK36	308.94	0.08	0.22	9.90e-1
STK38	567.88	-0.15	0.2	9.86e-1
STK38L	226.28	0.11	0.22	9.90e-1
STK39	560.4	-0.02	0.2	9.93e-1
STK4	1874.71	0.08	0.19	9.90e-1
STK40	1171.48	-0.02	0.22	9.96e-1
STMN1	1813.73	0.44	0.19	5.37e-1
STOML1	14.57	-0.13	0.22	9.90e-1
STOML2	649.46	-0.05	0.19	9.93e-1
STOX1	31.11	0.07	0.25	9.93e-1
STRA13	172.04	-0.14	0.24	9.90e-1
STRADA	210.45	-0.1	0.22	9.90e-1
STRADB	119.97	0.25	0.24	9.52e-1
STRAP	1209.51	-0.03	0.19	9.93e-1
STRBP	1890.16	0.06	0.19	9.90e-1
STRIP1	196.31	0.02	0.22	9.95e-1
STRIP2	117.39	0.21	0.24	9.74e-1
STRN	666.61	-0.04	0.21	9.93e-1
STRN3	224.46	0.03	0.22	9.93e-1
STRN4	731.21	-0.25	0.23	9.49e-1
STS	593.41	0.56	0.2	3.01e-1
STT3A	1588.21	0.09	0.19	9.90e-1
STT3B	1211.28	0.37	0.2	7.22e-1
STUB1	365.19	-0.16	0.21	9.87e-1
STX10	149.19	-0.1	0.23	9.90e-1
STX11	14.36	0	0.23	9.98e-1
STX12	231.67	0.36	0.22	8.33e-1
STX16	655.83	0.03	0.2	9.93e-1
STX17	268.18	0.02	0.22	9.95e-1

STX18	226.85	0.07	0.22	9.91e-1
STX18-AS1	46.19	-0.02	0.25	9.95e-1
STX1A	41.03	-0.43	0.25	7.94e-1
STX2	141.07	0.27	0.24	9.47e-1
STX3	235.07	0.44	0.22	6.54e-1
STX4	133.57	-0.07	0.24	9.91e-1
STX5	121.8	0.43	0.24	7.33e-1
STX6	198.33	-0.1	0.22	9.90e-1
STX7	529.53	0.05	0.21	9.93e-1
STX8	135.94	-0.03	0.23	9.93e-1
STXBP1	434.66	-0.15	0.2	9.87e-1
STXBP2	260.37	-0.24	0.22	9.49e-1
STXBP3	221.87	0.44	0.23	7.04e-1
STXBP4	50.15	-0.04	0.25	9.93e-1
STXBP5	155.1	0.04	0.23	9.93e-1
STYX	341.4	-0.22	0.22	9.56e-1
STYXL1	129.49	0.15	0.23	9.90e-1
SUB1	515.31	0.17	0.21	9.81e-1
SUCLA2	381.22	0.12	0.21	9.90e-1
SUCLG1	361.21	0.31	0.21	8.52e-1
SUCLG2	321.6	0.16	0.21	9.87e-1
SUCO	348.69	0.17	0.22	9.86e-1
SUDS3	560.36	-0.05	0.2	9.93e-1
SUFU	189.42	-0.38	0.23	8.30e-1
SUGP1	318.68	-0.24	0.21	9.47e-1
SUGP2	1661.1	-0.15	0.19	9.83e-1
SUGT1	311.29	0.08	0.21	9.90e-1
SULT1A1	221.35	-0.32	0.23	8.90e-1
SUMF1	20.2	-0.14	0.24	9.90e-1
SUMF2	610.49	0.02	0.22	9.93e-1
SUMO1	721.91	0.04	0.2	9.93e-1
SUMO1P3	11.49	0.08	0.21	9.90e-1
SUMO2	1230.97	0.09	0.19	9.90e-1
SUMO3	666.52	-0.07	0.19	9.90e-1
SUN1	673.09	0.02	0.19	9.94e-1
SUN2	107.76	-0.21	0.25	9.81e-1
SUPT16H	7734.63	-0.21	0.18	9.47e-1
SUPT20H	447.9	-0.2	0.2	9.58e-1
SUPT3H	35.38	0.08	0.25	9.91e-1
SUPT4H1	309.39	0.18	0.21	9.81e-1
SUPT5H	2209.12	-0.43	0.21	6.60e-1
SUPT6H	1399.34	-0.27	0.19	8.77e-1
SUPT7L	349.92	-0.08	0.21	9.90e-1
SUPV3L1	737.22	0.28	0.2	8.73e-1
SURF1	63.65	0.41	0.25	8.30e-1
SURF2	128.96	-0.4	0.24	8.10e-1
SURF4	932.12	0.24	0.19	9.30e-1
SURF6	610.94	-0.25	0.21	9.47e-1
SUSD3	353.47	0.34	0.21	8.30e-1
SUSD6	370.77	-0.12	0.21	9.90e-1
SUV39H1	251.24	-0.29	0.23	9.13e-1
SUV39H2	324.2	-0.1	0.22	9.90e-1
SUV420H1	233.73	0.13	0.22	9.90e-1
SUV420H2	61.31	0.04	0.25	9.93e-1
SUZ12	1533.44	0	0.2	9.98e-1
SUZ12P1	71.71	0.34	0.25	9.06e-1
SVBP	68.23	0.01	0.25	9.96e-1
SWAP70	3674.13	0.48	0.19	3.77e-1
SWI5	71.02	-0.11	0.25	9.90e-1
SWSAP1	42.71	-0.55	0.25	5.86e-1
SWT1	18.37	0.28	0.24	9.42e-1
SYAP1	324.15	0.05	0.21	9.93e-1
SYBU	21.17	-0.38	0.24	8.40e-1
SYCE2	12.84	0	0.22	9.98e-1
SYF2	225.56	0.28	0.22	9.25e-1
SYK	1509.64	-0.41	0.18	5.79e-1
SYMPK	1499.54	-0.25	0.2	9.25e-1
SYNCRIP	7510.84	-0.4	0.18	5.76e-1
SYNE1	283.37	0.41	0.21	7.03e-1
SYNE2	2643.83	-0.17	0.19	9.71e-1
SYNGAP1	706.38	-0.43	0.22	6.88e-1
SYNGR2	1305.65	0.4	0.21	6.93e-1
SYNGR3	73.56	0.29	0.25	9.47e-1
SYNJ1	68.98	-0.04	0.25	9.93e-1
SYNJ2	425.66	0.03	0.2	9.93e-1
SYNPO	49.26	-0.15	0.25	9.90e-1
SYNRG	329.64	0.06	0.21	9.93e-1
SYP	30.15	-0.12	0.25	9.90e-1
SYPL1	1435.04	0.32	0.2	8.38e-1
SYS1	357.36	0.69	0.21	1.03e-1
SYTL1	22.16	0.12	0.24	9.90e-1
SYVN1	3482.81	-0.24	0.2	9.42e-1
SZRD1	1504.46	-0.48	0.21	5.68e-1

SZT2	650.89	-0.32	0.21	8.54e-1
TAB1	411.04	-0.18	0.22	9.81e-1
TAB2	481.35	-0.14	0.2	9.87e-1
TAB3	586.49	-0.27	0.21	9.17e-1
TACC1	1417.32	0.25	0.19	9.12e-1
TACC3	1352.43	-0.21	0.19	9.49e-1
TACO1	185.93	0.23	0.23	9.54e-1
TADA1	173.97	0.15	0.23	9.89e-1
TADA2A	180.31	0.12	0.22	9.90e-1
TADA2B	151.25	-0.1	0.23	9.90e-1
TADA3	201.49	-0.05	0.23	9.93e-1
TAF1	477.6	0.15	0.2	9.87e-1
TAF10	126.24	0.06	0.24	9.93e-1
TAF11	174.69	-0.22	0.23	9.59e-1
TAF12	177.74	-0.16	0.23	9.88e-1
TAF13	104.07	-0.01	0.24	9.98e-1
TAF15	3293.84	-0.66	0.2	8.97e-2
TAF1A	54.98	-0.02	0.25	9.95e-1
TAF1B	87.12	-0.02	0.25	9.93e-1
TAF1C	535.46	-0.36	0.24	8.61e-1
TAF1D	451.13	-0.18	0.22	9.84e-1
TAF2	703.01	-0.08	0.2	9.90e-1
TAF3	239.02	-0.32	0.22	8.64e-1
TAF4	450.33	0.12	0.2	9.90e-1
TAF4B	802.4	0.06	0.2	9.91e-1
TAF5	258.71	0.05	0.22	9.93e-1
TAF5L	425.22	-0.09	0.21	9.90e-1
TAF6	738.53	-0.31	0.21	8.64e-1
TAF6L	130.27	-0.04	0.25	9.93e-1
TAF7	1083.39	0.09	0.19	9.90e-1
TAF8	273.92	0.36	0.21	8.04e-1
TAF9	504.17	-0.12	0.2	9.90e-1
TAF9B	170.29	-0.11	0.23	9.90e-1
TAGAP	435.52	0.41	0.2	6.54e-1
TAGLN2	2825.32	-0.24	0.19	9.33e-1
TALDO1	1387.49	0.05	0.19	9.93e-1
TAMM41	95.31	0.05	0.24	9.93e-1
TANC1	419.25	-0.06	0.2	9.92e-1
TANGO2	137.78	-0.06	0.23	9.93e-1
TANGO6	205.57	-0.04	0.22	9.93e-1
TANK	371.97	0.34	0.21	8.36e-1
TAOK1	686.47	0.11	0.2	9.90e-1
TAOK2	465.03	-0.27	0.22	9.43e-1
TAOK3	759.49	0.08	0.19	9.90e-1
TAP1	595.51	0.04	0.21	9.93e-1
TAP2	2147.07	-0.25	0.19	9.04e-1
TAPBP	1757.58	-0.11	0.21	9.90e-1
TAPBPL	44.57	-0.09	0.25	9.90e-1
TAPT1	199.36	0.04	0.23	9.93e-1
TAPT1-AS1	10.81	-0.02	0.21	9.95e-1
TARBP1	338.63	0.3	0.21	8.78e-1
TARBP2	184.37	-0.03	0.24	9.93e-1
TARDBP	2457.2	-0.06	0.19	9.91e-1
TARS	1006.58	0.4	0.19	6.14e-1
TARS2	632.46	-0.13	0.2	9.89e-1
TARSL2	191.26	-0.13	0.23	9.90e-1
TASPI	74.99	0.04	0.25	9.93e-1
TATDN1	158.17	0.34	0.24	8.66e-1
TATDN2	809.07	-0.16	0.19	9.81e-1
TATDN3	117	0.33	0.24	9.07e-1
TAX1BP1	990.97	0.11	0.2	9.90e-1
TAZ	82.41	0.14	0.25	9.90e-1
TBC1D1	812.73	0.24	0.2	9.39e-1
TBC1D10A	84.17	-0.33	0.25	9.11e-1
TBC1D10B	432.57	-0.13	0.24	9.90e-1
TBC1D10C	153.78	-0.36	0.25	8.73e-1
TBC1D12	117.22	0.08	0.24	9.91e-1
TBC1D13	274.96	-0.21	0.22	9.58e-1
TBC1D14	937.41	-0.03	0.19	9.93e-1
TBC1D15	163.71	0.07	0.23	9.91e-1
TBC1D17	117.22	-0.05	0.25	9.93e-1
TBC1D19	22.81	0.15	0.24	9.90e-1
TBC1D2	19.95	-0.05	0.24	9.93e-1
TBC1D20	244.9	0.09	0.22	9.90e-1
TBC1D22A	310.76	-0.05	0.22	9.93e-1
TBC1D22B	226.32	-0.11	0.22	9.90e-1
TBC1D23	212.63	0.17	0.23	9.87e-1
TBC1D24	286.54	-0.44	0.24	7.36e-1
TBC1D25	116.92	-0.01	0.24	9.96e-1
TBC1D28	394.43	-0.1	0.2	9.90e-1
TBC1D31	81.2	0.03	0.25	9.93e-1
TBC1D32	37.62	0.01	0.25	9.97e-1
TBC1D4	232.96	0.1	0.22	9.90e-1

TBC1D5	441.18	0.02	0.2	9.93e-1
TBC1D7	31.69	0.19	0.25	9.87e-1
TBC1D8B	34.51	-0.04	0.25	9.93e-1
TBC1D9	91.48	-0.57	0.24	5.31e-1
TBC1D9B	860.72	0.01	0.21	9.96e-1
TBCA	618.5	0.09	0.2	9.90e-1
TBCB	274.57	0.23	0.21	9.49e-1
TBCC	96.39	0.06	0.24	9.93e-1
TBCCD1	124.18	0.33	0.24	8.89e-1
TBCD	498.33	-0.08	0.2	9.90e-1
TBCE	197.11	0.14	0.23	9.90e-1
TBCEL	65.98	0.18	0.25	9.87e-1
TBCK	108	0.32	0.24	9.10e-1
TBK1	489.81	0.04	0.21	9.93e-1
TBL1X	501.07	0	0.2	9.98e-1
TBL1XR1	1138.94	0.32	0.2	8.40e-1
TBL2	286.82	-0.24	0.21	9.47e-1
TBL3	617.7	-0.32	0.23	8.73e-1
TBP	273.04	-0.31	0.21	8.64e-1
TBPL1	187.91	-0.22	0.23	9.60e-1
TBRG1	245.38	-0.13	0.22	9.90e-1
TBRG4	1107.79	-0.31	0.2	8.53e-1
TCAIM	142.47	0.13	0.23	9.90e-1
TCEA1	1652.97	0.19	0.19	9.58e-1
TCEA2	44.36	0.22	0.25	9.78e-1
TCEANC	11.88	0.06	0.21	9.93e-1
TCEANC2	139.01	0.11	0.23	9.90e-1
TCEB1	289.34	-0.11	0.21	9.90e-1
TCEB2	376.42	0.09	0.21	9.90e-1
TCEB3	1143.18	-0.38	0.19	6.34e-1
TCERG1	2215.81	-0.31	0.18	8.18e-1
TCF12	553.38	-0.1	0.21	9.90e-1
TCF19	355.38	-0.05	0.21	9.93e-1
TCF20	1390.77	0	0.19	9.99e-1
TCF25	791.57	-0.27	0.21	9.12e-1
TCF3	5377.28	-0.54	0.23	4.73e-1
TCF4	880.69	0.39	0.19	6.56e-1
TCF7L2	43.09	-0.42	0.25	8.11e-1
TCFL5	200.05	0.31	0.22	8.87e-1
TCHP	231.61	-0.22	0.22	9.58e-1
TCIRG1	82.76	-0.17	0.25	9.89e-1
TCL1A	391.4	-0.26	0.22	9.47e-1
TCL6	13.14	-0.19	0.22	9.80e-1
TCOF1	1818.41	-0.53	0.21	4.11e-1
TCONS_00029157	35.61	-0.39	0.25	8.50e-1
TCP1	4358.82	0.01	0.19	9.96e-1
TCP11L1	122.07	0	0.24	9.98e-1
TCTA	103.25	0.15	0.24	9.90e-1
TCTEX1D2	17.68	-0.05	0.23	9.93e-1
TCTN1	509.94	1.01	0.2	3.61e-4
TCTN2	26.56	0.34	0.25	9.03e-1
TCTN3	271.1	0.19	0.22	9.74e-1
TDG	725.93	-0.31	0.2	8.40e-1
TDP1	253.38	0.11	0.21	9.90e-1
TDP2	304.76	-0.12	0.21	9.90e-1
TDRD3	169.85	-0.04	0.23	9.93e-1
TDRD7	84.07	0.13	0.25	9.90e-1
TDRKH	74.45	0.12	0.25	9.90e-1
TEC	101.89	0.79	0.24	1.05e-1
TECPR1	83.03	-0.08	0.25	9.90e-1
TECPR2	120.03	-0.24	0.24	9.58e-1
TECR	763.88	-0.4	0.21	7.22e-1
TEF	164.57	-0.35	0.23	8.53e-1
TEFM	56.84	-0.12	0.25	9.90e-1
TEKT4P2	56.68	-0.24	0.25	9.66e-1
TELO2	415.05	-0.4	0.25	8.31e-1
TEP1	231.43	0.03	0.22	9.93e-1
TERF1	312.29	-0.05	0.21	9.93e-1
TERF2	469.78	-0.08	0.2	9.90e-1
TERF2IP	649.03	0.31	0.2	8.41e-1
TERT	82.75	-0.29	0.25	9.47e-1
TES	507.1	0.54	0.2	3.41e-1
TESC	114.5	0.27	0.24	9.47e-1
TESK1	587.68	-0.2	0.24	9.83e-1
TESK2	79.94	0.19	0.25	9.87e-1
TESPA1	12.2	-0.13	0.22	9.90e-1
TET2	81.08	-0.15	0.25	9.90e-1
TET3	486.8	-0.17	0.21	9.81e-1
TEX10	871.94	-0.25	0.2	9.39e-1
TEX19	32.78	0.22	0.25	9.75e-1
TEX2	225.46	-0.05	0.22	9.93e-1
TEX22	11.9	-0.07	0.21	9.91e-1
TEX261	986.22	-0.13	0.19	9.89e-1

TEX264	199.04	-0.21	0.23	9.70e-1
TEX30	14.36	0.15	0.23	9.90e-1
TEX9	62.8	-0.12	0.25	9.90e-1
TFAM	1133.28	0.07	0.2	9.90e-1
TFAP4	359.29	-0.39	0.23	8.03e-1
TFB1M	152.55	0.08	0.23	9.90e-1
TFB2M	221.25	0.06	0.22	9.93e-1
TFCP2	260.93	0.14	0.22	9.90e-1
TFDP1	2521.67	-0.03	0.18	9.93e-1
TFDP2	773.68	-0.51	0.19	3.41e-1
TFE3	334.49	-0.05	0.23	9.93e-1
TFEB	431.28	0.01	0.23	9.96e-1
TFEC	391.25	0.91	0.22	1.19e-2
TFG	272.35	0.05	0.21	9.93e-1
TFIP11	535.29	0.06	0.2	9.91e-1
TFPT	106.28	-0.14	0.25	9.90e-1
TFRC	2782.87	0.28	0.19	8.68e-1
TGD5	146.16	-0.09	0.23	9.90e-1
TGFB1	1437.32	-0.54	0.22	4.17e-1
TGFBR1	362.74	0.26	0.22	9.42e-1
TGFBR2	156.96	0.05	0.23	9.93e-1
TGFBRAP1	605.96	-0.16	0.2	9.81e-1
TGIF2	917.83	-0.34	0.2	7.73e-1
TGOLN2	927.19	-0.1	0.19	9.90e-1
TGS1	424.57	-0.2	0.21	9.58e-1
THADA	397.27	0.1	0.21	9.90e-1
THAP1	130.59	-0.12	0.24	9.90e-1
THAP11	265.53	0.16	0.22	9.87e-1
THAP2	38.9	-0.02	0.25	9.96e-1
THAP3	66.77	0.03	0.25	9.93e-1
THAP4	855.02	-0.41	0.21	6.69e-1
THAP5	346.38	-0.09	0.22	9.90e-1
THAP6	85.16	0.15	0.25	9.90e-1
THAP7	136.16	-0.21	0.25	9.80e-1
THAP7-AS1	12.12	-0.13	0.22	9.90e-1
THAP8	18.27	-0.05	0.23	9.93e-1
THAP9	72.9	0.04	0.25	9.93e-1
THAP9-AS1	186.58	0.09	0.23	9.90e-1
THBS3	40.82	0.18	0.25	9.87e-1
THEM4	44.84	0.1	0.25	9.90e-1
THEM6	74.07	-0.2	0.25	9.86e-1
THEMIS2	61.54	-0.63	0.25	4.16e-1
THG1L	166.82	0.25	0.23	9.49e-1
THNSL1	186.83	0.24	0.23	9.51e-1
THOC1	348.96	0.1	0.21	9.90e-1
THOC2	723.38	-0.03	0.2	9.93e-1
THOC3	360.61	-0.28	0.21	9.12e-1
THOC5	421.63	-0.05	0.21	9.93e-1
THOC6	329.8	-0.05	0.22	9.93e-1
THOC7	379.31	0.26	0.22	9.47e-1
THOP1	1031.02	-0.31	0.22	8.70e-1
THRA	63.12	-0.47	0.25	7.14e-1
THRAP3	3604.71	-0.33	0.18	7.56e-1
THTPA	58.75	-0.16	0.25	9.90e-1
THUMPD1	644.57	-0.06	0.21	9.91e-1
THUMPD2	62.85	-0.02	0.25	9.96e-1
THUMPD3	337.58	0.08	0.21	9.90e-1
THUMPD3-AS1	76.8	0.49	0.25	6.69e-1
THYN1	205.1	0.01	0.22	9.96e-1
TIA1	420.65	0.09	0.21	9.90e-1
TIAL1	799.23	0.08	0.19	9.90e-1
TIAM1	135.2	0.01	0.23	9.96e-1
TIAM2	261.29	0.35	0.22	8.30e-1
TICAM1	311.3	-0.28	0.22	9.16e-1
TICRR	553.6	-0.39	0.2	6.69e-1
TIFA	358.92	0.54	0.22	4.22e-1
TIGAR	222.14	0.04	0.22	9.93e-1
TIGD1	95.38	0.11	0.24	9.90e-1
TIGD2	29.92	0.11	0.25	9.90e-1
TIGD4	10.5	-0.14	0.21	9.90e-1
TIGD5	33.59	-0.12	0.25	9.90e-1
TIGD6	23.51	-0.02	0.25	9.95e-1
TIMELESS	1539.59	0.09	0.18	9.90e-1
TIMM10	265.68	-0.17	0.22	9.86e-1
TIMM10B	372.08	-0.1	0.21	9.90e-1
TIMM13	348.92	-0.14	0.23	9.90e-1
TIMM17A	542.6	-0.07	0.2	9.90e-1
TIMM17B	181.55	-0.18	0.2	9.74e-1
TIMM21	324.44	0.36	0.22	8.09e-1
TIMM22	173.87	-0.22	0.23	9.58e-1
TIMM23	275.02	0.18	0.22	9.81e-1
TIMM23B	95.48	0.09	0.24	9.90e-1
TIMM44	775.55	-0.11	0.2	9.90e-1

TIMM50	398.28	-0.02	0.21	9.93e-1
TIMM8A	91.26	0.07	0.24	9.91e-1
TIMM8B	185.25	-0.22	0.23	9.61e-1
TIMM9	169.2	0.13	0.23	9.90e-1
TIMMDC1	311.31	0.18	0.22	9.80e-1
TINF2	247.78	0.05	0.22	9.93e-1
TIPARP	86.21	0.13	0.25	9.90e-1
TIPIN	207.96	0.05	0.22	9.93e-1
TIPRL	516.97	0.21	0.21	9.58e-1
TJAP1	232.09	-0.12	0.23	9.90e-1
TJP2	268.89	-0.54	0.21	3.95e-1
TJP3	76.66	-0.22	0.25	9.80e-1
TK1	394.75	-0.15	0.22	9.88e-1
TKFC	163.43	-0.15	0.24	9.90e-1
TKT	4306.32	-0.35	0.2	7.59e-1
TLCD1	35.28	0.16	0.25	9.90e-1
TLDC1	64.85	0.1	0.25	9.90e-1
TLE3	835.53	-0.5	0.22	5.37e-1
TLE4	346.46	-0.14	0.21	9.90e-1
TLE6	25.07	0.08	0.25	9.91e-1
TLK1	830.99	0.05	0.19	9.93e-1
TLK2	385.02	0.12	0.21	9.90e-1
TLN1	2247.43	-0.09	0.19	9.90e-1
TLN2	199.75	-0.12	0.22	9.90e-1
TLR1	158.32	0.18	0.23	9.87e-1
TLR10	880.54	0.07	0.2	9.90e-1
TLR3	20.38	-0.25	0.24	9.49e-1
TLR4	69.03	0.03	0.25	9.93e-1
TLR6	171.53	0.15	0.23	9.89e-1
TLR9	942.11	-0.77	0.23	7.89e-2
TM2D1	87.95	0.06	0.24	9.93e-1
TM2D2	115.69	-0.02	0.24	9.96e-1
TM2D3	68.93	0.29	0.25	9.47e-1
TM7SF2	47.18	-0.44	0.25	7.94e-1
TM7SF3	361.38	0.32	0.21	8.52e-1
TM9SF1	180.08	0.47	0.23	6.03e-1
TM9SF2	551.57	0.31	0.21	8.56e-1
TM9SF3	1187.97	0.35	0.2	7.66e-1
TM9SF4	1107.03	-0.26	0.19	8.91e-1
TMA16	284.23	-0.06	0.21	9.92e-1
TMA7	436.05	-0.1	0.21	9.90e-1
TMBIM1	602.77	-0.31	0.2	8.40e-1
TMBIM4	35.53	0.25	0.25	9.60e-1
TMBIM6	2275.23	0.23	0.19	9.40e-1
TMC3-AS1	13.08	-0.04	0.22	9.93e-1
TMC6	252.38	0	0.24	1.00e+0
TMC8	1156.48	0.22	0.23	9.64e-1
TMCC1	121.97	0.16	0.24	9.89e-1
TMCC2	48.06	-0.32	0.25	9.29e-1
TMCO1	315.46	0.13	0.21	9.90e-1
TMCO3	89.3	0.29	0.24	9.47e-1
TMCO6	122.33	-0.11	0.24	9.90e-1
TMED1	54.33	0	0.25	1.00e+0
TMED10	1641.86	0.35	0.19	7.33e-1
TMED2	1322.27	0.35	0.19	7.41e-1
TMED3	197.57	0	0.24	9.99e-1
TMED4	403.17	0.07	0.2	9.90e-1
TMED5	772.09	-0.02	0.21	9.95e-1
TMED7	299.37	0.45	0.23	6.69e-1
TMED8	104.9	-0.44	0.24	7.36e-1
TMED9	510.08	-0.01	0.2	9.96e-1
TMEM101	123.48	-0.04	0.24	9.93e-1
TMEM102	103.45	-0.26	0.25	9.49e-1
TMEM104	172.14	-0.49	0.24	6.54e-1
TMEM106A	45.76	0.04	0.25	9.93e-1
TMEM106C	496.43	0.24	0.2	9.42e-1
TMEM107	62.29	-0.14	0.25	9.90e-1
TMEM109	1259.74	-0.36	0.22	8.30e-1
TMEM11	209.49	-0.17	0.23	9.87e-1
TMEM110	103.95	0.04	0.24	9.93e-1
TMEM115	142.12	-0.31	0.25	9.25e-1
TMEM116	97.11	0.16	0.24	9.90e-1
TMEM117	25.24	-0.09	0.25	9.90e-1
TMEM120A	115.03	0.13	0.24	9.90e-1
TMEM120B	280.43	-0.44	0.22	6.79e-1
TMEM123	3037.71	0.3	0.19	8.40e-1
TMEM126A	33.13	0.14	0.25	9.90e-1
TMEM126B	192.51	0.1	0.23	9.90e-1
TMEM127	323.53	-0.09	0.21	9.90e-1
TMEM128	47.19	0.36	0.25	8.76e-1
TMEM129	241.08	-0.09	0.21	9.90e-1
TMEM131	602.45	0.03	0.2	9.93e-1
TMEM134	62.74	-0.1	0.25	9.90e-1

TMEM135	188.29	0.18	0.23	9.83e-1
TMEM138	132.5	0.05	0.24	9.93e-1
TMEM140	10.36	-0.11	0.21	9.90e-1
TMEM141	115.48	-0.26	0.25	9.49e-1
TMEM143	106.58	-0.08	0.24	9.91e-1
TMEM147	346.33	0.26	0.22	9.45e-1
TMEM147-AS1	88.94	0.05	0.25	9.93e-1
TMEM14A	76.98	0.44	0.25	7.57e-1
TMEM14B	205.36	0.19	0.22	9.74e-1
TMEM14C	133.46	0.17	0.23	9.87e-1
TMEM156	214.23	0.19	0.23	9.81e-1
TMEM159	58.06	0.48	0.25	6.90e-1
TMEM160	25.35	-0.1	0.24	9.90e-1
TMEM161A	310.06	-0.27	0.24	9.47e-1
TMEM161B	162.19	0.18	0.23	9.86e-1
TMEM161B-AS1	10.11	0.14	0.21	9.88e-1
TMEM164	106.7	-0.13	0.24	9.90e-1
TMEM165	341.46	0.26	0.21	9.25e-1
TMEM167A	448.6	0.14	0.21	9.88e-1
TMEM167B	140.57	0.19	0.23	9.82e-1
TMEM168	29.17	0.14	0.25	9.90e-1
TMEM170A	176.17	0.05	0.23	9.93e-1
TMEM170B	205.87	0.29	0.24	9.37e-1
TMEM175	85.23	0.06	0.25	9.93e-1
TMEM177	38.31	-0.2	0.25	9.84e-1
TMEM178B	12.78	0.19	0.22	9.80e-1
TMEM179B	89.29	0.06	0.24	9.93e-1
TMEM18	89.42	0.19	0.25	9.87e-1
TMEM180	62.16	-0.04	0.25	9.93e-1
TMEM181	236.77	0.35	0.22	8.40e-1
TMEM182	22.24	0.27	0.24	9.49e-1
TMEM183A	27.9	0.12	0.25	9.90e-1
TMEM184B	329.36	-0.43	0.22	6.84e-1
TMEM184C	201.05	0.02	0.22	9.95e-1
TMEM185A	34.16	-0.01	0.25	9.98e-1
TMEM186	69.62	0.09	0.25	9.90e-1
TMEM189	165.9	-0.26	0.24	9.49e-1
TMEM19	205.05	-0.06	0.23	9.93e-1
TMEM192	335.41	-0.15	0.21	9.87e-1
TMEM198	30.66	-0.02	0.24	9.93e-1
TMEM198B	201.9	-0.34	0.23	8.52e-1
TMEM199	220.69	0.33	0.22	8.64e-1
TMEM201	639.52	-0.51	0.23	5.79e-1
TMEM203	134.53	0.51	0.24	5.91e-1
TMEM205	170.4	0.16	0.24	9.88e-1
TMEM206	76.4	0.19	0.25	9.87e-1
TMEM208	79.17	-0.01	0.25	9.98e-1
TMEM209	741.84	-0.16	0.2	9.81e-1
TMEM214	570.35	-0.14	0.21	9.88e-1
TMEM218	63.66	0.35	0.25	8.91e-1
TMEM219	77.2	0.19	0.25	9.87e-1
TMEM222	204.04	0.09	0.23	9.90e-1
TMEM223	91.91	-0.34	0.25	9.01e-1
TMEM229B	58.64	-0.35	0.25	8.96e-1
TMEM230	664.58	0.13	0.19	9.88e-1
TMEM231	123.36	0.37	0.24	8.40e-1
TMEM234	23.37	0.08	0.24	9.90e-1
TMEM237	37.76	0.1	0.25	9.90e-1
TMEM241	115.11	0.06	0.24	9.93e-1
TMEM242	42.44	0.39	0.25	8.52e-1
TMEM243	197.71	0.61	0.23	3.09e-1
TMEM245	600.79	-0.08	0.2	9.90e-1
TMEM248	918.24	0.07	0.19	9.90e-1
TMEM249	18.24	-0.08	0.23	9.91e-1
TMEM251	50.59	0.48	0.25	7.02e-1
TMEM254	41.58	0.15	0.25	9.90e-1
TMEM256	12.75	-0.06	0.22	9.93e-1
TMEM258	95.34	0.25	0.24	9.52e-1
TMEM259	1084.4	-0.16	0.22	9.87e-1
TMEM260	88.01	0.08	0.25	9.91e-1
TMEM261	147.83	0.03	0.23	9.93e-1
TMEM263	65.91	0.25	0.25	9.58e-1
TMEM265	62.18	0.18	0.25	9.87e-1
TMEM30A	1941.25	0.36	0.2	7.56e-1
TMEM33	651.02	-0.12	0.2	9.90e-1
TMEM38A	143.49	-0.08	0.23	9.91e-1
TMEM38B	256.35	0.3	0.22	9.10e-1
TMEM39A	162.72	0.29	0.23	9.25e-1
TMEM39B	207.71	0.05	0.22	9.93e-1
TMEM41A	52.48	-0.07	0.25	9.93e-1
TMEM41B	129.15	0.16	0.24	9.90e-1
TMEM43	330.3	0.03	0.21	9.93e-1
TMEM5	140.16	0.21	0.23	9.71e-1

TMEM50A	431.82	0.34	0.21	8.38e-1
TMEM50B	204.02	0.63	0.23	2.89e-1
TMEM53	40.7	-0.26	0.25	9.54e-1
TMEM55A	39.59	0.03	0.25	9.93e-1
TMEM55B	163.9	-0.08	0.24	9.90e-1
TMEM57	296.68	0.08	0.21	9.90e-1
TMEM59	362.86	0.56	0.21	3.52e-1
TMEM60	47.97	0.5	0.25	6.79e-1
TMEM62	184.13	0.08	0.23	9.90e-1
TMEM63A	159.85	-0.28	0.23	9.47e-1
TMEM63B	151.97	0.05	0.23	9.93e-1
TMEM63C	146.52	-0.36	0.24	8.53e-1
TMEM64	205.9	0.27	0.23	9.47e-1
TMEM65	129.95	0.31	0.24	9.22e-1
TMEM67	95.77	-0.04	0.25	9.93e-1
TMEM68	64.01	0.14	0.25	9.90e-1
TMEM69	478.79	-0.14	0.2	9.88e-1
TMEM70	158.08	0.27	0.24	9.47e-1
TMEM79	67.45	0.04	0.25	9.93e-1
TMEM80	75.08	0.15	0.25	9.90e-1
TMEM86B	95.22	-0.18	0.25	9.88e-1
TMEM87A	233.16	0.07	0.22	9.91e-1
TMEM87B	138.73	0.11	0.24	9.90e-1
TMEM8A	241.17	-0.17	0.24	9.88e-1
TMEM8B	39.05	-0.13	0.25	9.90e-1
TMEM9	85.96	0.13	0.25	9.90e-1
TMEM97	724.41	-0.19	0.19	9.61e-1
TMEM99	25.26	0.26	0.25	9.49e-1
TMEM9B	116.74	0.32	0.24	9.10e-1
TMF1	308.23	0.07	0.22	9.90e-1
TMLHE	75.14	-0.01	0.25	9.98e-1
TMOD2	370.71	-0.02	0.21	9.93e-1
TMOD3	359.94	-0.03	0.22	9.93e-1
TMPO	2604.66	-0.03	0.19	9.93e-1
TMPO-AS1	91.28	0.06	0.24	9.93e-1
TMPPE	26.08	0.17	0.25	9.89e-1
TMPRSS13	11	0.16	0.21	9.87e-1
TMSB10	868.17	-0.1	0.2	9.90e-1
TMSB4X	1629.65	0.96	0.19	4.96e-4
TMTC2	66.7	0.02	0.25	9.96e-1
TMTC3	106.07	0	0.24	9.99e-1
TMTC4	147.5	0.2	0.23	9.80e-1
TMUB1	373.36	-0.33	0.24	8.97e-1
TMUB2	150.52	-0.11	0.24	9.90e-1
TMX1	605.49	0.2	0.21	9.60e-1
TMX2	631.95	-0.08	0.2	9.90e-1
TMX3	371.86	0.33	0.22	8.53e-1
TMX4	665.68	0.33	0.2	8.30e-1
TNF	171.44	0.26	0.24	9.49e-1
TNFAIP1	122.85	-0.1	0.24	9.90e-1
TNFAIP3	383.95	0.53	0.21	3.77e-1
TNFAIP8	231.09	0.17	0.22	9.87e-1
TNFAIP8L1	85.5	-0.23	0.25	9.72e-1
TNFRSF10A	196.19	0.23	0.22	9.52e-1
TNFRSF10B	474.48	0.29	0.2	8.73e-1
TNFRSF13B	93.31	-0.64	0.25	3.64e-1
TNFRSF13C	82.51	-0.17	0.25	9.89e-1
TNFRSF14	172.79	0.22	0.24	9.74e-1
TNFRSF17	23.2	0.25	0.25	9.54e-1
TNFRSF1A	11.18	-0.17	0.2	9.80e-1
TNFRSF21	32.72	-0.34	0.25	9.04e-1
TNFRSF9	10.87	-0.18	0.21	9.75e-1
TNFSF9	111.89	0.13	0.25	9.90e-1
TNIP1	2131.11	-0.05	0.19	9.93e-1
TNIP2	180.48	0.24	0.23	9.50e-1
TNK2	206.14	-0.65	0.25	3.50e-1
TNKS	403.4	0.14	0.21	9.89e-1
TNKS1BP1	315.53	-0.36	0.24	8.53e-1
TNKS2	480	0.45	0.22	6.07e-1
TNPO1	2636.49	-0.04	0.2	9.93e-1
TNPO2	1285.13	-0.48	0.2	4.22e-1
TNPO3	1418.07	-0.07	0.19	9.90e-1
TNRC18	1009.43	-0.12	0.23	9.90e-1
TNRC6A	1088.68	-0.44	0.19	5.27e-1
TNRC6B	343.36	-0.33	0.22	8.52e-1
TNRC6C	42.71	-0.12	0.25	9.90e-1
TNRC6C-AS1	21.35	0.14	0.24	9.90e-1
TNS3	1635.45	-0.19	0.19	9.58e-1
TOB1	427.77	0.02	0.2	9.95e-1
TOB1-AS1	11.11	0.07	0.21	9.91e-1
TOB2	442.65	-0.43	0.22	6.90e-1
TOE1	381.56	-0.18	0.21	9.80e-1
TOLLIP	181.08	0.19	0.23	9.83e-1

TOM1	105.9	-0.04	0.25	9.93e-1
TOM1L2	90.73	0.05	0.25	9.93e-1
TOMM20	1868.47	0.24	0.19	9.25e-1
TOMM22	873.27	-0.09	0.19	9.90e-1
TOMM34	986.45	-0.25	0.19	9.12e-1
TOMM40	1608.44	-0.58	0.23	4.22e-1
TOMM40L	134.11	-0.23	0.24	9.60e-1
TOMM5	572.34	-0.17	0.2	9.80e-1
TOMM6	943.45	-0.3	0.19	8.40e-1
TOMM7	179.87	-0.28	0.24	9.47e-1
TOMM70A	1443.05	0.1	0.2	9.90e-1
TONSL	702.56	-0.43	0.24	7.41e-1
TOP1	4760.25	-0.45	0.18	4.15e-1
TOP1MT	522.66	-0.08	0.2	9.90e-1
TOP2A	3441.97	-0.13	0.19	9.88e-1
TOP2B	2492.5	0.17	0.19	9.80e-1
TOP3A	647.19	-0.29	0.19	8.64e-1
TOP3B	334.53	-0.4	0.23	7.57e-1
TOPBP1	1793.44	0.16	0.19	9.82e-1
TOPORS	366.99	-0.13	0.21	9.90e-1
TOR1A	204.39	0.25	0.22	9.47e-1
TOR1AIP1	211.62	0.24	0.22	9.49e-1
TOR1AIP2	354.94	0.04	0.21	9.93e-1
TOR1B	92.55	0.03	0.24	9.93e-1
TOR2A	90.86	0.16	0.25	9.90e-1
TOR3A	616.92	0.41	0.2	6.32e-1
TOX	50.09	-0.07	0.25	9.93e-1
TOX4	882.64	-0.5	0.2	4.11e-1
TP53	1688.38	0.1	0.2	9.90e-1
TP53BP1	809.19	-0.06	0.19	9.91e-1
TP53BP2	11.73	-0.03	0.21	9.93e-1
TP53I11	26.29	-0.37	0.25	8.62e-1
TP53I13	49.2	-0.05	0.25	9.93e-1
TP53INP1	38.93	-0.16	0.25	9.90e-1
TP53INP2	180.4	-0.13	0.23	9.90e-1
TP53RK	230.58	0.3	0.23	9.06e-1
TP63	441.34	0.01	0.2	9.97e-1
TPCN1	1288.32	-0.1	0.2	9.90e-1
TPCN2	88.2	0.2	0.25	9.81e-1
TPD52	847.2	0.24	0.21	9.47e-1
TPD52L2	888.15	-0.06	0.19	9.91e-1
TPGS1	22.98	0.01	0.23	9.96e-1
TPGS2	929.54	0.1	0.19	9.90e-1
TPI1	3998.88	-0.11	0.2	9.90e-1
TPI1P2	29.95	0.05	0.25	9.93e-1
TPK1	16.23	-0.07	0.23	9.91e-1
TPM3	3002.12	0.06	0.18	9.90e-1
TPM3P9	72.39	0.03	0.25	9.93e-1
TPM4	902.38	-0.17	0.19	9.74e-1
TPMT	212.22	-0.05	0.22	9.93e-1
TPP1	1574.53	0.07	0.18	9.90e-1
TPP2	1408.32	0.01	0.2	9.96e-1
TPR	2980.91	-0.01	0.19	9.96e-1
TPRA1	82.41	0.21	0.25	9.80e-1
TPRG1L	81.52	0.03	0.25	9.93e-1
TPRKB	108.82	-0.08	0.24	9.90e-1
TPRN	300.38	-0.37	0.24	8.42e-1
TPST2	61.58	0.18	0.25	9.87e-1
TPT1	5110.15	0.37	0.19	6.59e-1
TPT1-AS1	27.71	-0.02	0.25	9.95e-1
TPX2	2999.49	-0.22	0.18	9.42e-1
TRA2A	923.28	-0.2	0.19	9.50e-1
TRA2B	2286.03	-0.08	0.18	9.90e-1
TRABD	537.4	-0.27	0.23	9.47e-1
TRADD	33.33	-0.27	0.25	9.49e-1
TRAF1	259.74	0.53	0.22	4.62e-1
TRAF2	293.46	-0.01	0.22	9.96e-1
TRAF3	846.1	-0.19	0.19	9.59e-1
TRAF3IP1	160.9	-0.17	0.23	9.87e-1
TRAF3IP2-AS1	81.83	0.22	0.25	9.74e-1
TRAF4	1062.42	0.32	0.19	8.08e-1
TRAF5	272.16	0.07	0.22	9.91e-1
TRAF6	113.12	0.32	0.24	9.08e-1
TRAF7	1329.08	-0.55	0.22	4.22e-1
TRAFD1	271.85	-0.2	0.22	9.72e-1
TRAIP	154.45	0.07	0.23	9.92e-1
TRAK1	838.49	0	0.19	9.99e-1
TRAK2	322.15	-0.16	0.21	9.87e-1
TRAM1	1481.05	0.15	0.2	9.87e-1
TRAM2	85.43	-0.23	0.25	9.66e-1
TRAM2-AS1	20.8	0.2	0.24	9.81e-1
TRANK1	1024.13	-0.12	0.19	9.90e-1
TRAP1	1885.98	-0.13	0.19	9.87e-1

TRAPPC1	284.03	-0.02	0.21	9.95e-1
TRAPPC10	819.48	0.02	0.19	9.94e-1
TRAPPC11	427.14	0.19	0.21	9.72e-1
TRAPPC12	133.65	0.09	0.23	9.90e-1
TRAPPC13	116.94	-0.01	0.24	9.98e-1
TRAPPC2	60.86	0.14	0.25	9.90e-1
TRAPPC2L	188.91	0.19	0.22	9.80e-1
TRAPPC3	330.14	0.07	0.21	9.91e-1
TRAPPC4	167.36	0.16	0.23	9.87e-1
TRAPPC5	65.12	0.35	0.25	8.92e-1
TRAPPC6A	90.16	-0.08	0.25	9.91e-1
TRAPPC6B	195.71	0.27	0.23	9.46e-1
TRAPPC8	651.52	0.09	0.21	9.90e-1
TRAPPC9	113.58	-0.06	0.24	9.93e-1
TRDMT1	107.94	0	0.24	9.99e-1
TREML2	14.7	0.42	0.22	7.01e-1
TRERF1	254.4	-0.42	0.22	6.94e-1
TREX1	93.31	-0.06	0.25	9.93e-1
TRIAP1	189.11	-0.02	0.23	9.93e-1
TRIB1	290.06	-0.16	0.22	9.87e-1
TRIB2	127.96	0.17	0.24	9.87e-1
TRIM11	214.92	-0.17	0.24	9.87e-1
TRIM13	142.87	0.23	0.24	9.60e-1
TRIM14	1410.99	-0.2	0.19	9.54e-1
TRIM16	22.56	0.28	0.25	9.47e-1
TRIM21	132.24	0.16	0.24	9.88e-1
TRIM22	59.69	-0.18	0.25	9.87e-1
TRIM23	82.17	0.27	0.25	9.49e-1
TRIM24	834.36	-0.17	0.19	9.73e-1
TRIM25	994.35	-0.07	0.19	9.90e-1
TRIM26	874.14	-0.34	0.21	8.38e-1
TRIM27	599.3	0.02	0.2	9.93e-1
TRIM28	3377.63	-0.11	0.19	9.90e-1
TRIM32	109.94	0.11	0.24	9.90e-1
TRIM33	874.91	-0.07	0.2	9.90e-1
TRIM35	276.42	-0.22	0.22	9.59e-1
TRIM37	640.67	0.04	0.2	9.93e-1
TRIM38	198.69	0.06	0.22	9.93e-1
TRIM39	101.11	-0.07	0.24	9.93e-1
TRIM4	121.35	0.51	0.24	5.91e-1
TRIM41	378.93	-0.23	0.23	9.58e-1
TRIM44	1531.85	0.13	0.18	9.87e-1
TRIM52	72.4	-0.31	0.25	9.25e-1
TRIM52-AS1	40.01	-0.02	0.25	9.94e-1
TRIM56	532.25	-0.6	0.23	3.50e-1
TRIM59	178.26	0.12	0.23	9.90e-1
TRIM62	138.55	-0.33	0.24	8.92e-1
TRIM65	431.44	-0.37	0.22	7.89e-1
TRIM66	178.71	-0.17	0.23	9.87e-1
TRIM8	407.15	-0.09	0.22	9.90e-1
TRIM9	222.2	-0.19	0.22	9.74e-1
TRIO	737.55	-0.21	0.19	9.49e-1
TRIOBP	153.53	-0.08	0.24	9.91e-1
TRIP11	375.33	-0.02	0.21	9.93e-1
TRIP12	1582.37	0.03	0.19	9.93e-1
TRIP13	564.41	0.01	0.2	9.96e-1
TRIP4	145.95	-0.03	0.23	9.93e-1
TRIT1	465.97	-0.01	0.2	9.96e-1
TRMT1	768.89	-0.13	0.22	9.90e-1
TRMT10A	148.56	-0.12	0.23	9.90e-1
TRMT10B	22.89	-0.07	0.25	9.93e-1
TRMT10C	271.34	0.07	0.22	9.91e-1
TRMT11	152.15	0	0.23	9.98e-1
TRMT112	218.01	0.11	0.22	9.90e-1
TRMT12	85.13	0.02	0.25	9.96e-1
TRMT13	191.67	0.05	0.23	9.93e-1
TRMT1L	236.19	0.32	0.22	8.73e-1
TRMT2A	413.14	-0.34	0.23	8.73e-1
TRMT2B	131.53	0.16	0.24	9.90e-1
TRMT44	73.96	-0.16	0.25	9.90e-1
TRMT5	250.26	0.16	0.23	9.87e-1
TRMT6	745.18	-0.17	0.19	9.74e-1
TRMT61A	306.51	-0.37	0.24	8.51e-1
TRMT61B	120.81	0.21	0.24	9.74e-1
TRMU	186.28	0.02	0.22	9.93e-1
TRNAU1AP	94.78	0.29	0.24	9.42e-1
TRNT1	246	-0.03	0.22	9.93e-1
TROAP	625.19	-0.59	0.22	3.48e-1
TROVE2	159.17	0.02	0.23	9.95e-1
TRPC4AP	519.72	-0.02	0.2	9.94e-1
TRPM7	978.43	0.23	0.2	9.47e-1
TRPS1	75.78	-0.18	0.25	9.87e-1
TRPT1	42.51	0.03	0.25	9.93e-1

TRPV1	11.52	0.06	0.21	9.93e-1
TRPV2	294.03	0.01	0.21	9.96e-1
TRRAP	1745.85	-0.18	0.19	9.61e-1
TRUB1	495.01	0.16	0.22	9.87e-1
TRUB2	470.68	-0.11	0.2	9.90e-1
TSC1	661.36	0.38	0.2	6.90e-1
TSC2	717.39	-0.24	0.21	9.47e-1
TSC22D1	346.27	0	0.21	9.98e-1
TSC22D2	164.96	-0.15	0.23	9.90e-1
TSC22D3	76.24	-0.15	0.25	9.90e-1
TSC22D4	385.84	-0.47	0.25	6.93e-1
TSEN15	175.95	0.65	0.24	2.89e-1
TSEN2	251.81	0.01	0.22	9.97e-1
TSEN34	117.95	-0.12	0.25	9.90e-1
TSEN54	227.47	0.09	0.23	9.90e-1
TSFM	345.28	-0.22	0.21	9.49e-1
TSG101	392.31	0.21	0.21	9.58e-1
TSGA10	16.34	0.06	0.23	9.93e-1
TSHZ1	298.28	-0.08	0.21	9.90e-1
TSN	455.67	-0.05	0.2	9.93e-1
TSNARE1	22.72	0.2	0.23	9.80e-1
TSNAX	99.66	0.23	0.24	9.66e-1
TSPAN14	1232.6	-0.05	0.2	9.93e-1
TSPAN17	140.6	-0.25	0.24	9.54e-1
TSPAN3	459.04	0.25	0.2	9.39e-1
TSPAN33	162.85	0.22	0.23	9.61e-1
TSPAN4	20.72	0.09	0.24	9.90e-1
TSPO	12.2	-0.03	0.2	9.93e-1
TSPYL1	834.71	-0.09	0.19	9.90e-1
TSPYL2	250.72	-0.1	0.22	9.90e-1
TSPYL4	79.85	0.04	0.25	9.93e-1
TSR1	1867.78	-0.15	0.19	9.86e-1
TSR2	329.56	-0.37	0.22	7.97e-1
TSR3	183.98	-0.01	0.24	9.98e-1
TSSC1	200.25	0.07	0.22	9.91e-1
TSSC4	137.73	-0.36	0.25	8.73e-1
TST	29.98	-0.19	0.24	9.86e-1
TSTA3	250.11	-0.23	0.22	9.52e-1
TSTD1	27.59	-0.12	0.25	9.90e-1
TSTD2	232.83	0.04	0.22	9.93e-1
TTBK2	108.99	0.06	0.24	9.93e-1
TTC1	477.74	-0.07	0.21	9.91e-1
TTC13	177.04	-0.02	0.23	9.96e-1
TTC14	382.29	0.18	0.22	9.81e-1
TTC17	440.99	0.09	0.2	9.90e-1
TTC19	334.74	0.44	0.22	6.60e-1
TTC21A	31.18	-0.32	0.25	9.21e-1
TTC21B	205.45	0.08	0.23	9.90e-1
TTC23	18.67	0.32	0.24	8.98e-1
TTC26	28	0.18	0.25	9.88e-1
TTC27	350.79	0.15	0.21	9.88e-1
TTC3	1388.32	-0.05	0.19	9.93e-1
TTC30A	10.77	-0.05	0.21	9.93e-1
TTC31	199.79	0.03	0.23	9.93e-1
TTC32	14.79	0.2	0.23	9.75e-1
TTC33	175.45	0.06	0.23	9.93e-1
TTC37	944.2	0.18	0.21	9.73e-1
TTC39C	20.03	-0.29	0.24	9.40e-1
TTC4	41.9	-0.75	0.25	2.15e-1
TTC5	176.92	0.34	0.23	8.64e-1
TTC7A	545.39	-0.3	0.22	8.92e-1
TTC8	88.97	0.03	0.25	9.93e-1
TTC9	392.53	0.4	0.21	6.87e-1
TTC9C	140.97	-0.07	0.24	9.92e-1
TTF1	180.33	0.03	0.23	9.93e-1
TTF2	1342.19	-0.06	0.19	9.91e-1
TTI1	602.12	-0.14	0.2	9.87e-1
TTI2	107.04	-0.08	0.24	9.90e-1
TTK	867.5	0.14	0.21	9.90e-1
TTL	259.06	-0.03	0.21	9.93e-1
TTLL11	45.75	0.08	0.25	9.91e-1
TTLL12	2243.84	-0.57	0.22	3.69e-1
TTLL3	17.69	0.02	0.24	9.95e-1
TTLL4	725.82	-0.37	0.19	7.04e-1
TTLL5	391.07	-0.17	0.21	9.81e-1
TTPAL	249.97	0	0.22	9.98e-1
TTY15	163.05	0.1	0.23	9.90e-1
TTYH3	88.83	-0.05	0.25	9.93e-1
TUBA1A	1243.04	-0.37	0.19	6.83e-1
TUBA1B	10195.85	-0.25	0.18	8.80e-1
TUBA1C	2611.97	-0.34	0.18	7.13e-1
TUBA4A	2414.42	-0.65	0.18	5.90e-2
TUBA4B	16.74	0.06	0.23	9.93e-1

TUBB	14989.06	-0.27	0.19	8.64e-1
TUBB2A	28.67	-0.36	0.25	8.73e-1
TUBB3	332.87	-0.18	0.22	9.81e-1
TUBB4B	2973.8	-0.47	0.22	5.96e-1
TUBB6	194.94	-0.25	0.23	9.49e-1
TUBD1	34.8	0.04	0.25	9.93e-1
TUBE1	153.6	0.38	0.23	8.21e-1
TUBG1	988.28	-0.47	0.2	5.32e-1
TUBG2	73.64	-0.29	0.25	9.47e-1
TUBGCP2	661.21	-0.12	0.2	9.90e-1
TUBGCP3	312.05	0.2	0.21	9.63e-1
TUBGCP4	468.32	-0.31	0.2	8.44e-1
TUBGCP5	274.54	0.05	0.21	9.93e-1
TUBGCP6	426.7	-0.17	0.22	9.86e-1
TUFM	2971.2	-0.02	0.19	9.95e-1
TUG1	2042.43	-0.07	0.19	9.90e-1
TULP3	306.24	-0.32	0.21	8.53e-1
TULP4	252.48	-0.14	0.22	9.90e-1
TUSC2	207.01	-0.01	0.23	9.98e-1
TUT1	343.01	-0.37	0.24	8.56e-1
TVP23B	75.17	0.35	0.25	8.74e-1
TWF1	400.78	-0.02	0.22	9.93e-1
TWF2	405.08	0.11	0.21	9.90e-1
TWISTNB	378.6	0.08	0.21	9.90e-1
TWSG1	110.47	0.45	0.25	7.23e-1
TXLNA	1319.43	-0.07	0.19	9.90e-1
TXLNB	105.81	0.06	0.24	9.93e-1
TXLNG	1094.52	-0.2	0.19	9.49e-1
TXLNGY	289.87	0.18	0.23	9.86e-1
TXN	688.59	0	0.19	9.98e-1
TXN2	742.2	-0.19	0.21	9.73e-1
TXNDC11	434.6	0.33	0.2	8.37e-1
TXNDC12	493.57	0.27	0.21	9.12e-1
TXNDC15	263.64	0.18	0.22	9.80e-1
TXNDC16	162.91	0.18	0.23	9.87e-1
TXNDC17	142.59	-0.12	0.23	9.90e-1
TXNDC5	12.34	0.25	0.22	9.47e-1
TXNDC9	174.87	0.06	0.23	9.93e-1
TXNIP	721.43	0.22	0.19	9.47e-1
TXNL1	547.22	-0.1	0.2	9.90e-1
TXNL4A	284.44	0.39	0.22	7.41e-1
TXNL4B	155.6	0.06	0.23	9.93e-1
TXNRD1	2304.17	-0.29	0.19	8.51e-1
TXNRD2	66.29	0.09	0.25	9.90e-1
TYK2	1093.25	-0.16	0.22	9.87e-1
TYMP	17.1	-0.13	0.23	9.90e-1
TYMS	1368.1	0.29	0.19	8.52e-1
TYSND1	325.14	-0.31	0.24	9.23e-1
TYW1	409.05	0.17	0.21	9.81e-1
TYW1B	93.28	-0.12	0.24	9.90e-1
TYW3	650.15	0.15	0.2	9.87e-1
TYW5	52.32	0.28	0.25	9.47e-1
U2AF1	855.59	0.02	0.19	9.95e-1
U2AF1L4	58.69	0.02	0.25	9.96e-1
U2AF2	2234.28	-0.3	0.22	8.97e-1
U2SURP	3293.66	-0.16	0.19	9.80e-1
UACA	277.69	-0.07	0.22	9.91e-1
UAP1	654.67	-0.03	0.2	9.93e-1
UAP1L1	190.56	0.32	0.24	9.10e-1
UBA1	3232.46	-0.22	0.19	9.47e-1
UBA2	2437.28	0.23	0.19	9.39e-1
UBA3	343.95	-0.03	0.21	9.93e-1
UBA5	345.24	0.34	0.22	8.43e-1
UBA52	1955.68	0.09	0.18	9.90e-1
UBA6	484.13	-0.03	0.21	9.93e-1
UBA6-AS1	54.2	0.05	0.25	9.93e-1
UBA7	74.12	-0.1	0.25	9.90e-1
UBAC1	343.72	0.03	0.21	9.93e-1
UBAC2	237.74	0.57	0.22	3.64e-1
UBAC2-AS1	14.4	-0.01	0.22	9.96e-1
UBALD1	183.42	-0.26	0.25	9.51e-1
UBALD2	110.8	0.59	0.25	4.73e-1
UBAP1	492.2	-0.23	0.2	9.47e-1
UBAP2	1675.94	-0.38	0.19	6.49e-1
UBAP2L	3729.42	-0.48	0.19	3.69e-1
UBASH3A	14.87	-0.38	0.23	8.12e-1
UBASH3B	140.52	0.77	0.24	1.12e-1
UBB	2159.18	0.15	0.18	9.80e-1
UBC	2637.57	0.19	0.19	9.54e-1
UBE2A	435.44	0.17	0.21	9.81e-1
UBE2B	225.41	0.34	0.23	8.64e-1
UBE2C	673.08	-0.19	0.19	9.60e-1
UBE2D1	111.61	0.18	0.24	9.87e-1

UBE2D2	550.04	0.17	0.2	9.75e-1
UBE2D3	2329.37	-0.09	0.19	9.90e-1
UBE2D4	170.12	-0.19	0.23	9.80e-1
UBE2E1	577.06	-0.16	0.2	9.86e-1
UBE2E2	192.74	-0.22	0.22	9.58e-1
UBE2E3	93.58	-0.01	0.24	9.98e-1
UBE2F	48.92	0.09	0.25	9.90e-1
UBE2G1	1073.04	0.02	0.2	9.93e-1
UBE2G2	1215.6	-0.26	0.19	8.88e-1
UBE2H	456.27	0.43	0.2	6.07e-1
UBE2I	1182.04	-0.13	0.19	9.89e-1
UBE2J1	5858.45	0.09	0.19	9.90e-1
UBE2J2	257.57	-0.02	0.22	9.94e-1
UBE2K	1265.89	0.05	0.2	9.93e-1
UBE2L3	1315.53	-0.34	0.19	7.19e-1
UBE2L6	588.78	-0.15	0.2	9.87e-1
UBE2M	446.11	0.04	0.21	9.93e-1
UBE2N	793.23	-0.19	0.19	9.56e-1
UBE2O	1157.76	-0.03	0.2	9.93e-1
UBE2Q1	816.39	0.02	0.19	9.95e-1
UBE2Q2	226.8	0.03	0.22	9.93e-1
UBE2R2	606.43	-0.06	0.2	9.91e-1
UBE2S	721.5	-0.26	0.23	9.48e-1
UBE2T	367.09	0.18	0.21	9.80e-1
UBE2V1	25.94	-0.13	0.25	9.90e-1
UBE2V2	541.89	-0.01	0.2	9.96e-1
UBE2W	101.47	0.15	0.25	9.90e-1
UBE2Z	865.57	-0.14	0.2	9.88e-1
UBE3A	1160.98	-0.05	0.2	9.93e-1
UBE3B	286.45	0	0.21	9.98e-1
UBE3C	1015.52	0.08	0.19	9.90e-1
UBE3D	62.3	-0.05	0.25	9.93e-1
UBE4A	958.59	-0.02	0.2	9.93e-1
UBE4B	750.57	-0.14	0.19	9.87e-1
UBFD1	800.74	0.27	0.2	8.98e-1
UBIAD1	434.11	-0.3	0.21	8.89e-1
UBL3	150.19	0.24	0.23	9.54e-1
UBL4A	201.13	-0.21	0.24	9.75e-1
UBL5	145.49	-0.19	0.23	9.86e-1
UBL7	267.88	-0.08	0.22	9.90e-1
UBL7-AS1	22.79	0.21	0.25	9.80e-1
UBLCP1	141.46	0.04	0.24	9.93e-1
UBN1	865.21	-0.33	0.2	8.07e-1
UBN2	355	-0.06	0.21	9.93e-1
UBOX5	104.43	-0.36	0.25	8.64e-1
UBP1	1685.97	0.03	0.2	9.93e-1
UBQLN1	1474.56	0.05	0.19	9.93e-1
UBQLN2	334.68	-0.01	0.21	9.98e-1
UBQLN4	1001.95	-0.4	0.2	6.69e-1
UBR1	273.37	0.02	0.23	9.93e-1
UBR2	561.54	0.18	0.21	9.80e-1
UBR3	298.7	0.24	0.22	9.49e-1
UBR4	2019.48	-0.09	0.18	9.90e-1
UBR5	2343.65	0.17	0.19	9.73e-1
UBR5-AS1	25.07	-0.17	0.25	9.87e-1
UBR7	598.04	0.26	0.2	9.11e-1
UBTD1	16.41	-0.15	0.22	9.88e-1
UBTD2	212.73	0.11	0.22	9.90e-1
UBTF	3158.16	-0.21	0.19	9.47e-1
UBXN1	679.82	0.01	0.21	9.96e-1
UBXN11	299.52	0.24	0.21	9.47e-1
UBXN2A	113.16	-0.06	0.24	9.93e-1
UBXN2B	355.84	0.05	0.21	9.93e-1
UBXN4	374.73	0.1	0.21	9.90e-1
UBXN6	271.04	0.19	0.23	9.81e-1
UBXN7	396.87	-0.06	0.21	9.93e-1
UBXN8	145.76	0.22	0.23	9.66e-1
UCHL1	1380.01	0.26	0.19	9.03e-1
UCHL3	251.61	0.27	0.22	9.39e-1
UCHL5	717.24	0.01	0.2	9.96e-1
UCK1	150.33	-0.1	0.23	9.90e-1
UCK2	555.83	-0.07	0.2	9.90e-1
UCKL1	454.17	-0.42	0.21	6.53e-1
UCP2	1478.06	-0.21	0.19	9.47e-1
UFC1	377.34	0.06	0.21	9.93e-1
UFD1L	427.82	-0.09	0.2	9.90e-1
UFL1	783.02	0.33	0.21	8.41e-1
UFM1	559.87	0.17	0.21	9.81e-1
UFSP2	190.79	0.16	0.23	9.87e-1
UGCG	339.79	1.32	0.22	3.00e-6
UGDH	356.02	0.17	0.21	9.86e-1
UGGT1	442.38	0.16	0.21	9.86e-1
UGP2	612.84	0	0.2	9.99e-1

UGT8	86.23	0.28	0.25	9.47e-1
UHMK1	1219.64	0.16	0.2	9.86e-1
UHRF1	930.57	-0.13	0.2	9.90e-1
UHRF1BP1	618.78	-0.17	0.2	9.80e-1
UHRF1BP1L	356.24	0.21	0.22	9.59e-1
UHRF2	491.8	-0.07	0.2	9.90e-1
UIMC1	428.97	0.21	0.2	9.52e-1
ULBP2	14.86	0.11	0.23	9.90e-1
ULK1	168.65	-0.37	0.24	8.53e-1
ULK3	266.39	-0.11	0.23	9.90e-1
ULK4	126.07	-0.11	0.24	9.90e-1
UMAD1	178.69	0.27	0.23	9.47e-1
UMPS	374.84	0.15	0.21	9.87e-1
UNC119	329.28	-0.03	0.22	9.93e-1
UNC119B	447.49	-0.07	0.2	9.90e-1
UNC13A	13.27	-0.22	0.22	9.58e-1
UNC45A	503.47	0.02	0.21	9.93e-1
UNC50	79.93	0.42	0.25	8.08e-1
UNC93B1	232.36	-0.13	0.23	9.90e-1
UNG	731.89	-0.1	0.2	9.90e-1
UNK	374.68	-0.25	0.22	9.47e-1
UNKL	232.5	-0.2	0.24	9.80e-1
UPF1	1113.69	-0.14	0.2	9.87e-1
UPF2	1002.96	-0.11	0.19	9.90e-1
UPF3A	681.66	-0.63	0.2	1.25e-1
UPF3B	332.31	-0.41	0.21	6.87e-1
UPP1	49.69	0.27	0.25	9.49e-1
UPRT	41.35	0.09	0.25	9.90e-1
UQCC1	466.09	0	0.2	9.98e-1
UQCC2	62.67	0.13	0.25	9.90e-1
UQCC3	61.19	0.1	0.25	9.90e-1
UQCR10	315.18	-0.4	0.22	7.41e-1
UQCR11	286.02	-0.15	0.22	9.89e-1
UQCRB	671.9	-0.02	0.19	9.95e-1
UQCRC1	1153.38	-0.02	0.2	9.94e-1
UQCRC2	1518.1	0.11	0.19	9.90e-1
UQCRFS1	455.99	0.25	0.2	9.37e-1
UQCRH	911.86	0.3	0.19	8.40e-1
UQCRHL	37.27	0.45	0.25	7.55e-1
UQCRQ	234.3	0.03	0.22	9.93e-1
URB1	752	-0.34	0.19	7.59e-1
URB2	447.61	-0.06	0.2	9.93e-1
URGCP	291.32	0.03	0.21	9.93e-1
URI1	768.06	0.27	0.21	9.12e-1
URM1	636.86	-0.38	0.22	7.75e-1
UROD	342.18	-0.15	0.22	9.88e-1
UROS	263.22	0.3	0.22	8.91e-1
USB1	569.48	-0.22	0.2	9.49e-1
USE1	50.07	0.51	0.25	6.59e-1
USF1	362.19	-0.31	0.22	8.73e-1
USF2	783.36	0.33	0.2	8.30e-1
USMG5	305.15	-0.08	0.21	9.90e-1
USO1	1170.13	0.31	0.2	8.52e-1
USP1	2136.25	0.03	0.2	9.93e-1
USP10	1935.64	-0.19	0.18	9.54e-1
USP11	670.5	0.13	0.19	9.89e-1
USP12	1002.97	0.24	0.2	9.46e-1
USP13	549.45	0.02	0.2	9.93e-1
USP14	1150.25	0.13	0.2	9.89e-1
USP15	404.56	0.21	0.22	9.63e-1
USP16	612.29	0.08	0.21	9.90e-1
USP19	719.09	-0.16	0.2	9.86e-1
USP2	11.96	-0.17	0.22	9.86e-1
USP20	120.41	-0.04	0.24	9.93e-1
USP21	202.8	-0.28	0.22	9.29e-1
USP22	2748.64	0.01	0.18	9.96e-1
USP24	1916.83	-0.06	0.19	9.91e-1
USP25	463.04	0.09	0.21	9.90e-1
USP28	430.36	0	0.2	9.98e-1
USP2-AS1	23.67	-0.31	0.24	9.31e-1
USP3	289.62	0	0.21	9.98e-1
USP30	78.94	0.06	0.25	9.93e-1
USP31	225.45	0.31	0.23	8.95e-1
USP32	293.88	-0.07	0.22	9.90e-1
USP33	477.76	0.12	0.21	9.90e-1
USP34	2174.54	0.08	0.19	9.90e-1
USP35	29.87	0.11	0.25	9.90e-1
USP36	1247.13	-0.61	0.21	2.52e-1
USP37	271.25	-0.05	0.22	9.93e-1
USP38	344.2	0.06	0.21	9.93e-1
USP39	853.91	0.04	0.19	9.93e-1
USP4	481.38	-0.15	0.2	9.87e-1
USP42	420.71	-0.23	0.2	9.47e-1

USP45	262.33	0.17	0.23	9.87e-1
USP46	112.99	-0.02	0.24	9.93e-1
USP47	613.68	-0.05	0.2	9.93e-1
USP48	1010.1	0.04	0.2	9.93e-1
USP49	245.68	0.37	0.22	7.89e-1
USP5	1582.38	-0.34	0.2	7.97e-1
USP53	123.55	-0.09	0.25	9.90e-1
USP54	174.61	-0.18	0.23	9.82e-1
USP6NL	575.43	-0.02	0.2	9.94e-1
USP7	3348.44	0.14	0.19	9.87e-1
USP8	544.05	-0.36	0.2	7.57e-1
USP9X	1261.72	0.11	0.2	9.90e-1
USP9Y	275.12	0.14	0.22	9.90e-1
USPL1	279.58	-0.15	0.22	9.88e-1
UST	182.62	0.22	0.23	9.58e-1
UTP11L	587.66	-0.07	0.2	9.90e-1
UTP14A	712.31	-0.01	0.2	9.96e-1
UTP14C	182.7	0.05	0.23	9.93e-1
UTP15	469.11	-0.04	0.22	9.93e-1
UTP18	372.35	0.31	0.21	8.64e-1
UTP20	1320.22	-0.15	0.2	9.87e-1
UTP23	233.97	-0.32	0.22	8.64e-1
UTP3	948.31	-0.41	0.19	5.87e-1
UTP6	696.94	0.22	0.2	9.48e-1
UTRN	261.25	0	0.22	9.98e-1
UTS2	25.29	0.16	0.25	9.90e-1
UTY	246.55	0.19	0.22	9.81e-1
UVRAG	446.6	0.22	0.21	9.49e-1
UVSSA	107.94	0.1	0.24	9.90e-1
UXS1	60.45	0.09	0.25	9.90e-1
UXT	170.67	0.11	0.23	9.90e-1
VAC14	776.08	-0.12	0.2	9.90e-1
VAMP1	758.77	-0.38	0.2	6.90e-1
VAMP2	184.52	-0.02	0.23	9.94e-1
VAMP3	199.47	0.2	0.23	9.74e-1
VAMP4	60.02	0.27	0.25	9.49e-1
VAMP7	337.8	0.26	0.22	9.42e-1
VAMP8	368.95	0.22	0.21	9.49e-1
VAPA	722.69	0.25	0.21	9.39e-1
VAPB	551.97	0.05	0.2	9.93e-1
VARS	2387.44	-0.52	0.22	5.37e-1
VARS2	669.65	-0.46	0.23	6.69e-1
VASP	637.39	-0.23	0.23	9.59e-1
VAV1	567.07	0.07	0.21	9.91e-1
VAV2	414.84	0.02	0.2	9.93e-1
VBP1	381.04	0.16	0.21	9.87e-1
VCAM1	24.29	0.27	0.25	9.49e-1
VCL	292.96	-0.05	0.21	9.93e-1
VCP	2587.94	0.22	0.18	9.39e-1
VCPIP1	315.01	0.09	0.21	9.90e-1
VCPKMT	78.23	0.19	0.25	9.87e-1
VDAC1	3276.58	-0.07	0.18	9.90e-1
VDAC2	929.53	0.1	0.19	9.90e-1
VDAC3	746.12	-0.21	0.2	9.49e-1
VEGFA	207.13	0.12	0.23	9.90e-1
VEGFB	236.5	0.04	0.24	9.93e-1
VEZFI	471.44	-0.03	0.21	9.93e-1
VEZT	609.5	-0.08	0.21	9.90e-1
VGf	20.79	0.14	0.24	9.90e-1
VGLL4	356.69	-0.17	0.21	9.81e-1
VHL	667.49	0.07	0.19	9.90e-1
VIM	834.92	0.7	0.2	5.90e-2
VIMP	83.11	0.12	0.25	9.90e-1
VIPAS39	189.49	-0.12	0.22	9.90e-1
VKORC1	128.13	0	0.24	9.99e-1
VKORC1L1	927.14	0.03	0.2	9.93e-1
VMA21	473.07	0.09	0.21	9.90e-1
VMP1	318.59	0.15	0.22	9.87e-1
VNN2	364.8	-0.29	0.21	8.96e-1
VOPP1	1062.48	-0.14	0.19	9.87e-1
VPRBP	958.91	-0.18	0.19	9.61e-1
VPREB3	436.37	-0.31	0.22	8.92e-1
VPS11	339.53	0	0.21	9.99e-1
VPS13A	819.53	0.01	0.2	9.96e-1
VPS13B	291.18	0.11	0.22	9.90e-1
VPS13C	920.8	0.09	0.2	9.90e-1
VPS13D	419.23	0.03	0.2	9.93e-1
VPS16	146.58	0.14	0.23	9.90e-1
VPS18	369.21	-0.2	0.22	9.72e-1
VPS25	257.95	-0.14	0.22	9.90e-1
VPS26A	450.31	0.27	0.22	9.25e-1
VPS26B	151.65	0.04	0.23	9.93e-1
VPS28	99.08	-0.02	0.25	9.96e-1

VPS29	258.66	-0.15	0.22	9.89e-1
VPS33A	333.67	0.05	0.21	9.93e-1
VPS33B	57.22	0.1	0.25	9.90e-1
VPS35	1250.69	0.1	0.2	9.90e-1
VPS36	472.97	0.24	0.21	9.47e-1
VPS37A	304.8	-0.06	0.22	9.93e-1
VPS37B	22.4	-0.2	0.24	9.81e-1
VPS37C	97.06	-0.33	0.25	9.21e-1
VPS39	472.11	0	0.2	9.98e-1
VPS41	285.27	0.05	0.22	9.93e-1
VPS45	181.76	0.17	0.23	9.87e-1
VPS4A	524.82	-0.16	0.21	9.87e-1
VPS4B	471.77	0.11	0.21	9.90e-1
VPS50	184.15	0.49	0.23	5.96e-1
VPS51	527.83	-0.12	0.23	9.90e-1
VPS52	487.55	0.04	0.2	9.93e-1
VPS53	265.62	-0.16	0.21	9.87e-1
VPS54	122.63	0.26	0.24	9.49e-1
VPS72	250.05	-0.35	0.22	8.38e-1
VPS8	200.47	0.34	0.22	8.52e-1
VPS9D1-AS1	395.99	-0.81	0.23	7.46e-2
VRK1	455.77	0.16	0.22	9.87e-1
VRK2	169.85	0.25	0.23	9.49e-1
VRK3	237.85	-0.06	0.22	9.93e-1
VSIG10L	28.21	-0.17	0.25	9.88e-1
VT1	520.68	-0.19	0.21	9.68e-1
VT11A	234.25	0.19	0.22	9.81e-1
VT11B	539.05	-0.07	0.2	9.90e-1
VWA7	23.05	-0.24	0.24	9.60e-1
VWA8	405.05	0.01	0.21	9.98e-1
VWA9	458.09	0.06	0.2	9.91e-1
WAC	1857.2	-0.05	0.19	9.93e-1
WAC-AS1	146.02	0.18	0.23	9.87e-1
WAPAL	972.92	0.01	0.2	9.96e-1
WARS	1968.73	0.89	0.18	7.42e-4
WARS2	146.9	0.4	0.24	7.97e-1
WAS	657.69	-0.28	0.22	9.21e-1
WASF1	1044.29	-0.39	0.19	6.28e-1
WASF2	1735.51	-0.32	0.2	8.22e-1
WASF3	99.61	-0.85	0.24	7.22e-2
WASH1	27.46	0.08	0.25	9.91e-1
WASH2P	56.58	-0.03	0.25	9.93e-1
WASH3P	41.9	-0.23	0.25	9.73e-1
WASH7P	107.71	-0.2	0.25	9.81e-1
WASL	189.6	-0.11	0.22	9.90e-1
WBP11	2059.27	-0.31	0.18	7.99e-1
WBP1L	268.06	0.02	0.21	9.93e-1
WBP2	507.08	-0.21	0.23	9.73e-1
WBP4	155.38	-0.18	0.23	9.86e-1
WBSCR16	594.04	0.02	0.2	9.95e-1
WBSCR22	525.01	-0.13	0.21	9.90e-1
WDFY1	395.76	0.06	0.21	9.93e-1
WDFY2	66.36	0.28	0.25	9.47e-1
WDFY4	2082.34	-0.2	0.18	9.49e-1
WDHD1	514.54	0.07	0.21	9.90e-1
WDPCP	39	-0.05	0.25	9.93e-1
WDR1	1799.76	-0.16	0.18	9.80e-1
WDR11	608.8	0.41	0.2	6.52e-1
WDR12	620.74	-0.18	0.2	9.72e-1
WDR13	156.42	-0.05	0.23	9.93e-1
WDR17	68.45	0.01	0.25	9.97e-1
WDR18	518.72	-0.18	0.23	9.87e-1
WDR19	387.11	0.4	0.22	7.31e-1
WDR20	178.27	-0.12	0.23	9.90e-1
WDR24	261.2	-0.18	0.22	9.81e-1
WDR25	42.34	0.08	0.25	9.91e-1
WDR26	908.66	0.21	0.19	9.49e-1
WDR27	100.46	0.24	0.24	9.58e-1
WDR3	1150.96	-0.16	0.19	9.80e-1
WDR33	512.27	-0.28	0.2	9.04e-1
WDR34	372.11	-0.17	0.23	9.87e-1
WDR35	127.98	-0.24	0.24	9.59e-1
WDR36	1146.53	-0.03	0.2	9.93e-1
WDR37	144.51	0.01	0.23	9.98e-1
WDR4	333.28	-0.28	0.22	9.23e-1
WDR41	291.37	0.31	0.22	8.68e-1
WDR43	1714.42	-0.01	0.19	9.96e-1
WDR44	114.2	0.38	0.24	8.39e-1
WDR45	159.95	0.32	0.23	8.97e-1
WDR45B	311.23	0.02	0.21	9.95e-1
WDR46	551.03	-0.17	0.21	9.81e-1
WDR47	123.72	0.18	0.24	9.87e-1
WDR48	413.59	0.14	0.21	9.90e-1

WDR5	727.51	0.07	0.19	9.90e-1
WDR53	68.69	-0.05	0.25	9.93e-1
WDR54	140.11	0.13	0.23	9.90e-1
WDR55	130.43	-0.31	0.24	9.23e-1
WDR59	291.29	-0.01	0.21	9.96e-1
WDR5B	38.53	0.38	0.25	8.64e-1
WDR6	639.37	-0.26	0.23	9.47e-1
WDR60	224.06	-0.19	0.22	9.80e-1
WDR61	211.69	0.24	0.22	9.49e-1
WDR62	753.3	-0.42	0.22	6.79e-1
WDR66	29.83	-0.16	0.25	9.90e-1
WDR7	230.15	-0.08	0.22	9.90e-1
WDR70	145.28	0.09	0.23	9.90e-1
WDR73	139.63	-0.07	0.23	9.91e-1
WDR74	519.49	-0.17	0.22	9.86e-1
WDR75	845.97	0	0.2	9.98e-1
WDR76	986.74	-0.09	0.19	9.90e-1
WDR77	701.15	0.09	0.19	9.90e-1
WDR81	274.8	-0.18	0.24	9.87e-1
WDR82	1137.37	0.05	0.19	9.93e-1
WDR83	49.9	-0.34	0.25	9.06e-1
WDR83OS	134.04	0.15	0.24	9.90e-1
WDR89	170.47	0.14	0.23	9.90e-1
WDR90	335.32	-0.24	0.24	9.57e-1
WDR91	201.45	0.14	0.23	9.90e-1
WDR92	140.29	-0.08	0.24	9.91e-1
WDSUB1	38.29	0.16	0.25	9.90e-1
WDTCl	738.63	-0.19	0.22	9.80e-1
WDYHV1	65.83	0.08	0.25	9.91e-1
WEE1	837.61	0.6	0.21	2.47e-1
WFS1	51.96	-0.08	0.25	9.92e-1
WHAMM	138.69	-0.01	0.23	9.98e-1
WHAMMP1	40.11	0.17	0.25	9.90e-1
WHSC1	2029.81	-0.01	0.18	9.96e-1
WHSC1L1	860.11	-0.19	0.19	9.58e-1
WIBG	142.82	0.18	0.24	9.87e-1
WIPF1	3049.36	-0.34	0.19	7.43e-1
WIPF2	283.14	-0.3	0.22	8.96e-1
WIPI1	17.32	0.04	0.24	9.93e-1
WIPI2	857.12	0.35	0.19	7.22e-1
WIZ	451.14	-0.42	0.24	7.57e-1
WNK1	3312.57	-0.26	0.18	8.75e-1
WNK2	394.4	-0.56	0.24	5.09e-1
WNT10A	218.35	0.31	0.23	9.08e-1
WNT3	45.97	-0.2	0.25	9.86e-1
WNT5A	150.11	-0.29	0.23	9.27e-1
WRAP53	241.34	-0.23	0.22	9.49e-1
WRAP73	176.97	0.04	0.23	9.93e-1
WRB	99.32	0.44	0.25	7.41e-1
WRN	338.99	0.18	0.22	9.80e-1
WRNIP1	514.46	0.07	0.2	9.90e-1
WSB1	483.71	0.49	0.21	4.95e-1
WTAP	768.03	0.04	0.2	9.93e-1
WWC1	393.12	0.13	0.2	9.90e-1
WWC3	363.76	-0.1	0.21	9.90e-1
WVOX	114.06	-0.12	0.24	9.90e-1
WWP1	335.85	0.08	0.21	9.90e-1
WWP2	455.68	-0.26	0.21	9.31e-1
XAB2	527.05	-0.19	0.21	9.73e-1
XBP1	677.16	0.26	0.2	9.12e-1
XIAP	307.06	0.02	0.22	9.96e-1
XKR3	18.12	-0.04	0.23	9.93e-1
XKR6	22.75	0	0.24	9.99e-1
XPA	63.14	0.37	0.25	8.64e-1
XPC	417.85	-0.04	0.21	9.93e-1
XPNPEP1	706.43	0.19	0.19	9.58e-1
XPNPEP3	359.57	-0.26	0.21	9.25e-1
XPO1	3411.69	-0.15	0.19	9.87e-1
XPO4	891.06	-0.14	0.2	9.88e-1
XPO5	1118.23	-0.14	0.19	9.87e-1
XPO6	1916.51	-0.15	0.18	9.86e-1
XPO7	1431.02	0	0.19	9.98e-1
XPOT	3039.31	0.29	0.19	8.64e-1
XPR1	398.14	-0.07	0.21	9.90e-1
XRCC1	321.26	-0.31	0.23	9.06e-1
XRCC2	450.35	-0.19	0.21	9.70e-1
XRCC3	275.12	-0.36	0.23	8.52e-1
XRCC4	116.31	0.34	0.24	8.89e-1
XRCC5	3198.11	0.01	0.19	9.98e-1
XRCC6	4441.51	-0.13	0.18	9.87e-1
XRCC6BP1	73.88	0.35	0.25	8.87e-1
XRN1	259.12	0.34	0.22	8.52e-1
XRN2	1600.22	-0.17	0.19	9.73e-1

XRRRA1	102.51	-0.03	0.24	9.93e-1
XXYLT1	197.02	0.02	0.22	9.95e-1
XYLT1	188.86	0.19	0.23	9.81e-1
XYLT2	159.88	-0.34	0.24	8.73e-1
YAE1D1	54.22	0.23	0.25	9.74e-1
YAF2	108.21	0.1	0.24	9.90e-1
YARS	2591.53	0.2	0.18	9.49e-1
YARS2	165.29	0.08	0.23	9.90e-1
YBEY	87.62	0.14	0.25	9.90e-1
YBX1	14010.64	-0.12	0.18	9.90e-1
YBX3	2321.78	0.15	0.19	9.81e-1
YBX3P1	12.9	0.29	0.22	9.12e-1
YDJC	181.35	-0.05	0.24	9.93e-1
YEATS2	1317.02	-0.13	0.19	9.89e-1
YEATS4	286.4	0.32	0.22	8.70e-1
YIF1A	352.98	-0.14	0.21	9.90e-1
YIF1B	204.85	-0.23	0.24	9.60e-1
YIPF1	151.42	0.05	0.24	9.93e-1
YIPF2	46.29	-0.11	0.25	9.90e-1
YIPF3	224.07	0.04	0.23	9.93e-1
YIPF4	91.37	0.37	0.25	8.52e-1
YIPF5	123.98	0.23	0.24	9.61e-1
YIPF6	59.55	0.33	0.25	9.17e-1
YJEFN3	27.57	-0.11	0.24	9.90e-1
YKT6	674.07	-0.19	0.2	9.68e-1
YLP M1	1716.73	-0.48	0.19	3.69e-1
YME1L1	1544.99	0.01	0.19	9.96e-1
YOD1	190.18	-0.01	0.23	9.97e-1
YPEL1	20.79	0.07	0.24	9.93e-1
YPEL2	31.56	0.11	0.25	9.90e-1
YPEL5	70.3	0.55	0.25	5.87e-1
YRDC	264.17	0.12	0.21	9.90e-1
YTHDC1	989.7	0.02	0.19	9.93e-1
YTHDC2	619.25	0.12	0.2	9.90e-1
YTHDF1	936.43	-0.1	0.19	9.90e-1
YTHDF2	816.87	0.11	0.2	9.90e-1
YTHDF3	772.47	-0.23	0.2	9.47e-1
YWHAB	2808.77	0.14	0.19	9.87e-1
YWHAE	3103.58	0.01	0.18	9.96e-1
YWHAG	3648.5	-0.22	0.18	9.39e-1
YWHAH	999.1	-0.04	0.19	9.93e-1
YWHAQ	2281.95	0.23	0.19	9.42e-1
YWHAZ	5820.73	0.09	0.19	9.90e-1
YY1	945.62	0.05	0.19	9.93e-1
YY1AP1	769.99	-0.34	0.19	7.57e-1
YY2	45.21	-0.18	0.25	9.87e-1
ZADH2	162.37	0.32	0.23	8.92e-1
ZAK	301.94	-0.16	0.22	9.87e-1
ZBED1	534.18	0.07	0.2	9.90e-1
ZBED4	734.3	-0.03	0.19	9.93e-1
ZBED5	282.76	-0.18	0.22	9.81e-1
ZBED5-AS1	14.15	0.04	0.23	9.93e-1
ZBED6	82.32	0.35	0.25	8.88e-1
ZBED6CL	73.23	-0.1	0.25	9.90e-1
ZBTB1	461.69	0.59	0.21	2.59e-1
ZBTB10	282.35	0.14	0.21	9.90e-1
ZBTB11	529.7	0.1	0.21	9.90e-1
ZBTB11-AS1	20.52	0.03	0.24	9.93e-1
ZBTB12	103.18	-0.25	0.25	9.56e-1
ZBTB14	191.56	0.24	0.22	9.49e-1
ZBTB17	259.09	-0.21	0.24	9.74e-1
ZBTB18	230.71	-0.12	0.22	9.90e-1
ZBTB2	554.86	-0.3	0.2	8.53e-1
ZBTB20	42.7	-0.28	0.25	9.49e-1
ZBTB21	169.4	-0.06	0.23	9.93e-1
ZBTB22	33.47	-0.11	0.25	9.90e-1
ZBTB24	657.62	-0.21	0.2	9.49e-1
ZBTB25	96.94	-0.11	0.24	9.90e-1
ZBTB26	61.69	-0.05	0.25	9.93e-1
ZBTB3	40.04	-0.09	0.25	9.90e-1
ZBTB32	26.89	-0.35	0.25	8.81e-1
ZBTB33	398.29	0.04	0.21	9.93e-1
ZBTB34	68.13	-0.15	0.25	9.90e-1
ZBTB37	20.72	-0.02	0.24	9.93e-1
ZBTB38	183.57	0.1	0.23	9.90e-1
ZBTB39	170.67	-0.12	0.23	9.90e-1
ZBTB4	57.65	-0.13	0.25	9.90e-1
ZBTB40	315.28	-0.04	0.22	9.93e-1
ZBTB41	112.22	-0.12	0.24	9.90e-1
ZBTB43	124.93	-0.12	0.24	9.90e-1
ZBTB44	1002.12	-0.04	0.2	9.93e-1
ZBTB45	74.51	-0.37	0.25	8.68e-1
ZBTB46	26.39	0.17	0.25	9.88e-1

ZBTB48	178.96	-0.2	0.24	9.81e-1
ZBTB49	40.87	0.15	0.25	9.90e-1
ZBTB5	224.04	0.12	0.22	9.90e-1
ZBTB6	112.22	-0.01	0.24	9.96e-1
ZBTB7A	471.27	-0.65	0.23	2.57e-1
ZBTB7B	114.78	-0.28	0.25	9.47e-1
ZBTB8A	103.95	0.58	0.25	5.31e-1
ZBTB8OS	272.81	0.72	0.22	1.02e-1
ZBTB9	153.57	-0.16	0.23	9.88e-1
ZC2HC1A	28.71	0.18	0.25	9.87e-1
ZC3H10	44.08	-0.08	0.25	9.91e-1
ZC3H11A	941.48	0.16	0.2	9.81e-1
ZC3H12A	172.24	-0.21	0.24	9.80e-1
ZC3H12D	173.87	-0.2	0.23	9.80e-1
ZC3H13	1219.34	-0.49	0.19	3.49e-1
ZC3H14	747.51	0.02	0.2	9.95e-1
ZC3H15	981.8	-0.07	0.19	9.90e-1
ZC3H18	1538.28	-0.57	0.2	2.52e-1
ZC3H3	229.51	-0.51	0.24	6.07e-1
ZC3H4	870.39	-0.36	0.22	8.31e-1
ZC3H6	18.49	0.06	0.24	9.93e-1
ZC3H7A	460.92	0.28	0.21	9.20e-1
ZC3H7B	1463.98	-0.46	0.21	5.96e-1
ZC3H8	114.21	0.1	0.24	9.90e-1
ZC3HAV1	1162.82	-0.06	0.19	9.91e-1
ZC3HC1	284.82	-0.02	0.21	9.95e-1
ZC4H2	43	-0.14	0.25	9.90e-1
ZCCHC10	324.21	-0.03	0.22	9.93e-1
ZCCHC11	1081.06	-0.06	0.19	9.90e-1
ZCCHC14	104.73	-0.02	0.24	9.93e-1
ZCCHC17	339	-0.22	0.21	9.49e-1
ZCCHC2	568.75	-0.37	0.2	7.09e-1
ZCCHC3	178.53	0.04	0.23	9.93e-1
ZCCHC4	91.74	0	0.24	9.98e-1
ZCCHC6	454.11	-0.14	0.21	9.90e-1
ZCCHC7	824.83	0.05	0.19	9.93e-1
ZCCHC8	476.4	0.2	0.2	9.59e-1
ZCCHC9	129.01	-0.18	0.24	9.87e-1
ZCRB1	211.3	-0.45	0.22	6.28e-1
ZCWPW1	53.86	0.31	0.25	9.41e-1
ZDHHC12	135.52	-0.29	0.25	9.47e-1
ZDHHC13	149.62	0.37	0.24	8.45e-1
ZDHHC14	254.2	-0.21	0.21	9.58e-1
ZDHHC16	353.36	0.02	0.21	9.93e-1
ZDHHC17	157.26	0.25	0.23	9.49e-1
ZDHHC18	263.04	-0.24	0.24	9.52e-1
ZDHHC2	235.81	0.18	0.22	9.81e-1
ZDHHC20	511.64	0.13	0.21	9.90e-1
ZDHHC21	199.93	0.04	0.23	9.93e-1
ZDHHC23	195.08	-0.05	0.23	9.93e-1
ZDHHC24	24.42	-0.14	0.23	9.90e-1
ZDHHC3	512.04	-0.03	0.2	9.93e-1
ZDHHC4	144.65	0.52	0.23	5.70e-1
ZDHHC5	1070.91	-0.18	0.2	9.73e-1
ZDHHC6	256.75	0.16	0.22	9.87e-1
ZDHHC7	320.08	0.08	0.21	9.90e-1
ZDHHC9	31.25	0.14	0.25	9.90e-1
ZEB1	338.57	0.02	0.21	9.93e-1
ZEB1-AS1	101.39	-0.01	0.24	9.96e-1
ZEB2	172.87	-0.37	0.23	8.33e-1
ZER1	123.49	-0.03	0.24	9.93e-1
ZFAND1	173.73	0.32	0.23	8.91e-1
ZFAND2A	49.52	0.26	0.25	9.54e-1
ZFAND2B	99.67	0.08	0.24	9.90e-1
ZFAND3	198.83	0.09	0.22	9.90e-1
ZFAND4	263.36	0.04	0.22	9.93e-1
ZFAND5	409.65	0.18	0.21	9.78e-1
ZFAND6	250.38	0.4	0.22	7.41e-1
ZFAS1	316.26	0.34	0.22	8.38e-1
ZFAT	121.65	0.19	0.24	9.81e-1
ZFC3H1	732.74	-0.21	0.2	9.54e-1
ZFHX3	255.8	-0.35	0.22	8.28e-1
ZFP1	189.95	0.14	0.23	9.90e-1
ZFP14	16.61	-0.06	0.23	9.93e-1
ZFP30	17.52	-0.04	0.23	9.93e-1
ZFP36	139.42	-0.42	0.25	8.16e-1
ZFP36L1	1467.67	-0.17	0.21	9.81e-1
ZFP36L2	403.48	0.03	0.21	9.93e-1
ZFP41	95.35	-0.18	0.25	9.87e-1
ZFP62	225.32	0.14	0.22	9.90e-1
ZFP64	373.93	-0.23	0.21	9.49e-1
ZFP69	132.75	0.14	0.23	9.90e-1
ZFP69B	52.98	-0.01	0.25	9.98e-1

ZFP82	25.75	0.02	0.24	9.95e-1
ZFP90	43.13	0.37	0.25	8.64e-1
ZFP91	1134.66	-0.06	0.19	9.93e-1
ZFPL1	200.37	-0.37	0.23	8.39e-1
ZFPM1	63.62	-0.07	0.25	9.93e-1
ZFR	1625.81	-0.07	0.19	9.90e-1
ZFX	264.65	0.12	0.22	9.90e-1
ZFY	125.7	0.22	0.24	9.66e-1
ZFYVE1	102.93	0.07	0.24	9.93e-1
ZFYVE16	130.66	0.12	0.24	9.90e-1
ZFYVE19	171.93	-0.19	0.23	9.84e-1
ZFYVE21	46	0.32	0.25	9.23e-1
ZFYVE26	326.19	-0.01	0.21	9.98e-1
ZFYVE27	219.05	-0.26	0.23	9.47e-1
ZGPAT	327.15	-0.16	0.24	9.89e-1
ZGRF1	211.03	0.2	0.23	9.80e-1
ZHX1	396.79	-0.05	0.22	9.93e-1
ZHX2	1132.08	-0.23	0.19	9.47e-1
ZHX3	326.7	-0.19	0.21	9.73e-1
ZKSCAN1	573.96	0.03	0.2	9.93e-1
ZKSCAN2	192.97	-0.05	0.22	9.93e-1
ZKSCAN3	35.81	0.1	0.25	9.90e-1
ZKSCAN4	17.16	0.17	0.24	9.87e-1
ZKSCAN5	264.26	0.15	0.21	9.88e-1
ZKSCAN8	473.69	-0.08	0.21	9.90e-1
ZMAT1	12.28	0.12	0.22	9.90e-1
ZMAT2	540.88	-0.09	0.2	9.90e-1
ZMAT3	195.11	0.35	0.23	8.52e-1
ZMAT5	43.48	-0.05	0.25	9.93e-1
ZMIZ1	906.17	-0.7	0.22	1.25e-1
ZMIZ2	3035.92	-0.28	0.23	9.30e-1
ZMPSTE24	944.75	0.06	0.2	9.91e-1
ZMYM1	131.95	0.04	0.24	9.93e-1
ZMYM2	622.95	-0.02	0.21	9.93e-1
ZMYM3	775.57	-0.17	0.2	9.74e-1
ZMYM4	1156.62	0.06	0.19	9.91e-1
ZMYM5	68.08	0.03	0.25	9.93e-1
ZMYM6	240.4	0.12	0.22	9.90e-1
ZMYM6NB	14.79	0.02	0.23	9.94e-1
ZMYND10	10.59	0	0.21	9.98e-1
ZMYND19	399.47	0.34	0.2	8.21e-1
ZMYND8	740.42	-0.24	0.19	9.25e-1
ZNF100	96.35	-0.13	0.25	9.90e-1
ZNF101	301.48	-0.29	0.21	8.92e-1
ZNF106	1392.95	0.03	0.2	9.93e-1
ZNF107	1024.97	-0.32	0.2	8.34e-1
ZNF117	108.92	0.13	0.25	9.90e-1
ZNF12	285.26	0.15	0.22	9.89e-1
ZNF121	124.34	-0.25	0.24	9.49e-1
ZNF124	58.13	0.1	0.25	9.90e-1
ZNF131	444.5	0.05	0.21	9.93e-1
ZNF132	11.83	-0.02	0.22	9.93e-1
ZNF133	30.69	-0.01	0.25	9.96e-1
ZNF136	49.99	0.18	0.25	9.87e-1
ZNF137P	32.33	0.03	0.25	9.93e-1
ZNF138	322.92	-0.05	0.21	9.93e-1
ZNF14	44.26	0.12	0.25	9.90e-1
ZNF140	30.82	0.07	0.25	9.92e-1
ZNF141	130.18	-0.16	0.24	9.89e-1
ZNF142	732.48	-0.55	0.21	3.49e-1
ZNF143	142.85	0.03	0.23	9.93e-1
ZNF146	1217.53	-0.02	0.2	9.95e-1
ZNF148	459.5	-0.1	0.21	9.90e-1
ZNF16	51.55	0.19	0.25	9.87e-1
ZNF160	219.81	0.26	0.22	9.47e-1
ZNF165	64.8	0.24	0.25	9.66e-1
ZNF169	26.51	-0.15	0.25	9.90e-1
ZNF17	50.57	0.14	0.25	9.90e-1
ZNF174	201.63	-0.25	0.22	9.47e-1
ZNF175	63.54	0.02	0.25	9.96e-1
ZNF18	47.87	0.18	0.25	9.87e-1
ZNF180	45.48	0.01	0.25	9.96e-1
ZNF181	28.15	0.43	0.25	7.94e-1
ZNF182	97.63	0.16	0.24	9.90e-1
ZNF184	120.46	0.1	0.24	9.90e-1
ZNF185	17.65	0.02	0.24	9.93e-1
ZNF189	96.06	0.27	0.25	9.49e-1
ZNF195	346.41	0.2	0.22	9.66e-1
ZNF197	49.26	0.1	0.25	9.90e-1
ZNF2	40.75	-0.15	0.25	9.90e-1
ZNF200	163.98	0.05	0.23	9.93e-1
ZNF202	190.57	0	0.23	9.98e-1
ZNF207	2031.31	-0.07	0.19	9.90e-1

ZNF211	24.07	0.14	0.25	9.90e-1
ZNF212	110.13	0.1	0.24	9.90e-1
ZNF213	97.02	-0.31	0.25	9.39e-1
ZNF213-AS1	23.45	0.11	0.25	9.90e-1
ZNF215	83.26	-0.09	0.25	9.90e-1
ZNF217	723.96	0.34	0.2	8.04e-1
ZNF219	29.78	0.05	0.24	9.93e-1
ZNF22	559.74	0.14	0.2	9.88e-1
ZNF226	29.53	0.1	0.25	9.90e-1
ZNF23	104.17	0.21	0.24	9.74e-1
ZNF232	188.7	0.01	0.23	9.97e-1
ZNF236	144.43	-0.07	0.23	9.93e-1
ZNF24	747.89	0.1	0.21	9.90e-1
ZNF248	124.95	0.21	0.24	9.74e-1
ZNF25	53.2	0.11	0.25	9.90e-1
ZNF250	75.86	0.04	0.25	9.93e-1
ZNF251	114.27	0.13	0.24	9.90e-1
ZNF252P	288.77	0.17	0.22	9.86e-1
ZNF253	93.61	0.26	0.24	9.49e-1
ZNF254	170.87	0.1	0.23	9.90e-1
ZNF260	114.02	0.07	0.24	9.93e-1
ZNF263	576.66	-0.19	0.21	9.72e-1
ZNF266	268.16	0.23	0.22	9.52e-1
ZNF267	454.09	0.27	0.21	9.14e-1
ZNF268	130.9	0.04	0.24	9.93e-1
ZNF271P	161.3	-0.07	0.23	9.91e-1
ZNF273	195.69	-0.11	0.23	9.90e-1
ZNF274	100.06	0.24	0.24	9.58e-1
ZNF275	233.28	0.28	0.22	9.30e-1
ZNF276	255.17	-0.09	0.22	9.90e-1
ZNF277	202.97	0.37	0.22	8.12e-1
ZNF28	192.06	0.11	0.23	9.90e-1
ZNF280B	16.75	-0.09	0.23	9.90e-1
ZNF280C	147.57	-0.01	0.23	9.98e-1
ZNF280D	62.04	-0.29	0.25	9.47e-1
ZNF281	430.22	-0.11	0.21	9.90e-1
ZNF282	358.89	-0.1	0.22	9.90e-1
ZNF286A	166.59	-0.08	0.23	9.90e-1
ZNF286B	26.22	0.11	0.25	9.90e-1
ZNF292	510.29	0.19	0.22	9.80e-1
ZNF296	219.44	-0.18	0.24	9.87e-1
ZNF3	418.44	0.22	0.2	9.49e-1
ZNF304	102.56	0.01	0.24	9.97e-1
ZNF316	353.96	-0.05	0.23	9.93e-1
ZNF317	544.11	0.01	0.2	9.96e-1
ZNF318	948.08	0.59	0.19	1.79e-1
ZNF319	138.04	-0.16	0.25	9.90e-1
ZNF320	232.42	-0.08	0.22	9.90e-1
ZNF322	20.26	-0.01	0.24	9.97e-1
ZNF324	96.56	-0.14	0.25	9.90e-1
ZNF324B	63.56	-0.11	0.25	9.90e-1
ZNF326	485.13	-0.3	0.2	8.64e-1
ZNF330	508.33	0.19	0.2	9.64e-1
ZNF331	111.17	-0.08	0.24	9.91e-1
ZNF333	20.97	0.21	0.24	9.80e-1
ZNF335	582.04	-0.2	0.21	9.60e-1
ZNF337	113.78	0.13	0.24	9.90e-1
ZNF337-AS1	47.42	-0.32	0.25	9.25e-1
ZNF33A	630.93	0.02	0.2	9.93e-1
ZNF33B	401.58	0.42	0.22	6.90e-1
ZNF34	17.48	0.13	0.24	9.90e-1
ZNF341	88.83	-0.26	0.25	9.49e-1
ZNF343	328.14	-0.29	0.21	9.03e-1
ZNF346	154.64	-0.11	0.23	9.90e-1
ZNF347	36.62	0.03	0.25	9.93e-1
ZNF35	49.95	-0.12	0.25	9.90e-1
ZNF354A	108.97	0.01	0.24	9.98e-1
ZNF354B	16.59	0.06	0.23	9.93e-1
ZNF367	252.72	0.21	0.22	9.61e-1
ZNF37A	462.2	-0.06	0.21	9.93e-1
ZNF37BP	408.34	-0.11	0.21	9.90e-1
ZNF383	31.02	0.1	0.25	9.90e-1
ZNF384	799.67	-0.19	0.2	9.64e-1
ZNF394	174.49	0.49	0.23	5.91e-1
ZNF395	664.94	0.04	0.21	9.93e-1
ZNF397	73.16	0.21	0.25	9.81e-1
ZNF398	366.51	-0.08	0.21	9.90e-1
ZNF407	147.72	0.14	0.23	9.90e-1
ZNF408	68.82	-0.1	0.25	9.90e-1
ZNF41	137.19	0.28	0.24	9.42e-1
ZNF410	201.42	0.31	0.22	8.91e-1
ZNF414	94.16	-0.21	0.25	9.81e-1
ZNF417	74.72	0.03	0.25	9.93e-1

ZNF419	17.03	-0.15	0.24	9.90e-1
ZNF420	29.06	0.18	0.25	9.87e-1
ZNF425	17.2	0.05	0.23	9.93e-1
ZNF428	99.97	-0.2	0.25	9.81e-1
ZNF429	93.54	-0.12	0.25	9.90e-1
ZNF43	352.51	0.03	0.22	9.93e-1
ZNF430	182.88	-0.03	0.23	9.93e-1
ZNF431	150.52	-0.04	0.23	9.93e-1
ZNF432	19.82	-0.07	0.24	9.93e-1
ZNF436	108.64	-0.02	0.24	9.95e-1
ZNF436-AS1	12.85	0.04	0.22	9.93e-1
ZNF438	45.63	-0.23	0.25	9.74e-1
ZNF44	44.31	0.13	0.25	9.90e-1
ZNF440	37.88	-0.08	0.25	9.92e-1
ZNF441	52.23	0.08	0.25	9.91e-1
ZNF443	15.52	0.08	0.22	9.90e-1
ZNF444	119.77	-0.1	0.25	9.90e-1
ZNF445	189.89	-0.19	0.23	9.81e-1
ZNF446	10.67	0.12	0.2	9.90e-1
ZNF449	29.5	0.14	0.25	9.90e-1
ZNF45	112.07	0.2	0.24	9.80e-1
ZNF451	327.32	0.06	0.21	9.93e-1
ZNF460	16.29	-0.19	0.23	9.81e-1
ZNF468	186.29	-0.06	0.23	9.93e-1
ZNF473	191.59	0.17	0.22	9.87e-1
ZNF48	216.25	-0.25	0.24	9.51e-1
ZNF480	264.2	0.06	0.23	9.93e-1
ZNF484	31.97	0.16	0.25	9.90e-1
ZNF485	62.4	-0.09	0.25	9.90e-1
ZNF486	38.78	0.14	0.25	9.90e-1
ZNF487	21.01	0.03	0.24	9.93e-1
ZNF490	56.88	0.45	0.25	7.49e-1
ZNF493	41.26	0.18	0.25	9.87e-1
ZNF497	24.63	0.01	0.25	9.98e-1
ZNF500	76.37	-0.37	0.25	8.64e-1
ZNF506	131.36	0.21	0.24	9.73e-1
ZNF507	407.59	-0.1	0.21	9.90e-1
ZNF510	86.57	0.16	0.25	9.90e-1
ZNF511	164.5	0.23	0.23	9.58e-1
ZNF512	409.02	0.14	0.21	9.88e-1
ZNF513	41.15	-0.28	0.25	9.49e-1
ZNF518A	390.78	0.2	0.22	9.73e-1
ZNF519	65.63	0.12	0.25	9.90e-1
ZNF521	35.95	0.18	0.25	9.87e-1
ZNF524	15.37	0.05	0.22	9.93e-1
ZNF525	181.7	0.09	0.23	9.90e-1
ZNF526	119.84	-0.37	0.25	8.56e-1
ZNF527	12.05	0.12	0.21	9.90e-1
ZNF532	325.64	-0.2	0.21	9.66e-1
ZNF543	52.71	0.08	0.25	9.91e-1
ZNF544	108.65	0.15	0.24	9.90e-1
ZNF546	17.31	0.03	0.24	9.93e-1
ZNF547	16.18	0.2	0.23	9.75e-1
ZNF548	52.76	0.08	0.25	9.91e-1
ZNF550	57.44	0.12	0.25	9.90e-1
ZNF551	104.18	0.06	0.24	9.93e-1
ZNF552	68.3	0	0.25	9.98e-1
ZNF554	19.08	0.04	0.24	9.93e-1
ZNF555	40.81	0.09	0.25	9.90e-1
ZNF556	15.68	0.12	0.23	9.90e-1
ZNF557	88.2	0.01	0.25	9.96e-1
ZNF559	42.56	0.11	0.25	9.90e-1
ZNF561	166.07	0.07	0.23	9.91e-1
ZNF561-AS1	14.06	0.01	0.23	9.97e-1
ZNF562	146.01	0.25	0.23	9.49e-1
ZNF563	10.46	0.15	0.21	9.87e-1
ZNF564	45.31	0.31	0.25	9.42e-1
ZNF565	14.06	-0.08	0.23	9.90e-1
ZNF566	25.85	0.28	0.25	9.47e-1
ZNF567	43.14	-0.19	0.25	9.87e-1
ZNF569	45.98	0.03	0.25	9.93e-1
ZNF57	60.29	0	0.25	9.99e-1
ZNF572	38.19	0.23	0.25	9.68e-1
ZNF574	296.65	-0.36	0.22	8.38e-1
ZNF576	82.93	-0.45	0.25	7.49e-1
ZNF579	41.49	0	0.25	1.00e+0
ZNF580	78.88	-0.06	0.25	9.93e-1
ZNF581	192.29	0.02	0.24	9.96e-1
ZNF583	34.15	0.25	0.25	9.59e-1
ZNF584	117.47	-0.18	0.24	9.87e-1
ZNF585A	20.94	0.05	0.24	9.93e-1
ZNF585B	38.75	0.14	0.25	9.90e-1
ZNF586	112.4	0.22	0.24	9.72e-1

ZNF587	293.61	-0.08	0.22	9.90e-1
ZNF587B	96.57	-0.18	0.24	9.87e-1
ZNF589	757.27	-0.39	0.2	6.69e-1
ZNF592	952.04	-0.43	0.2	5.99e-1
ZNF593	142.9	-0.25	0.25	9.54e-1
ZNF594	167.7	0.32	0.23	8.91e-1
ZNF596	28.27	0.05	0.25	9.93e-1
ZNF597	46.54	0	0.25	9.98e-1
ZNF598	845.77	-0.36	0.23	8.41e-1
ZNF600	99.79	0.11	0.24	9.90e-1
ZNF605	87.74	0.28	0.25	9.47e-1
ZNF607	98.17	0.02	0.24	9.96e-1
ZNF608	439.25	0.7	0.21	8.70e-2
ZNF609	778.51	-0.29	0.19	8.64e-1
ZNF611	92.92	-0.03	0.25	9.93e-1
ZNF613	32.23	0.02	0.25	9.95e-1
ZNF614	108.6	0.14	0.25	9.90e-1
ZNF615	12.81	0	0.22	9.99e-1
ZNF616	64.15	0.27	0.25	9.49e-1
ZNF619	25.6	0.25	0.25	9.57e-1
ZNF621	205.87	-0.14	0.22	9.90e-1
ZNF622	184	0.16	0.22	9.88e-1
ZNF623	99.81	0.11	0.24	9.90e-1
ZNF624	24.5	0.23	0.24	9.63e-1
ZNF626	76.77	0	0.25	9.99e-1
ZNF627	32.47	0.31	0.25	9.31e-1
ZNF628	91.37	-0.01	0.25	9.96e-1
ZNF638	824.24	0.18	0.21	9.73e-1
ZNF639	314.97	0.28	0.23	9.42e-1
ZNF641	28.75	0.18	0.25	9.87e-1
ZNF644	559.97	0.05	0.21	9.93e-1
ZNF646	364.32	-0.39	0.23	8.10e-1
ZNF649	22.1	-0.14	0.24	9.90e-1
ZNF652	321.6	-0.22	0.21	9.53e-1
ZNF653	44.69	0.27	0.25	9.51e-1
ZNF654	97.34	0.13	0.24	9.90e-1
ZNF655	587.15	0.12	0.2	9.90e-1
ZNF658	28	-0.11	0.25	9.90e-1
ZNF664	1505.64	-0.11	0.19	9.90e-1
ZNF665	18.23	0	0.24	9.98e-1
ZNF668	98.45	-0.33	0.25	9.08e-1
ZNF669	11.97	0.12	0.22	9.90e-1
ZNF670	64.5	0	0.25	9.99e-1
ZNF671	20.61	0.14	0.24	9.90e-1
ZNF672	440.79	0.08	0.21	9.90e-1
ZNF674	19.27	0.1	0.24	9.90e-1
ZNF674-AS1	32.66	-0.2	0.25	9.83e-1
ZNF675	196.54	0.06	0.22	9.93e-1
ZNF678	154.4	0.22	0.23	9.66e-1
ZNF680	179.49	0.03	0.23	9.93e-1
ZNF681	145.16	0.29	0.24	9.41e-1
ZNF684	33.38	0.02	0.25	9.96e-1
ZNF687	237.17	-0.25	0.24	9.53e-1
ZNF688	23.27	-0.08	0.23	9.90e-1
ZNF689	205.3	-0.03	0.22	9.93e-1
ZNF691	122.35	-0.23	0.24	9.60e-1
ZNF692	231.79	-0.02	0.22	9.95e-1
ZNF695	17.63	0.26	0.23	9.47e-1
ZNF696	84.91	0.02	0.25	9.96e-1
ZNF699	10.38	0.19	0.21	9.73e-1
ZNF7	171.86	0.2	0.23	9.73e-1
ZNF70	50.57	-0.14	0.25	9.90e-1
ZNF700	91.1	0.35	0.25	8.80e-1
ZNF701	99.5	-0.01	0.24	9.98e-1
ZNF706	300.26	0.02	0.21	9.93e-1
ZNF707	33	0.06	0.25	9.93e-1
ZNF708	68.74	-0.25	0.25	9.56e-1
ZNF709	16.91	0.2	0.23	9.80e-1
ZNF71	60.5	-0.1	0.25	9.90e-1
ZNF710	201.47	-0.59	0.24	4.14e-1
ZNF711	243.99	0.03	0.22	9.93e-1
ZNF713	18.9	0	0.24	9.98e-1
ZNF714	241.69	-0.11	0.22	9.90e-1
ZNF718	76.61	0.16	0.25	9.90e-1
ZNF720	55.54	0.09	0.25	9.90e-1
ZNF721	415.46	0.03	0.21	9.93e-1
ZNF726	18.59	-0.04	0.24	9.93e-1
ZNF730	46.49	0.03	0.25	9.93e-1
ZNF736	275.55	0.23	0.21	9.49e-1
ZNF737	129.57	0.07	0.24	9.93e-1
ZNF738	136.01	0.22	0.24	9.72e-1
ZNF740	309.07	0.16	0.21	9.87e-1
ZNF746	241.47	-0.22	0.23	9.66e-1

ZNF747	147.72	-0.12	0.23	9.90e-1
ZNF749	68.52	0.02	0.25	9.94e-1
ZNF75A	31.21	0.05	0.25	9.93e-1
ZNF75D	55.67	0.41	0.25	8.30e-1
ZNF76	295.12	0.14	0.21	9.90e-1
ZNF761	219.94	0.03	0.22	9.93e-1
ZNF764	53.76	-0.1	0.25	9.90e-1
ZNF765	128.45	-0.17	0.24	9.87e-1
ZNF766	158.52	0	0.23	9.98e-1
ZNF767P	157.38	0.31	0.23	9.03e-1
ZNF768	307.87	-0.12	0.23	9.90e-1
ZNF77	24.29	0.09	0.25	9.90e-1
ZNF770	767.96	0.2	0.21	9.61e-1
ZNF771	15.27	0.26	0.23	9.47e-1
ZNF772	12.26	0.16	0.22	9.87e-1
ZNF773	15.91	0.13	0.23	9.90e-1
ZNF775	40.12	-0.06	0.25	9.93e-1
ZNF776	158.1	0.11	0.23	9.90e-1
ZNF777	297.11	0.04	0.22	9.93e-1
ZNF778	46.94	-0.11	0.25	9.90e-1
ZNF780A	26.36	-0.02	0.25	9.96e-1
ZNF780B	65.2	0.32	0.25	9.25e-1
ZNF782	43.85	0.07	0.25	9.93e-1
ZNF783	22.14	-0.12	0.24	9.90e-1
ZNF784	16.52	0.06	0.23	9.93e-1
ZNF786	77.06	-0.22	0.25	9.80e-1
ZNF787	167.01	-0.29	0.25	9.47e-1
ZNF789	58.96	0.1	0.25	9.90e-1
ZNF79	50.93	-0.09	0.25	9.90e-1
ZNF791	143.32	0.68	0.24	2.42e-1
ZNF792	18.51	-0.11	0.23	9.90e-1
ZNF799	17.14	0.21	0.23	9.69e-1
ZNF8	68.63	-0.23	0.25	9.71e-1
ZNF800	379.78	0.01	0.22	9.98e-1
ZNF804A	231.13	-0.03	0.22	9.93e-1
ZNF805	57.55	0.18	0.25	9.87e-1
ZNF808	77.28	-0.01	0.25	9.96e-1
ZNF81	51.4	0.23	0.25	9.72e-1
ZNF813	107.97	-0.02	0.24	9.95e-1
ZNF814	10.58	-0.06	0.21	9.92e-1
ZNF815P	15.21	-0.07	0.23	9.91e-1
ZNF816	58.8	0.21	0.25	9.81e-1
ZNF821	20.22	0.15	0.24	9.90e-1
ZNF823	47.74	0.22	0.25	9.79e-1
ZNF827	445.88	-0.01	0.2	9.97e-1
ZNF83	149.62	0.16	0.23	9.87e-1
ZNF830	117.03	0.11	0.24	9.90e-1
ZNF831	148.45	-0.92	0.24	1.96e-2
ZNF837	15.08	0.26	0.22	9.47e-1
ZNF839	99.92	0.16	0.24	9.90e-1
ZNF844	31.21	0.15	0.25	9.90e-1
ZNF845	134.72	-0.02	0.24	9.95e-1
ZNF85	117.86	-0.07	0.24	9.93e-1
ZNF852	31.11	-0.2	0.25	9.86e-1
ZNF860	185.19	-0.41	0.23	7.49e-1
ZNF862	18.82	-0.03	0.24	9.93e-1
ZNF865	113.19	-0.05	0.25	9.93e-1
ZNF888	64.18	-0.13	0.25	9.90e-1
ZNF91	113.63	0.01	0.25	9.96e-1
ZNF92	509.63	-0.3	0.22	8.92e-1
ZNF93	48.21	0.06	0.25	9.93e-1
ZNFX1	654.34	-0.12	0.19	9.90e-1
ZNHIT1	169.51	0.07	0.23	9.93e-1
ZNHIT2	17.39	-0.18	0.23	9.86e-1
ZNHIT3	122.33	0.47	0.24	6.69e-1
ZNHIT6	530.25	-0.19	0.2	9.66e-1
ZNRD1	59.8	-0.21	0.25	9.81e-1
ZNRD1-AS1	24.48	0.05	0.25	9.93e-1
ZNRF1	185.16	-0.13	0.23	9.90e-1
ZNRF2	101.08	0.21	0.24	9.80e-1
ZP3	10.05	-0.03	0.21	9.93e-1
ZPBP2	17.15	0	0.23	9.98e-1
ZPR1	769.95	-0.08	0.19	9.90e-1
ZRANB1	312.62	0.05	0.21	9.93e-1
ZRANB2	1324.14	0.01	0.2	9.96e-1
ZRANB3	61.72	0.14	0.25	9.90e-1
ZRSR2	113.79	-0.37	0.24	8.41e-1
ZSCAN12P1	73.25	0.26	0.25	9.54e-1
ZSCAN16-AS1	33.16	-0.2	0.25	9.84e-1
ZSCAN2	60.04	0.02	0.25	9.94e-1
ZSCAN20	45.3	0.07	0.25	9.93e-1
ZSCAN21	49.07	0.09	0.25	9.90e-1
ZSCAN22	35.94	0.07	0.25	9.93e-1

ZSCAN25	166.55	-0.18	0.23	9.81e-1
ZSCAN26	41.82	0.03	0.25	9.93e-1
ZSCAN29	293.23	0.18	0.21	9.80e-1
ZSCAN30	34	0.16	0.25	9.90e-1
ZSCAN32	200.04	0.15	0.22	9.88e-1
ZSCAN5A	48.77	0.17	0.25	9.89e-1
ZSWIM1	180.83	-0.37	0.23	8.30e-1
ZSWIM3	42.31	0.2	0.25	9.86e-1
ZSWIM4	33.36	0.37	0.25	8.66e-1
ZSWIM6	33.15	0.04	0.25	9.93e-1
ZSWIM7	69.45	0.42	0.25	8.12e-1
ZSWIM8	406.84	-0.22	0.22	9.58e-1
ZUFSP	223.64	0.15	0.22	9.88e-1
ZW10	288.21	0.21	0.22	9.64e-1
ZWILCH	750.63	0.02	0.21	9.95e-1
ZWINT	782.3	-0.16	0.19	9.83e-1
ZXDB	95.86	0.06	0.24	9.93e-1
ZXDC	174.83	0.24	0.23	9.49e-1
ZYG11B	286.85	0.15	0.21	9.88e-1
ZZEF1	565.26	-0.07	0.2	9.91e-1
ZZZ3	469.55	0.05	0.2	9.93e-1