

Haematologica
HAEMATOL/2019/220434
Version 3

A high-content cytokine screen identifies myostatin propeptide as a positive regulator of primitive chronic myeloid leukemia cells

Sofia von Palffy, Niklas Landberg, Carl Sandén, Dimitra Zacharaki, Mansi Shah, Naoto Nakamichi, Nils Hansen, Maria Askmyr, Henrik Lilljebjörn, Marianne Rissler, Christine Karlsson, Stefan Scheduling, Johan Richter, Connie J. Eaves, Ravi Bhatia, Marcus Järås, and Thoas Fioretos

Disclosures: none

Contributions: S.v.P. and T.F. designed the research study; S.v.P., N.L., C.S., D.Z., M.S., N.N., N.H., M.A., and M.R. performed experiments; S.v.P., N.L., C.S., D.Z., M.S., N.N., N.H., M.A., H.L., C.K., S.S., C.J.E., R.B., M.J., and T.F. contributed to experimental design; J.R. provided patient material; R.B. and C.J.E. contributed with essential reagents and tools; S.v.P., N.L., C.S., M.S., N.N., N.H., M.A., H.L., M.J., and T.F. analysed the data; S.v.P. and T.F. wrote the paper, and all other authors contributed with valuable comments.