

Haematologica
HAEMATOL/2019/225953
Version 3

EVI1 triggers metabolic reprogramming associated with
leukemogenesis and increases sensitivity to L-asparaginase

Yusuke Saito, Daisuke Sawa, Mariko Kinoshita, Ai Yamada, Sachiyo
Kamimura, Akira Suekane, Honami Ogoh, Hidemasa Matsuo, Souichi
Adachi, Takashi Taga, Daisuke Tomizawa, Motomi Osato, Tomoyoshi
Soga, Kazuhiro Morishita, and Hiroshi Moritake

Disclosures: The authors have received L-Asparaginase (Leunase) from Kyowa Hakko Kirin. This research was supported by JSPS KAKENHI Grants (Number JP.16K19581 and AMED under Grant Number JP. 17cm0106126h0002) and grants from the Takeda Science Foundation, the Friends of Leukemia Research Fund, The Shinnihon Foundation of Advanced Medical Treatment Research, and the Japanese Society of Hematology Research.

Contributions: K.M. and H.M. designed the experiments and supervised all aspects of the project; Y.S., D.S., M.K., A.Y., S.K., A.S., H.O., and T.S. performed the experiments; H.M., S.A., T.T., and D.T. analyzed data; M.O. provided vital reagents; Y.S. wrote the manuscript and generated the figures.