

# Flow cytometric analysis of cerebrospinal fluid identifies patients with occult central nervous system involvement in relapsed pediatric acute lymphoblastic leukemia

## Authors


Maria Thastrup,<sup>1</sup> Hanne Vibeke Marquart,<sup>2,3</sup> Mette Levinsen,<sup>1</sup> Aina Ulvmoen,<sup>4</sup> Birgitte Klug Albertsen,<sup>5,6</sup> Cornelis Jan Pronk,<sup>7</sup> Marianne Olsen,<sup>8</sup> Peder Wehner,<sup>9</sup> Mervi Taskinen,<sup>10</sup> Bodil Als-Nielsen<sup>1</sup> and Kjeld Schmiegelow<sup>1,3</sup> on behalf of the Nordic Society of Pediatric Hematology and Oncology (NOPHO)

<sup>1</sup>Department of Pediatrics and Adolescent Medicine, Rigshospitalet, University of Copenhagen, Copenhagen, Denmark; <sup>2</sup>Department of Clinical Immunology, Rigshospitalet, University of Copenhagen, Copenhagen, Denmark; <sup>3</sup>Institute of Clinical Medicine, Faculty of Health and Medical Sciences, University of Copenhagen, Copenhagen, Denmark; <sup>4</sup>Department of Pediatrics, Oslo University Hospital, Oslo, Norway; <sup>5</sup>Department of Pediatrics and Adolescent Medicine, Aarhus University Hospital, Aarhus, Denmark; <sup>6</sup>Department of Clinical Medicine, Aarhus University, Aarhus, Denmark; <sup>7</sup>Sweden Childhood Cancer Center, Skaane University Hospital, Lund, Sweden;


<sup>8</sup>Pediatric Department, Aalborg University Hospital, Aalborg, Denmark; <sup>9</sup>Department of Pediatric Hematology and Oncology, Hans Christian Andersen Children's Hospital, Odense University Hospital, Odense, Denmark and <sup>10</sup>Division of Pediatric Hematology, Oncology and Stem Cell Transplantation, Children and Adolescents, Helsinki University Hospital, Helsinki, Finland

Correspondence:  
K. SCHMIEGELow - kjeld.schmiegelow@regionh.dk  
<https://doi.org/10.3324/haematol.2025.287392>

Received: January 20, 2025.  
Accepted: July 3, 2025.  
Early view: July 10, 2025.

©2026 Ferrata Storti Foundation  
Published under a CC BY-NC license 

## Supplementary Figure S1



Scatterplot with blasts/mL CSF at initial diagnosis and at relapse for 18 patients with FCM results at both time points. FCM-negative values (0 blasts/mL) were set as 0.1 to enable display on logarithmic axis.