

- (1) Kamesaki H, Matsui Y, Ohno Y, Amano H, Imanaka T, Takahashi Y, et al. Angiotropic lymphoma with histologic features of neoplastic angioendotheliomatosis presenting with predominant respiratory and hematologic manifestations. Report of a case and review of the literature. *Am.J.Clin.Pathol.* 1990; 94(6):768-772.
- (2) Shimokawa I, Higami Y, Sakai H, Moriuchi Y, Murase K, Ikeda T. Intravascular malignant lymphomatosis: a case of T-cell lymphoma probably associated with human T-cell lymphotropic virus. *Hum.Pathol.* 1991; 22(2):200-202.
- (3) Tateyama H, Eimoto T, Tada T, Kamiya M, Fujiyoshi Y, Kajiura S. Congenital angiotropic lymphoma (intravascular lymphomatosis) of the T-cell type. *Cancer* 1991; 67(8):2131-2136.
- (4) Nishikawa K, Sekiyama S, Suzuki T, Ito Y, Matsukawa W, Tamai H, et al. A case of angiotropic large cell lymphoma manifesting nephrotic syndrome and treated successfully with combination chemotherapy. *Nephron* 1991; 58(4):479-482.
- (5) Okada Y, Nakanishi I, Nomura H, Takeda R, Nonomura A, Takekuma K. Angiotropic B-cell lymphoma with hemophagocytic syndrome. *Pathol.Res.Pract.* 1994; 190(7):718-24; discussion 725-7.
- (6) Nagayama M, Shinohara Y, Sekiyama S, Takahashi W, Takagi S, Yamamoto M, et al. Intravascular malignant lymphomatosis manifesting clinically as bilateral sudden hearing loss and cytomegalovirus encephalitis. *Neurology* 1994; 44(8):1518-1520.
- (7) Hanihara T, Takahashi T, Shimada T, Mizuguchi M, Yagishita S. Parathyroid hormone-related protein-associated hypercalcemia in probable intravascular lymphoma of B-cell type. *Am.J.Hematol.* 1996; 53(2):144-145.
- (8) Nambu A, Kurihara Y, Ichikawa T, Ohkubo S, Onoue M, Oyama T, et al. Lung involvement in angiotropic lymphoma: CT findings. *AJR Am.J.Roentgenol.* 1998; 170(4):940-942.
- (9) Takamura K, Nasuhara Y, Mishina T, Matsuda T, Nishimura M, Kawakami Y, et al. Intravascular lymphomatosis diagnosed by transbronchial lung biopsy. *Eur.Respir.J.* 1997; 10(4):955-957.
- (10) Murase T, Tashiro K, Suzuki T, Saito H, Nakamura S. Detection of antibodies to *Fasciola* and *Anisakis* in Japanese patients with intravascular lymphomatosis. *Blood* 1998; 92(6):2182-2183.
- (11) Amagasaki K, Yamazaki H, Ohmori K, Koizumi H, Hashizume K, Sasaguchi N. Malignant intravascular lymphomatosis associated with venous stenosis. Case report. *J.Neurosurg.* 1999; 90(2):355-358.
- (12) Kuwabara H. Intravascular lymphomatosis presenting as bilateral adrenal enlargement and insufficiency. *Acta Cytol.* 1999; 43(5):975-976.
- (13) Nakahara T, Saito T, Muroi A, Sugiura Y, Ogata M, Sugiyama Y, et al. Intravascular lymphomatosis presenting as an ascending cauda equina: conus medullaris syndrome: remission after biweekly CHOP therapy. *J.Neurol.Neurosurg.Psychiatry.* 1999; 67(3):403-406.
- (14) Owa M, Koyama J, Asakawa K, Hikita H, Kubo K, Ikeda SI. Intravascular lymphomatosis presenting as reversible severe pulmonary hypertension. *Int.J.Cardiol.* 2000; 15;75(2-3):283-284.

- (15) Koizumi M, Nishimura M, Yokota A, Munekata S, Kobayashi T, Saito Y. Successful treatment of intravascular malignant lymphomatosis with high-dose chemotherapy and autologous peripheral blood stem cell transplantation. *Bone Marrow Transplant.* 2001; 27(10):1101-1103.
- (16) Yamaguchi M, Kimura M, Watanabe Y, Taniguchi M, Masuya M, Kageyama S, et al. Successful autologous peripheral blood stem cell transplantation for relapsed intravascular lymphomatosis. *Bone Marrow Transplant.* 2001; 27(1):89-91.
- (17) Satoh S, Yamazaki M, Yahikozawa H, Ichikawa N, Saito H, Hanyuu N, et al. Intravascular large B cell lymphoma diagnosed by senile angioma biopsy. *Intern.Med.* 2003; 42(1):117-120.
- (18) Tsukadaira A, Okubo Y, Ogasawara H, Urushibata K, Honda T, Miura I, et al. Chromosomal aberrations in intravascular lymphomatosis. *Am.J.Clin.Oncol.* 2002; 25(2):178-181.
- (19) Aoki A, Ono S, Ueda A, Hagiwara E, Tsuji T, Ishigatsubo Y. Patient with intravascular lymphomatosis: Changes with time in concentrations of serum cytokines. *Nihon Rinsho Meneki Gakkai Kaishi* 2002; 25(3):285-288.
- (20) Hashimoto H, Naritomi H, Kazui S, Yamamoto H, Kinugawa H, Miyashita K, et al. Presymptomatic brain lesions on MRI in a patient with intravascular malignant lymphomatosis. *J.Neuroimaging* 1998; 8(2):110-113.
- (21) Setoyama M, Mizoguchi S, Orikawa T, Tashiro M. A case of intravascular malignant lymphomatosis (angiotropic large-cell lymphoma) presenting memory T cell phenotype and its expression of adhesion molecules. *J.Dermatol.* 1992; 19(5):263-269.
- (22) Inooka G, Ishikawa S, Saito T, Saito K, Kamoshida T, Kuzuya T. An autopsy case of intravascular lymphomatosis (neoplastic angioendotheliomatosis) accompanied by high fever, hypertension and without focal sign. *Intern.Med.* 1992; 31(5):666-670.
- (23) Suzuki S, Koizumi Y. Angiotropic lymphoma diagnosed by muscle biopsy. *Intern.Med.* 1997; 36(4):304-307.
- (24) Hayashi T, Watanabe E, Ogawa M, Terakura M, Nonaka Y, Hirano M, et al. Angiotropic B-cell lymphoma presenting with progressive dementia: an autopsy case and review of the literature in Japan. *Intern.Med.* 1995; 34(11):1134-1139.
- (25) Kobayashi T, Munakata S, Sugiura H, Koizumi M, Sumida M, Murata K, et al. Angiotropic lymphoma: proliferation of B cells in the capillaries of cutaneous angiomas. *Br.J.Dermatol.* 2000; 143(1):162-164.
- (26) Okawa Y, Usui N, Uno S, Dobashi N, Kasama K, Kobayashi M. Intravascular large B cell lymphoma with migratory local high density shadow by chest CT and diagnosed by transbronchial lung biopsy. *Rinsho Ketsueki* 2002; 43(7):567-572.
- (27) Asagoe K, Fujimoto W, Yoshino T, Mannami T, Liu Y, Kanzaki H, et al. Intravascular lymphomatosis of the skin as a manifestation of recurrent B-cell lymphoma. *J.Am.Acad.Dermatol.* 2003; 48(2 Suppl):S1-4.
- (28) Yanagihori H, Oyama N, Kawakami Y, Sakuma-Oyama Y, Nakamura K, Iwatsuki K, et al. A case of intravascular large B-cell lymphoma with multiple organ involvement. *J.Dermatol.* 2003; 30(12):910-914.

- (29) Yamagata T, Okamoto Y, Ota K, Katayama N, Tsuda T, Yukawa S. A case of pulmonary intravascular lymphomatosis diagnosed by thoracoscopic lung biopsy. *Respiration* 2003; 70(4):414-418.
- (30) Fukushima A, Okada Y, Tanikawa T, Onaka T, Tanaka A, Higashi T, et al. Primary bilateral adrenal intravascular large B-cell lymphoma associated with adrenal failure. *Intern.Med.* 2003; 42(7):609-614.
- (31) Suzuki N, Nagai M, Ishigaki A, Suzuki Y, Onodera H, Jokura E, et al. MR spectroscopy findings of a case of intravascular malignant lymphoma: usefulness for differential diagnosis. *Rinsho Shinkeigaku* 2003; 43(4):180-182.
- (32) Nagami Y, Ishikura R, Takada Y, Ando K, Morikawa T. A case of intravascular lymphomatosis with sinus thrombosis. *Nippon Igaku Hoshasen Gakkai Zasshi* 2003; 63(4):180-182.
- (33) Aoyama M, Aoki T, Matsuura Y, Yamanoi T, Watanabe A, Saitou N, et al. Dramatic but temporary improvements in a case of CNS intravascular malignant lymphomatosis. *Rinsho Shinkeigaku* 2003; 43(1-2):6-11.
- (34) Seki K, Miyakoshi S, Lee GH, Matsushita H, Mutoh Y, Nakase K, et al. Prostatic acid phosphatase is a possible tumor marker for intravascular large B-cell lymphoma. *Am.J.Surg.Pathol.* 2004; 28(10):1384-1388.
- (35) Hoshino A, Kawada E, Ukita T, Itoh K, Sakamoto H, Fujita K, et al. Usefulness of FDG-PET to diagnose intravascular lymphomatosis presenting as fever of unknown origin. *Am.J.Hematol.* 2004; 76(3):236-239.
- (36) Kishi Y, Kami M, Kusumi E, Mineyama T, Kato D, Hamaki T, et al. Prostatic acid phosphatase: a possible diagnostic marker of intravascular large B-cell lymphoma. *Haematologica* 2004; 89(5): ECR13.
- (37) Imai H, Kajimoto K, Taniwaki M, Miura I, Hatta Y, Hashizume Y, et al. Intravascular large B-cell lymphoma presenting with mass lesions in the central nervous system: a report of five cases. *Pathol.Int.* 2004; 54(4):231-236.
- (38) Motegi S, Tamura A, Takeuchi Y, Ishikawa O. Senile angioma-like eruption: a skin manifestation of intravascular large B cell lymphoma. *Dermatology* 2004; 209(2):135-137.
- (39) Ohkubo H, Yoshida T, Ohta K, Takaku T, Katagiri T, Paku J, et al. A case of pulmonary intravascular lymphoma treated with CHOP chemotherapy plus rituximab. *Gan To Kagaku Ryoho* 2005; 32(4):553-556.
- (40) Yamada N, Uchida R, Fuchida S, Okano A, Okamoto M, Ochiai N, et al. CD5+ Epstein-Barr virus-positive intravascular large B-cell lymphoma in the uterus co-existing with huge myoma. *Am.J.Hematol.* 2005; 78(3):221-224.
- (41) Kinoshita T, Sugihara S, Matusue E, Nomura T, Ametani M, Ohama E, et al. Intravascular malignant lymphomatosis: diffusion-weighted magnetic resonance imaging characteristics. *Acta Radiol.* 2005; 46(3):246-249.
- (42) Miyoshi I, Kubota T, Saito T, Toi M, Taguchi H. Intravascular lymphoma presenting with diverse neurologic manifestations. *Intern.Med.* 2006; 45(2):119-120.

- (43) Murase T, Nakamura S, Tashiro K, Suchi T, Hiraga J, Hayasaki N, et al. Malignant histiocytosis-like B-cell lymphoma, a distinct pathologic variant of intravascular lymphomatosis: a report of five cases and review of the literature. *Br.J.Haematol.* 1997; 99(3):656-664.
- (44) Murase T, Nakamura S. An Asian variant of intravascular lymphomatosis: an updated review of malignant histiocytosis-like B-cell lymphoma. *Leuk.Lymphoma* 1999; 33(5-6):459-473.
- (45) Ichikawa N, Kobayashi H, Ito T, Saito H. Chromosomal aberrations detected after stimulation with lipopolysaccharide in a patient with Asian variant intravascular lymphomatosis. *Cancer Genet.Cytogenet.* 2000; 120(1):83-84.
- (46) Shimazaki C, Inaba T, Nakagawa M. B-cell lymphoma-associated hemophagocytic syndrome. *Leuk.Lymphoma* 2000; 38(1-2):121-130.
- (47) Murase T, Nakamura S, Kawauchi K, Matsuzaki H, Sakai C, Inaba T, et al. An Asian variant of intravascular large B-cell lymphoma: clinical, pathological and cytogenetic approaches to diffuse large B-cell lymphoma associated with haemophagocytic syndrome. *Br.J.Haematol.* 2000; 111(3):826-834.
- (48) Watabe R, Shibata K, Hirase N, Kodera T, Muta K, Nishimura J, et al. Angiotropic B-cell lymphoma with hemophagocytic syndrome associated with syndrome of inappropriate secretion of antidiuretic hormone. *Ann.Hematol.* 2000; 79(10):581-584.
- (49) Ito M, Kim Y, Choi JW, Ozawa H, Fujino M. Prevalence of intravascular large B-cell lymphoma with bone marrow involvement at initial presentation. *Int.J.Hematol.* 2003; 77(2):159-163.
- (50) Tokura T, Murase T, Toriyama T, Totani Y, Negita M, Akaza K, et al. Asian variant of CD5+ intravascular large B-cell lymphoma with splenic infarction. *Intern.Med.* 2003; 42(1):105-109.
- (51) Kakumitsu H, Higuchi M, Tanaka K, Shibuya T. Nephrotic syndrome in a patient with intravascular lymphomatosis. *Intern.Med.* 2003; 42(1):98-101.
- (52) Narimatsu H, Morishita Y, Saito S, Shimada K, Ozeki K, Kohno A, et al. Usefulness of bone marrow aspiration for definite diagnosis of Asian variant of intravascular lymphoma: four autopsied cases. *Leuk.Lymphoma* 2004; 45(8):1611-1616.
- (53) Sugimoto KJ, Mori KL, Oshimi K. Intravascular large B-cell lymphoma. *Am.J.Hematol.* 2004; 76(3):291-292.
- (54) Miyazaki C, Mukai M, Kawaai Y, Takeda M, Katoh N, Nagano S, et al. A case of intravascular lymphoma with increased regional cerebral blood flow in I-123 IMP single-photon emission CT. *AJNR Am.J.Neuroradiol.* 2004; 25(4):565-570.
- (55) Takahashi E, Kajimoto K, Fukatsu T, Yoshida M, Eimoto T, Nakamura S. Intravascular large T-cell lymphoma: a case report of CD30-positive and ALK-negative anaplastic type with cytotoxic molecule expression. *Virchows Arch.* 2005; 447(6):1000-1006.
- (56) Yoshikawa S, Kobayashi H, Kanda S, Furihata K, Ueno M, Kaneki T, et al. An Asian variant of intravascular lymphoma diagnosed through splenectomy. *Intern.Med.* 2002; 41(12):1215-1216.

- (57) Au WY, Shek WH, Nicholls J, Tse KM, Todd D, Kwong YL. T-cell intravascular lymphomatosis (angiotropic large cell lymphoma): association with Epstein-Barr viral infection. *Histopathology* 1997; 31(6):563-567.
- (58) Ip M, Chan KW, Chan IK. Systemic inflammatory response syndrome in intravascular lymphomatosis. *Intensive Care Med.* 1997; 23(7):783-786.
- (59) Ko YH, Han JH, Go JH, Kim DS, Kwon OJ, Yang WI, et al. Intravascular lymphomatosis: a clinicopathological study of two cases presenting as an interstitial lung disease. *Histopathology* 1997; 31(6):555-562.
- (60) Cheng FY, Tsui WM, Yeung WT, Ip LS, Ng CS. Intravascular lymphomatosis: a case presenting with encephalomyelitis and reactive haemophagocytic syndrome diagnosed by renal biopsy. *Histopathology* 1997; 31(6):552-554.
- (61) Chim CS, Loong F. Intravascular lymphomatosis of the prostate gland. *Br.J.Haematol.* 2002; 119(1):2
- (62) Goh SG, Chuah KL, Tan PH. Intravascular lymphomatosis of the lung and liver following eyelid lymphoma in a Chinese man and review of primary pulmonary intravascular lymphomatosis. *Pathology* 2002; 34(1):82-85.
- (63) Lui PC, Wong GK, Poon WS, Tse GM. Intravascular lymphomatosis. *J.Clin.Pathol.* 2003; 56(6):468-470.
- (64) Han JH, Kim JH, Yim H. Intravascular lymphomatosis of the brain. Report of a case using an intraoperative cytologic preparation. *Acta Cytol.* 2004; 48(3):411-414.
- (65) Hsu YH, Tseng BY, Shyu WC, Yen PS. Intravascular lymphomatosis mimicking acute disseminated encephalomyelitis: a case report. *Kaohsiung J.Med.Sci.* 2005; 21(2):93-97.
- (66) Sukpanichnant S, Visuthisakchai S. Intravascular lymphomatosis: a study of 20 cases in Thailand and a review of the literature. *Clin.Lymphoma Myeloma* 2006; 6(4):319-328.
- (67) Anghel G, Petrinato G, Severino A, Remotti D, Insabato L, De Renzo A, et al. Intravascular B-cell lymphoma: report of two cases with different clinical presentation but rapid central nervous system involvement. *Leuk.Lymphoma* 2003; 44(8):1353-1359.
- (68) Dufau JP, Le Tourneau A, Molina T, Le Houcq M, Claessens YE, Rio B, et al. Intravascular large B-cell lymphoma with bone marrow involvement at presentation and haemophagocytic syndrome: two Western cases in favour of a specific variant. *Histopathology* 2000; 37(6):509-512.
- (69) Wolter M, Badoual C, Wechsler J, Lambolez T, Haioun C, Bouloc A, et al. Intravascular large cell lymphoma revealed by diffuse telangiectasia and cauda equina syndrome. *Ann.Dermatol.Venereol.* 2002; 129(3):320-324.
- (70) Kidson-Gerber G, Bosco A, Maccallum S, Dunkley S. Two cases of intravascular lymphoma: highlighting the diagnostic difficulties in pyrexia of unknown origin. *Intern.Med.J.* 2005; 35(9):569-570.
- (71) Bhagwati NS, Oiseth SJ, Abebe LS, Wiernik PH. Intravascular lymphoma associated with hemophagocytic syndrome: a rare but aggressive clinical entity. *Ann.Hematol.* 2004; 83(4):247-250.

- (72) Menendez Calderon MJ, Segui Riesco ME, Arguelles M, Nuno Mateo J. Intravascular lymphomatosis. A report of three cases. *An.Med.Interna* 2005; 22(1):31-34.
- (73) Terrier B, Aouba A, Vasiliu V, Charlier C, Delarue R, Buzyn A, et al. Intravascular lymphoma associated with haemophagocytic syndrome: a very rare entity in western countries. *Eur.J.Haematol.* 2005; 75(4):341-345.
- (74) Jang HJ, Lee KS, Han J. Intravascular lymphomatosis of the lung: radiologic findings. *J.Comput.Assist.Tomogr.* 1998; 22(3):427-429.
- (75) Kayano H, Katayama I. Primary hepatic lymphoma presenting as intravascular lymphomatosis. *Arch.Pathol.Lab.Med.* 1990; 114(6):580-584.