


Gain of chromosome region 18q21 including the *MALT1* gene is associated with the activated B-cell-like gene expression subtype and increased *BCL2* gene dosage and protein expression in diffuse large B-cell lymphoma

Judith Dierlamm,¹ Eva M. Murga Penas,¹ Stefan Bentink,² Swen Wessendorf,³ Hilmar Berger,⁴ Michael Hummel,⁵ Wolfram Klapper,⁶ Dido Lenze,⁵ Andreas Rosenwald,⁷ Eugenia Haralambieva,⁷ German Ott,⁷ Sergio B. Cigliatti,⁸ Peter Möller,⁹ Carsten Schwaenen,³ Harald Stein,⁵ Markus Löffler,⁴ Rainer Spang,² Lorenz Trümper,¹⁰ and Reiner Siebert¹¹ for the Deutsche Krebshilfe Network Project “Molecular Mechanisms in Malignant Lymphomas”

¹Dept. of Oncology and Hematology, University Medical Center Hamburg-Eppendorf, Hamburg, Germany; ²Max Planck Institute for Molecular Genetics, Computational Diagnostics Group, Berlin, Germany; ³Dept. of Internal Medicine III, Hematology and Oncology, University Hospital Ulm, Ulm, Germany; ⁴Institute for Medical Informatics, Statistics and Epidemiology, University of Leipzig, Leipzig, Germany; ⁵Institute of Pathology, Campus Benjamin Franklin, Charité-University Medicine Berlin, Berlin, Germany; ⁶Dept. of Pathology, Hematology Section and Lymph Node Registry, University Hospital Schleswig-Holstein, Campus Kiel, Kiel, Germany; ⁷Institute of Pathology, University of Würzburg, Würzburg, Germany; ⁸Institute of Pathology, Kantonsspital St. Gallen, St. Gallen, Switzerland; ⁹Institute of Pathology, University of Ulm, Ulm, Germany; ¹⁰Department of Hematology, University Hospital Göttingen, Göttingen, Germany and ¹¹Institute of Human Genetics, University Hospital Schleswig-Holstein Campus Kiel, Kiel, Germany

Citation: Dierlamm J, Murga Penas EM, Bentink S, Wessendorf S, Berger H, Hummel M, Klapper W, Lenze D, Rosenwald A, Haralambieva E, Ott G, Cigliatti SB, Möller P, Schwaenen C, Stein H, Löffler M, Spang R, Trümper L, and Siebert R, for the Deutsche Krebshilfe Network Project “Molecular Mechanisms in Malignant Lymphomas”. Gain of chromosome region 18q21 including the *MALT1* gene is associated with the activated B-cell-like gene expression subtype and increased *BCL2* gene dosage and protein expression in diffuse large B-cell lymphoma. *Haematologica* 2008 May;93(5):688-696. doi: 10.3324/haematol.12057



Supplementary Figure S1. Differential gene expression between cases with a 18q21 gain including *MALT1* and cases without this gain. By analyzing the genes on chromosome 18 using a gene-by-gene test, we identified 33 differentially expressed genes with an estimated false discovery rate of 0.05. The heatmap shows the relative fold-change of the corresponding 47 probesets with respect to the mean expression in all samples. Samples are ordered with respect to four groups: 18q21/*MALT1* gain-ABC, 18q21/*MALT1* gain-GCB, 18q21/*MALT1* normal-ABC, 18q21/*MALT1* normal-GCB.

Supplementary Table S1. Differentially expressed genes on chromosome 18 in DLBCL with and without gain of 18q21 including *MALT1*.

Cytoband	Gene symbol and name	Probeset	q-value
18q21.31	<i>TXNL1</i> (thioredoxin-like 1)	201588_at	0.00219
18q21.32-q21.33	<i>VPS4B</i> (vacuolar protein sorting 4 homolog B (S. cerevisiae))	218171_at	0.00219
18q21.1	<i>POLI</i> (polymerase (DNA directed) iota)	219317_at	0.00243
18q21	<i>NEDD4L</i> (neural precursor cell expressed, developmentally down-regulated 4-like)	212445_s_at	0.00243
18q21.3	<i>SERPINB8</i> (serpin peptidase inhibitor, clade B (ovalbumin), member 8)	206034_at	0.00243
18q21	<i>MALT1</i> (mucosa associated lymphoid tissue lymphoma translocation gene 1)	210018_x_at 208309_s_at 210017_at	0.00344
0,00396			
0,01772			
18q21.2-q21.3	<i>NARS</i> (asparaginyl-tRNA synthetase)	200027_at	0.00434
18q23	<i>ATP9B</i> (ATPase, Class II, type 9B)	214934_at	0.00434
18q12.1	<i>MAPRE2</i> (microtubule-associated protein, RP/EB family, member 2)	202501_at	0.00623
18q12	<i>CXXC1</i> (CXXC finger 1 (PHD domain))	48580_at 218058_at	0.00623
18q21	<i>MBD2</i> (methyl-CpG binding domain protein 2)	202484_s_at	0.00645
18q21.1	<i>SMAD2</i> (SMAD, mothers against DPP homolog 2 (Drosophila))	203075_at 203077_s_at	0.00763 0,01516
18q21.1	<i>TCF4</i> (transcription factor 4)	212385_at 222146_s_at 203753_at 213891_s_at 212382_at 212387_at	0.00872 0,01778 0,02041 0,02641 0,03134 0,03331
18q23	<i>PQLC1</i> (PQ loop repeat containing 1)	218208_at	0.01027
18q21.1	<i>SMAD4</i> (SMAD, mothers against DPP homolog 4 (Drosophila))	202526_at 202527_s_at	0.01097 0,01734
18q21	<i>MBD1</i> (methyl-CpG binding domain protein 1)	203353_s_at 208595_s_at	0.01098 0,01362
18q23	<i>CTDP1</i> (CTD (carboxy-terminal domain, RNA polymerase II, polypeptide A) phosphatase, subunit 1)	205035_at	0.01123
18q21.1-q22	<i>WDR7</i> (WD repeat domain 7)	212880_at	0.01335
18q22.3	<i>CNDP2</i> (CNDP dipeptidase 2 (metallopeptidase M20 family))	217752_s_at	0.0141
18q21.33	<i>PIGN</i> (phosphatidylinositol glycan anchor biosynthesis, class N)	219048_at	0.01545
18q21.1	<i>ACAA2</i> (acetyl-Coenzyme A acyltransferase 2 (mitochondrial 3-oxoacyl-Coenzyme A thiolase))	202003_s_at	0.01926
18q23	<i>TXNL4A</i> (thioredoxin-like 4A)	202836_s_at	0.0196
18q21.3	<i>FECH</i> (ferrochelatase (protoporphyrin))	203116_s_at 203115_at	0.0197 0,04608
18q21	<i>ELAC1</i> (elaC homolog 1 (E. coli))	219325_s_at	0.02345
18q21.1	<i>C18orf24</i> (chromosome 18 open reading frame 24)	217640_x_at	0.02363
18q12.2	<i>C18orf10</i> (chromosome 18 open reading frame 10)	212055_at 213617_s_at	0.02641 0,04039
18q12.3	<i>PIK3C3</i> (phosphoinositide-3-kinase, class 3)	204297_at	0.02641
18q23	<i>C18orf22</i> (chromosome 18 open reading frame 22)	219419_at	0.02641
18q21.1	<i>PIAS2</i> (protein inhibitor of activated STAT, 2)	214442_s_at 37433_at	0.03331 0,04924
18q21.33	<i>ZCCHC2</i> (zinc finger, CCHC domain containing 2)	219062_s_at	0.03331
18q12.1	<i>KIAA1012</i> (KIAA1012)	207305_s_at	0.04616
18q23	Unknown	206020_at	0.04924
	<i>MBP</i> (myelin basic protein)	210136_at	0.04924

Supplementary Table S2. Analyzed NF-κB target genes obtained from Feuerhake et al. (Blood 2005;15:1392-9, supplement).

Gene	Common Gene Name(s)	Affymetrix Probe Set(s)	Lymphochip Probe(s)
<i>BCL2</i>	B-cell CLL/lymphoma 2	203685_at	28859; 16789
<i>BCL2A1</i>	BFL1/A1/BCL2-related protein A1	205681_at	28638; 16089; 26039; 24637; 28639
<i>BCL2L1</i>	BCL2-like 1/BCLxL	212312_at; 215037_s_at	16454; 24267
<i>BIRC2</i>	baculoviral IAP repeat-containing 2 (c-IAP1)	202076_at	28475; 33714; 15917
<i>BIRC3</i>	baculoviral IAP repeat-containing 3 (c-IAP2)	210538_s_at	30589; 15916; 28474; 19233
<i>C4orf9</i>	gene near HD on 4p16.3 with homology to hypothetical <i>S. pombe</i> gene	214661_s_at	n.a.
<i>CCL2</i>	chemokine (C-C motif) ligand 2 (MCP1)	216598_s_at	15851; 34426
<i>CCL22</i>	MDC	207861_at	36447; 37437
<i>CCL3</i>	MIP-1 α	205114_s_at	16426; 26474; 26475; 16822
<i>CCL4</i>	MIP-1 β	204103_at	26408; 26409; 28410; 15850
<i>CCND2</i>	Cyclin D2	200951_s_at; 200952_s_at; 200953_s_at; 231259_s_at;	16858; 24787
<i>CCR7</i>	chemokine (C-C motif) receptor 7	206337_at	19339; 32655
<i>CD23A</i>	Fc fragment of IgE, low affinity II receptor for (CD23A) / FCER2	206759_at	17521; 35220
<i>CD44</i>	CD44 antigen (homing function and Indian blood group system)	204489_s_at; 204490_s_at; 209835_x_at; 212014_x_at; 212063_at; 229221_at; 217523_at;	30428; 31594; 28684; 24821; 19271; 16140
<i>CD69</i>	CD69 antigen/p60, early T-cell activation antigen	209795_at	16136; 24561
<i>CD83</i>	CD83 antigen/activated B lymphocytes, immunoglobulin superfamily	204440_at	16610; 30431; 19239; 28216; 27545; 17066
<i>CFLAR</i>	CASP8 and FADD-like apoptosis regulator/ c-FLIP	209508_x_at; 208485_x_at; 209939_x_at; 210563_x_at; 210564_x_at; 211316_x_at; 211317_s_at; 211862_x_at; 214486_x_at; 237367_x_at; 239629_x_at	19219; 27384
<i>DUSP1</i>	dual specificity phosphatase 1	201041_s_at; 226578_s_at	26487; 27490; 27478; 17871; 26488; 26517; 26987
<i>DUSP2</i>	dual specificity phosphatase 2	204794_at	27686; 17185
<i>EGR1</i>	early growth response 1	201693_s_at; 201694_s_at; 227404_s_at	24762; 26362; 16960
<i>EMR1</i>	egf-like module containing, mucin-like, hormone receptor-like sequence 1	207111_at	n.a.
<i>HLA-F</i>	major histocompatibility complex, class I, F	204806_x_at; 221978_at	n.a.
<i>ICAM1</i>	intercellular adhesion molecule 1/CD54	202637_s_at; 202638_s_at	16403; 27211; 24268; 28750
<i>IER2</i>	immediate early response 2/ETR-101	202081_at	n.a.
<i>IER3</i>	immediate early response 3/IEX-1	201631_s_at	26533; 26460
<i>IL15RA</i>	interleukin 15 receptor, α	207375_s_at	31845; 16161; 16046
<i>IL2RA</i>	interleukin 2 receptor, α	211269_s_at	25220; 30448; 32634
<i>IL4RA</i>	interleukin 4 receptor	203233_at	28597; 16044; 19298; 19256
<i>IL6</i>	interleukin 6/interferon, β 2	205207_at	25209; 28748; 16736; 24750
<i>IL8</i>	interleukin 8	202859_x_at	17643; 30444; 32630; 25184
<i>IRF1</i>	interferon regulatory factor 1	202531_at	28599; 24405
<i>IRF4</i>	interferon regulatory factor 4	204562_at	16614; 24729; 22122
<i>JUNB</i>	jun B proto-oncogene	201473_at	28950; 17346
<i>KAI1</i>	kangai 1/suppression of tumorigenicity 6, prostate; CD82 antigen	203904_x_at	16425
<i>KLF10</i>	TGFB inducible early growth response, TIEG1	202393_s_at	28201; 26572; 17704; 16592; 27454
<i>LITAF</i>	LPS-induced TNF-alpha factor	200704_at	28695; 34226
<i>LSP1</i>	lymphocyte-specific protein 1	203523_at	27000; 29384; 16400
<i>MYB</i>	v-myb myeloblastosis viral oncogene homolog (avian)	204798_at	24988; 19291; 28014; 17496
<i>NCF2</i>	neutrophil cytosolic factor 2 (65kDa, chronic granulomatous disease, autosomal 2)	209949_at	29574; 29573
<i>NFKB2</i>	nuclear factor of κ light polypeptide gene enhancer in B-cells 2 (p49/p100)	207535_s_at	27660; 17160
<i>NFKBIA</i>	I κ B α /nuclear factor of κ light polypeptide gene enhancer in B-cells inhibitor, α	201502_s_at	34886; 24829; 24499; 28424
<i>NK4</i>	natural killer cell transcript 4	203828_s_at	19376; 28586; 16034
<i>PASK</i>	PAS domain containing serine/threonine kinase	213534_s_at; 216945_x_at	24442; 31194
<i>PCAM1</i>	Platelet/endothelial cell adhesion molecule / CD31 antigen	208981_at; 208982_at; 208983_s_at	24718; 16837
<i>PRKCD</i>	protein kinase C, delta	202545_at	28967; 17679
<i>RAFTLIN</i>	KIAA0084 protein/raft-linking protein	212646_at	32679; 30246
<i>REL</i>	c-REL/v-rel reticuloendotheliosis viral oncogene homolog (avian)	206035_at; 206036_s_at	27705; 17204
<i>RELB</i>	v-rel reticuloendotheliosis viral oncogene homolog B	205205_at	16279; 26921; 28926

<i>RRAS2</i>	related RAS viral (r-ras) oncogene homolog 2 / TC21	208456_s_at; 212589_at; 212590_at	n.a.
<i>SDC4</i>	syndecan 4 (amphiglycan, ryudocan)	202071_at	17842; 27296; 28564
<i>SLC2A5</i>	GLUT5/solute carrier family 2, member 5	204429_s_at; 204430_s_at	17118; 24424; 26431
<i>SMAD7</i>	MAD, mothers against decapentaplegic homolog 7	204790_at	16418; 28817
<i>SOD2</i>	superoxide dismutase 2, mitochondrial	216841_s_at; 215223_s_at;	28770
<i>STAT5A</i>	signal transducer and activator of transcription 5A	221477_s_at	29329; 30027
<i>STX4A</i>	syntaxin 4A (placental)	203010_at	n.a.
<i>TNFAIP3</i>	A20/tumor necrosis factor α -induced protein 3	203530_s_at	34761; 28987; 16398; 19267; 28986
<i>TNFRSF5</i>	CD40/tumor necrosis factor receptor superfamily, member 5	202643_s_at; 202644_s_at 205153_s_at; 222292_at; 35150_at	27399; 16913
<i>TNFRSF6</i>	FAS/tumor necrosis factor receptor superfamily, member 6	204780_s_at; 204781_s_at; 215719_x_at; 216252_x_at	16699; 17626; 29375; 29356
<i>TNFSF2</i>	tumor necrosis factor /TNF superfamily, member 2	207113_s_at	28018; 17500; 24423
<i>TNIP</i>	A20-binding inhibitor of NF- κ B activation-2 (ABIN-2)	218335_x_at; 48531_at; 232160_s_at	n.a.
<i>TPMT</i>	thiopurine S-methyltransferase	203672_x_at	n.a.
<i>TRAF1</i>	TNF receptor-associated factor 1	205599_at; 235116_at	15921; 26356; 26357; 34621
<i>VIM</i>	Vimentin	201426_s_at	23950; 17082; 24417
<i>WTAP</i>	Wilms' tumor 1-associating protein	203137_at; 210285_x_at; 214759_at; 227621_at; 229630_s_at; 203687_at; 823_at	n.a.
<i>CX3CL1</i>	small inducible cytokine subfamily D (CX3CL1)		28708; 16395; 17806; 27065; 27053
<i>CXCL1</i>	GRO-1/chemokine (C-X-C motif) ligand 1 (melanoma growth stimulating activity, alpha)	204470_at	28834; 16751
<i>PTGS2</i>	prostaglandin-endoperoxide synthase 2/COX2	204748_at	28882
<i>TNFSF1</i>	lymphotoxin α /TNF superfamily, member 1/LTA/TNF β	206975_at	25205; 35085