

Manuscript no. HAEMATOL/2011/041079 entitled “Cytotoxic molecule-positive classical Hodgkin lymphoma: a clinicopathologic comparison with cytotoxic molecule-positive peripheral T-cell lymphoma of not otherwise specified type”

Authors: Naoko Asano, Tomohiro Kinoshita, Jun-Ichi Tamaru, Koichi Ohshima, Tadashi Yoshino, Nozomi Niitsu, Norifumi Tsukamoto, Kaoru Hirabayashi, Koji Izutsu, Masafumi Taniwaki, Yasuo Morishima, Shigeo Nakamura

Information about the contributions of each person named as having participated in the study

1) Guarantor(s), i.e., person(s) who is (are) responsible for the integrity of the work as a whole:

- Naoko Asano, Department of Clinical Laboratories, Nagoya University Hospital, naasano@med.nagoya-u.ac.jp
- Tomohiro Kinoshita, Department of Hematology and Oncology, Nagoya University Graduate School of Medicine, Kinoshita@med.nagoya-u.ac.jp
- Jun-Ichi Tamaru, Department of Pathology, Saitama Medical Center, Saitama Medical School, jtamaru@saitama-med.ac.jp
- Koichi Ohshima, Department of Pathology, Kurume University, ohshima_kouichi@med.kurume-u.ac.jp
- Tadashi Yoshino, Department of Pathology, Okayama University Graduate School of Medicine and Dentistry, yoshino@md.okayama-u.ac.jp
- Nozomi Niitsu, Department of Hematology, Comprehensive Cancer Center, International Medical Center, Saitama Medical University, nniitsu@saitama-med.ac.jp
- Norifumi Tsukamoto, Department of Medicine and Clinical Science, Gunma University Graduate School of Medicine, ntukamot@med.gunma-u.ac.jp
- Kaoru Hirabayashi, Department of Pathology, Tochigi Cancer Center, khirabay@tcc.pref.tochigi.lg.jp
- Koji Izutsu, Department of Hematology, Toranomon Hospital, izutsu-ky@umin.ac.jp
- Masafumi Taniwaki, Department of Molecular Hematology and Oncology, Kyoto Prefectural University of Medicine, taniwaki@koto.kpu-m.ac.jp
- Yasuo Morishima, Department of Hematology and Cell Therapy, Aichi Cancer Center Hospital, ymorisim@aichi-cc.jp
- Shigeo Nakamura, Department of Pathology and Clinical Laboratory, Nagoya University Hospital, snakamur@med.nagoya-u.ac.jp

According to the International Committee of Medical Journal Editors (ICMJE)

(http://www.icmje.org/ethical_1author.html): “*Authorship credit should be based on: 1) substantial contributions to conception and design, acquisition of data, or analysis and interpretation of data; 2) drafting the article or revising it critically for important intellectual content; and 3) final approval of the version to be published. Authors should meet conditions 1, 2, and 3 Acquisition of funding, collection of data, or general supervision of the research group alone does not constitute authorship*”.

The guarantors of this manuscript confirm that all persons designated as authors qualify for authorship, and that each author has participated sufficiently in the work to take public responsibility for appropriate portions of the content.

2) Authors who participated in the conception of the study:

- Naoko Asano, naasano@med.nagoya-u.ac.jp
- Shigeo Nakamura, snakamur@med.nagoya-u.ac.jp

3) **Design & Methods.** The following authors were responsible for specific investigations

- Tomohiro Kinoshita was responsible for organized the study and managed processing of the samples
- Jun-Ichi Tamaru, Koichi Oshima, Tadashi Yoshino, Nozomi Niitsu, Norifumi Tsukamoto Kaoru Hirabayashi, Koji Izutsu, Masafumi Taniwaki, and Yasuo Morishima were responsible for participant enrollment and data collection

4) **Results.** The following authors were responsible for specific portions of the results, including figures and tables

- Naoko Asano and Shigeo Nakamura were responsible for analyzing data and making all tables and figures.

5) **Writing the manuscript.** The following authors were responsible for writing the manuscript:

- Naoko Asano and Shigeo Nakamura were responsible for writing the manuscript.

6) **Contributors Listed in Acknowledgments:**

The authors thank staff members in all collaborating institutions and Mr. H. Ishida in Aichi Cancer Center and Mr. Yamada in Nagoya University for technical assistance. Our deepest appreciation goes to Dr. Masao Seto (Division of Molecular Medicine, Aichi Cancer Center Institute) whose many comments and suggestions throughout the course of our study were critical.

This work was supported by the Ministry of Education, Culture, Sports, Science and Technology of Japan (Grant-in-Aid for Young Scientists 20790279).