

Subcutaneous versus intravenous bortezomib in two different induction therapies for newly diagnosed multiple myeloma: an interim analysis from the prospective GMMG-MM5 trial

Maximilian Merz,¹ Hans Salwender,² Mathias Haenel,³ Elias K. Mai,¹ Uta Bertsch,^{1,4} Christina Kunz,⁵ Thomas Hielscher,⁵ Igor W. Blau,⁶ Christof Scheid,⁷ Dirk Hose,¹ Anja Seckinger,¹ Anna Jauch,¹ Jens Hillengass,¹ Marc S. Raab,¹ Baerbel Schurich,¹ Markus Munder,⁸ Ingo G.H. Schmidt-Wolf,⁹ Christian Gerecke,¹⁰ Hans-Walter Lindemann,¹¹ Matthias Zeis,¹² Katja Weisel,¹³ Jan Duerig,¹⁴ and Hartmut Goldschmidt^{1,4}

¹University Hospital, Heidelberg; ²Asklepios Hospital, Hamburg Altona; ³Klinikum Chemnitz; ⁴National Center for Tumor Diseases, Heidelberg; ⁵German Cancer Research Center, Heidelberg; ⁶Charité Universitätsmedizin, Berlin; ⁷University Hospital, Köln; ⁸University Medical Center, Mainz; ⁹University Hospital, Bonn; ¹⁰Helios Hospital, Berlin Buch; ¹¹Kath. Krankenhaus, Hagen; ¹²Asklepios Hospital St. Georg, Hamburg; ¹³University Hospital, Tübingen; and ¹⁴University Hospital Essen, Germany

©2015 Ferrata Storti Foundation. This is an open-access paper. doi:10.3324/haematol.2015.124347

Manuscript received on January 23, 2015. Manuscript accepted on March 30, 2015.

Correspondence: hartmut.goldschmidt@med.uni-heidelberg.de

Supplemental Table 1. Summary of applied trial medication

Abbreviations: PAd, bortezomib / doxorubicin / dexamethasone; VCD, bortezomib / cyclophosphamide / dexamethasone; IV, intravenous; SC, subcutaneous

		PAd n (%)		VCD n (%)	
		IV	SC	IV	SC
full dose bortezomib					
cycle 1		118 (79)	117 (84)	118 (77)	108 (77)
cycle 2		118 (83)	111 (80)	114 (75)	111 (80)
cycle 3		96 (71)	110 (82)	116 (78)	104 (76)
dose modifications for bortezomib					
cycle 1	reduced dose	4 (3)	3 (2)	13 (8)	6 (4)
	discontinued	8 (5)	1 (1)	1 (1)	1 (1)
cycle 2	reduced dose	6 (4)	5 (4)	15 (10)	6 (4)
	discontinued	1 (1)	1 (1)	2 (1)	2 (1)
cycle 3	reduced dose	15 (11)	10 (7)	15 (10)	13 (10)
	discontinued	2 (2)	0 (0)	1 (1)	0 (0)
full dose doxorubicin / cyclophosphamide					
cycle 1		140 (93)	134 (96)	140 (91)	129 (92)
cycle 2		128 (88)	123 (89)	130 (84)	118 (86)
cycle 3		126 (93)	126 (93)	133 (88)	121 (89)
full dose dexamethasone					
cycle 1		123 (82)	116 (83)	129 (84)	114 (81)
cycle 2		114 (79)	112 (81)	131 (85)	116 (84)
cycle 3		119 (86)	115 (85)	126 (84)	119 (87)