Paroxysmal nocturnal hemoglobinuria and telomere length predicts response to immunosuppressive therapy in pediatric aplastic anemia

Atsushi Narita,¹ Hideki Muramatsu,¹ Yuko Sekiya,¹ Yusuke Okuno,¹ Hirotoshi Sakaguchi,² Nobuhiro Nishio,¹ Nao Yoshida,² Xinan Wang,¹ Yinyan Xu,¹ Nozomu Kawashima,¹ Sayoko Doisaki,¹ Asahito Hama,¹ Yoshiyuki Takahashi,¹ Kazuko Kudo,³ Hiroshi Moritake,⁴ Masao Kobayashi,⁵ Ryoji Kobayashi,⁶ Etsuro Ito,⁷ Hiromasa Yabe,⁸ Shouichi Ohga,⁹ Akira Ohara,¹⁰ Seiji Kojima¹ and the Japan Childhood Aplastic Anemia Study Group

¹Department of Pediatrics, Nagoya University Graduate School of Medicine, Nagoya; ²Department of Hematology and Oncology, Children's Medical Center, Japanese Red Cross Nagoya First Hospital; ³Department of Pediatrics, Fujita Health University School of Medicine, Toyoake; ⁴Division of Pediatrics, Department of Reproductive and Developmental Medicine, Faculty of Medicine, University of Miyazaki; ⁵Department of Pediatrics, Hiroshima University Graduate School of Biomedical and Health Sciences, Hiroshima; ⁶Department of Pediatrics, Sapporo Hokuyu Hospital, Sapporo, Hokkaido; ⁷Department of Pediatrics, Hirosaki University Graduate School of Medicine, Hirosaki; ⁸Department of Cell Transplantation and Regenerative Medicine, Tokai University School of Medicine, Isehara; ⁹Department of Pediatrics, Yamaguchi University Graduate School of Medicine, Ube; and ¹⁰Department of Pediatrics, Toho University School of Medicine, Tokyo, Japan


©2015 Ferrata Storti Foundation. This is an open-access paper. doi:10.3324/haematol.2015.132530 Manuscript received on June 22, 2015. Manuscript accepted on August 18, 2015. Correspondence: kojimas@med.nagoya-u.ac.jp

Supplementary figure legends:

Figure S1. Proportions of PNH type populations. (A) Granulocytes; (B) Erythrocytes

Figure S2. ROC curves were constructed to evaluate the prognostic potential of the response to IST at 6 months. (A) PNH granulocytes; (B) PNH erythrocytes; (C) Telomere length.

Figure S1






Figure S2

