

### Allogeneic hematopoietic cell transplantation in acute myeloid leukemia with normal karyotype and isolated Nucleophosmin-1 (NPM1) mutation: outcome strongly correlates with disease status

Ali Bazarbachi,<sup>1</sup> Myriam Labopin,<sup>2-5</sup> Mohamed A. Kharfan-Dabaja,<sup>1,6</sup> Rainer Schwerdtfeger,<sup>7</sup> Liisa Volin,<sup>8</sup> Jean Henri Bourhis,<sup>9</sup> Gérard Socié,<sup>10</sup> Etienne Daguindau,<sup>11</sup> Tobias Gedde-Dahl,<sup>12</sup> Alessandro Rambaldi,<sup>13</sup> Michal Karas,<sup>14</sup> Günter Schlimok,<sup>15</sup> Didier Blaise,<sup>16</sup> Patrice Chevallier,<sup>17</sup> Florent Malard,<sup>2-5</sup> Christoph Schmid,<sup>18</sup> Jordi Esteve,<sup>19</sup> Arnon Nagler,<sup>2,20\*</sup> and Mohamad Mohty<sup>2-5\*</sup>

\*The last two senior authors contribute equally to paper.

<sup>1</sup>Department of Internal Medicine, Bone Marrow Transplantation Program, American University of Beirut Medical Center, Beirut; <sup>2</sup>EBMT Paris study office / CEREST-TC, France; <sup>3</sup>Department of Hematology, Saint Antoine Hospital, Paris, France; <sup>4</sup>INSERM UMR 938, Paris, France; <sup>5</sup>Université Pierre et Marie Curie, Paris, France; <sup>6</sup>Department of Blood and Marrow Transplantation, H. Lee Moffitt Cancer Center/University of South Florida College of Medicine, Tampa, Florida; <sup>7</sup>Deutsche Klinik für Diagnostik KMT Zentrum, Wiesbaden, Germany; <sup>8</sup>Department of Medicine, Helsinki, Finland; <sup>9</sup>Gustave Roussy, Institut de cancérologie, BMT Service, Division of Hematology, Department of Medical Oncology, Villejuif, France; <sup>10</sup>Hôpital St. Louis, Dept. of Hematology – BMT, Paris, France; <sup>11</sup>Hôpital Jean Minjoz, Service d' Hématologie, Besançon, France; <sup>12</sup>Rikshospitalet Department of Medicine, The National Hospital, Oslo, Norway;

<sup>13</sup>Azienda Ospedaliera Papa Giovanni XXIII Hematology and Bone Marrow Transplant Unit, Bergamo, Italy; <sup>14</sup>Charles University Hospital, Dept. of Hematology/Oncology, Pilsen, Czech Republic; <sup>15</sup>Klinikum Augsburg II Medizinische Klinik, Augsburg, Germany; <sup>16</sup>Programme de Transplantation & Thérapie Cellulaire, Centre de Recherche en Cancérologie de Marseille, Institut Paoli Calmettes, Marseille, France <sup>17</sup>CHU Nantes Dept. D'Hématologie, Nantes, France; <sup>18</sup>SCT Unit, Klinikum Augsburg, Germany; <sup>19</sup>Department of Hematology, Hospital Clinic, IDIBAPS, Barcelona, Spain, and <sup>20</sup>Tel Aviv University, Chaim Sheba Medical Center, Tel-Hashomer, Israel

Correspondence: bazarbac@aub.edu.lb

doi:10.3324/haematol.2015.135681

List of contributing centers by decreasing number of patients enrolled in the study:

Deutsche Klinik für Diagnostik, Wiesbaden, Germany;  
Helsinki University Central Hospital, Helsinki, Finland;  
Gustave Roussy, institut de cancérologie, Villejuif, France;  
Hopital St. Louis, Paris, France;  
Hopital Jean Minjoz, Besancon, France;  
Rikshospitalet, Oslo, Norway;  
Azienda Ospedaliera Papa Giovanni XXIII, Bergamo, Italy;  
Charles University Hospital, Pilsen, Czech Republic;  
Klinikum Augsburg, Augsburg, Germany;  
Institut Paoli Calmettes, Marseille, France;  
CHU Nantes, Nantes, France;  
Leiden University Hospital, Leiden, The Netherlands;  
CHU Bordeaux, Pessac, France;  
University Hospital Maastricht, Maastricht, The Netherlands;  
CHRU, Service des Maladies du Sang, Angers, France;  
Unité de Transplantation Médullaire, VANDOEUVRE LES NANCY, France;  
CHU Lapeyronie, Montpellier, France;  
Hopital Purpan, Toulouse, France;  
Hôpital Percy, Clamart, France;  
University of Freiburg, Freiburg, Germany;  
Karolinska University Hospital, Huddinge, Sweden;  
Turku University, Turku, Finland;  
Univ.'La Sapienza', Rome, Italy;  
Erasmus MC-Daniel den Hoed Cancer Centre, Rotterdam, The Netherlands;  
Hôpital Henri Mondor, Creteil, France;  
University Hospital, Lund, Sweden;  
Queen Elizabeth Hospital, Birmingham, United Kingdom;  
VU University Medical Center, Amsterdam, The Netherlands;  
University Hospital Brno, Brno, Czech Republic;  
Hospital Universitari Germans Trias i Pujol, Barcelona, Spain;  
CHU Hautepierre , Strasbourg, France;  
University of Liege, Liege, Belgium;  
Centre Henri Becquerel, Rouen, France;  
University Hospital, Basel, Switzerland;  
University Hospital Gasthuisberg, Leuven, Belgium;  
University College London Hospital, London, United Kingdom;  
University Medical Center St. Radboud, Nijmegen, The Netherlands;  
Hopital Nord, Saint Etienne, France;  
Centre Hospitalier Universitaire, Caen, France;  
Hospital Pitie-Salpetriere, Paris, France;  
Fédération de Greffe de Moelle et de, Clermont-Ferrand, France;

Hôpital HURIEZ-CHRU, Lille, France;  
University Medical Center Groningen (UMCG), Groningen, The Netherlands;  
Klinikum Nürnberg, Nürnberg, Germany;  
Hospital Covadonga, Oviedo, Spain;  
CHU Morvan, Brest, France;  
Centre Hospitalier Lyon Sud, Lyon, France;  
Hospital Clínico, Salamanca, Spain;  
University Hospital Gent, Gent, Belgium;  
Rome Transplant Network "Tor Vergata" University of Rome, Rome, Italy;  
Hopital Saint Antoine, Paris, France;  
University of Saarland, Homburg, Germany;  
Universitaetsklinikum Dresden, Dresden, Germany;  
Antwerp University Hospital (UZA), Antwerp Edegem, Belgium.