

Expanding transplant options to patients over 50 years. Improved outcome after reduced intensity conditioning mismatched-unrelated donor transplantation for patients with acute myeloid leukemia: a report from the Acute Leukemia Working Party of the EBMT

Bipin N. Savani,^{1,2} Myriam Labopin,^{2,3,4,5} Nicolaus Kröger,⁶ Jürgen Finke,⁷ Gerhard Ehninger,⁸ Dietger Niederwieser,⁹ Rainer Schwerdtfeger,¹⁰ Donald Bunjes,¹¹ Bertram Glass,¹² Gerard Socié,¹³ Per Ljungman,¹⁴ Charles Craddock,¹⁵ Frédéric Baron,¹⁶ Fabio Ciceri,¹⁷ Norbert Claude Gorin,¹⁸ Jordi Esteve,¹⁹ Christoph Schmid,²⁰ Sebastian Giebel,²¹ Mohamad Mohty,^{2,3,4,5,*} and Arnon Nagler^{2,22,*}

¹Vanderbilt University Medical Center, Nashville, TN, USA; ²Acute Leukemia Working Party, EBMT Paris study office / CEREST-TC, France; ³Department of Haematology, Saint Antoine Hospital, Paris, France; ⁴INSERM UMR 938, Paris, France; ⁵Université Pierre et Marie Curie, Paris, France; ⁶University Hospital Eppendorf, Department of Stem cell Transplantation, Hamburg, Germany; ⁷University of Freiburg, Department of Medicine - Hematology, Oncology, Germany; ⁸Universitätsklinikum Dresden, MedizinischeKlinik und Poliklinik I, Germany; ⁹University Hospital Leipzig, Div.Hematology, Oncology and Hemostasiology, Germany; ¹⁰Helios-Klinikum Berlin-Buch, Dept. Hematology Berlin, Germany; ¹¹Klinik fuer Innere Medzin III - Universitätsklinikum Ulm, Germany; ¹²Asklepios Klinik St. Georg - Department of Haematology, Hamburg, Germany; ¹³Hôpital St. Louis - Dept. of Hematology, Paris, France; ¹⁴Karolinska University Hospital, Department of Hematology, Stockholm, Sweden; ¹⁵Center for Clinical Hematology, Queen Elizabeth Hospital, Birmingham, UK; ¹⁶Department of Medicine, Division of Hematology, University of Liège, Belgium; ¹⁷Department of Hematology, Ospedale San Raffaele, Università degli Studi, Milan, Italy; ¹⁸Faculté de Médecine Saint-Antoine, Paris, France; ¹⁹Dept. of Hematology, Hospital Clinic, Barcelona, Spain; ²⁰Klinikum Augsburg, Dept. of Hematology and Oncology, University of Munich, Augsburg, Germany; ²¹Maria Skłodowska-Curie Memorial Cancer Center and Institute of Oncology, Gliwice Branch, Poland; and ²²Hematology Division, Chaim Sheba Medical Center, Tel Hashomer, Israel

*MM and AN contributed equally to this work.

©2016 Ferrata Storti Foundation. This is an open-access paper. doi:10.3324/haematol.2015.138180

Received: October 20, 2015.

Accepted: March 2, 2016.

Pre-published: March 8, 2016.

Correspondence: bipin.savani@vanderbilt.edu

Acknowledgements

We thank all European Group for Blood and Marrow Transplantation (EBMT) centers and national registries for contributing patients to the study and data mangers for their super work. Supplementary information is available at the EBMT Web site.

Appendix I

The European Group for Blood and Marrow Transplantation (EBMT) registry is a voluntary working group of >500 transplantation centers required to report all consecutive stem-cell transplantsations and follow-ups once per year. The Acute Leukemia Working Party (ALWP) of the EBMT approved this study. Audits are routinely performed to determine the accuracy of the data. Since 1990, patients have been providing informed consent authorizing the use of their personal information for research purposes.

List of institutions reporting data included in this study:

University Hospital Eppendorf, Hamburg, Germany ; University of Freiburg, Freiburg, Germany ; Universitaetsklinikum Dresden, Dresden, Germany ; University Hospital Leipzig, Leipzig, Germany ; Medical University of Silesia, Katowice, Poland ; Deutsche Klinik für Diagnostik, Wiesbaden, Germany ; Klinik fuer Innere Medzin III, Ulm, Germany ; Asklepios Klinik St. Georg, Hamburg, Germany ; Hopital St. Louis, Paris, France ; Karolinska University Hospital, Huddinge, Sweden ; Hannover Medical School, , Hannover, Germany ; Centre for Clinical Haematology, Birmingham, United Kingdom ; Centre Hospitalier Lyon Sud, Lyon, France ; Helsinki University Central Hospital, Helsinki, Finland ; University of Münster, Münster, Germany ; Klinikum Nürnberg, Nürnberg, Germany ; Institute of Hematology and Blood Transfusion, Prague, Czech Republic ; Charles University Hospital, Pilsen, Czech Republic ; Universität Tübingen, Tübingen, Germany ; S. Bortolo Hospital, Vicenza, Italy ; Charité Universitätsmedizin Berlin, Berlin, Germany ; University of Heidelberg, Heidelberg, Germany ; Institut Paoli Calmettes, Marseille, France ; University Medical Centre, Utrecht, Netherlands, The ; University Hospital, Essen, Germany ; CHU Hautepierre, Strasbourg, France ; Nottingham City Hospital, Nottingham, United Kingdom ; University of Liege, Liege, Belgium ; Erasmus MC-Daniel den Hoed Cancer Centre, Rotterdam, Netherlands, The ; Vilnius University Hospital Santariskiu Klinikos, Vilnius, Lithuania ; University Hospital Schleswig-Holstein Kiel Campus, Kiel, Germany ; Fondazione IRCCS Policlinico San Matteo, Pavia, Italy ; Ospedale di Niguarda Ca' Granda, Milano, Italy ; University Hospital Maastricht, Maastricht, Netherlands, The ; Bologna University, S.Orsola-Malpighi Hospital, Bologna, Italy ; Hospital U. Marqués de Valdecilla, Santander, Spain ; University of Cologne, Cologne, Germany ; Azienda Ospedaliera Papa Giovanni XXIII, Bergamo, Italy ; Saint Petersburg State Medical Pavlov University, St. Petersburg, Russia ; Klinikum Augsburg, Augsburg, Germany ; Hopital A. Michallon, Grenoble, France ; Unité de Transplantation Médullaire, Vandoeuvre Les Nancy, France ; University of Saarland, Homburg, Germany ; University Regensburg, Regensburg, Germany ; Ospedale San Raffaele s.r.l., Milano, Italy ; University Hospital, Basel, Switzerland ; CHU Nantes, Nantes, France ; Hadassah University Hospital, Jerusalem, Israel ; Hopitaux Universitaires de Geneve, Geneva, Switzerland ; University Hospital, Lund, Sweden ; Sahlgrenska University Hospital, Goteborg, Sweden ; Ospedale di Careggi, Firenze, Italy ; Friedrich-Schiller-Universität Jena, Jena, Germany ; VU University Medical Center, Amsterdam, Netherlands, The ; Charles University Hospital, Hradec Králové, Czech Republic ; CHU Lapeyronie, Montpellier, France ; Rigshospitalet, Copenhagen, Denmark ; University Hospital Gasthuisberg, Leuven, Belgium ; Southampton General Hospital, Southampton, United Kingdom ; Johannes-Gutenberg-University, Mainz, Germany ; Leiden University Hospital, Leiden, Netherlands, The ; University Hospital, Uppsala, Sweden ; Ospedale San Gerardo, Monza, Italy ; Cliniques Universitaires St. Luc,

Brussels, Belgium ; CHU Bordeaux, Pessac, France ; Hospital San Maurizio, Bolzano, Italy ; George Papanicolaou General Hospital, Thessaloniki, Greece ; Manchester Royal Infirmary, Manchester, United Kingdom ; Rome Transplant Network - "Tor Vergata" University of Rome, Rome, Italy ; Royal Marsden Hospital, London, United Kingdom ; Rikshospitalet, Oslo, Norway ; Hôpital Henri Mondor, Creteil, France ; Inst. Portugues de Oncologia do Porto, Porto, Portugal ; Umeå University Hospital, Umeå, Sweden ; GKT School of Medicine, London, United Kingdom ; St. James Hospital Trinity College, Dublin, Ireland ; Policlinico G.B. Rossi, Verona, Italy ; Allogeneic Stem Cell Transplant Center, Würzburg, Germany ; Azienda Ospedali Riuniti di Ancona, Ancona-Torrete, Italy ; First Affiliated Hospital of Soochow University, Suzhou, China ; Medizinische Universitaet Wien, Vienna, Austria ; Azienda Ospedaliera S. Giovanni, Torino, Italy ; Centre Hospitalier Universitaire, Caen, France ; Hopital La Miletie, Poitiers, France ; Fédération de Greffe de Moelle et de, Clermont-Ferrand, France ; Universitätsklinikum Göttingen, Gottingen, Germany ; University Hospital, Olomouc, Czech Republic ; Ankara University Faculty of Medicine, Ankara, Turkey ; Hopital Purpan, Toulouse, France ; Philipps Universitaet Marburg, Marburg, Germany ; Antwerp University Hospital (UZA), Antwerp Edegem, Belgium ; Tel Aviv Sourasky Medical Center, Tel Aviv, Israel ; Hospital Clinic, Barcelona, Spain ; Univ.'La Sapienza', Rome, Italy ; Hôpital HURIEZ- CHRU, Lille, France ; Inst. Portugues Oncologia, Lisboa, Portugal ; University of Wales, Cardiff, United Kingdom ; Medical University Graz, Graz, Austria ; First Affiliated Hosp., Zhejiang University, Hangzhou Zhejiang, China ; University Med. Center, Ljubljana, Slovenia ; Leicester Royal Infirmary, Leicester, United Kingdom ; University Hospital, Linköping, Sweden ; H SS. Antonio e Biagio, Alessandria, Italy ; Ospedale San Martino, Genova, Italy ; Turku University, Turku, Finland ; Hopsital Pitie-Salpetriere, Paris, France ; Patras University Medical School, Patras, Greece ; Bristol Royal Hospital for Children, Bristol, United Kingdom ; Hospital de Navarra, Pamplona, Spain ; University Hospital Brno, Brno, Czech Republic ; CHRU, Service des Maladies du Sang, Angers, France ; University Hospital Erlangen, Erlangen, Germany ; AZ. Spedali Civili- Brescia Universitu of Brescia, Brescia, Italy ; Royal Free Hospital and School of Medicine, London, United Kingdom ; Ospedale V. Cervello, Palermo, Italy ; University Hospital, Bratislava, Slovakia ; Universita degli Studi di Bari, Bari, Italy ; Hospital Clínico, Salamanca, Spain ; Hospital 'Virgen del Rocío', Sevilla, Spain ; Hopital Saint Antoine, Paris, France ; North Trent BMT Programme (Adults), Sheffield, United Kingdom ; Kliniken Essen Süd, Essen, Germany ; Ospedale Ferrarotto, Catania, Italy ; Unità Operativa Oncoematologia Pediatrica, Pisa, Italy ; Robert-Bosch-Krankenhaus, Stuttgart, Germany ; Imperial College, London, United Kingdom ; University Hospital, Zürich, Switzerland ; Glasgow Royal Infirmary, Glasgow, United Kingdom ; Birmingham Heartlands Hospital, Birmingham, United Kingdom ; Klinikum Karlsruhe gGmbH, Karlsruhe, Germany ; Policlinico Le Scotte, Siena, Italy ; Rambam Health Care Campus, Haifa, ; Beilinson Hospital, Petach-Tikva, Israel ; Klinikum Grosshadern, Munich, Germany ; Ernst-Moritz-Arndt-Univer. Greifswald, Greifswald, Germany ; Klinikum Rechts der Isar, Munich, Germany ; Klinik für Knochenmarktransplantation, Idar-Oberstein, Germany ; CHU Morvan, Brest, France ; University Hospital, Udine, Italy ; Klinikum Oldenburg, Oldenburg, Germany ; Christie NHS Trust Hospital, Manchester, United Kingdom ; Ospedale A. Businco, Cagliari, Italy ; Canterbury Health Laboratories, Christchurch, New Zealand ; Central Clinical Hospital, Warsaw, Poland ; Institut Jules Bordet, Brussels, Belgium ; University College London Hospital, London, United Kingdom ; Hopital Jean Minjoz, Besancon, France ; Ospedale Maggiore di Milano, Milano, Italy ; Royal Victoria Infirmary, Newcastle-Upon-Tyne, United Kingdom ; Ospedale S. Camillo-Forlanini, Rome, Italy ; ZNA, Antwerp, Belgium ; Heinrich Heine Universität, Düsseldorf, Germany ; Hôpital de l'ARCHET I, Nice, France ; DCTK, Wroclaw, Poland ; Addenbrookes Hospital, Cambridge, United Kingdom ; Hospital Universitari Germans Trias i Pujol, Barcelona, Spain ; University of Milano, Milano, Italy ; RP Group Royal Perth Hospital, Perth, Australia ; University Hospital, Collegium Medicum UMK, Bydgoszcz, Poland ; Constantiaberg Medi-Clinic, Cape Town, South Africa ; Wroclaw Medical University, Wroclaw,

Poland ; Hôpital Necker, Paris, France ; University Medical Center St. Radboud, Nijmegen, Netherlands, The ; Hosp. Reina Sofia, Córdoba, Spain ; Ospedale Civile, Pescara, Italy ; Hospital Santa Creu i Sant Pau, Barcelona, Spain ; Univ. of Torino, Torino, Italy ; Hospedale Nord, Taranto, Italy ; Martin-Luther-Universitaet Halle-Wittenberg, Halle, Germany ; King Faisal Specialist Hospital, Riyadh, Saudi Arabia ; Maria Skłodowska-Curie Memorial Cancer Center, Gliwice, Poland ; Royal Liverpool University Hospital, Liverpool, United Kingdom ; Dept. Haematology and Stem Cell Transplant, Budapest, Hungary ; Hospital Clinico Universitario, Santiago De Compostela, Spain ; Hospital Aranzazu, San Sebastian, Spain ; KLINIKUM BREMEN - MITTE, Bremen, Germany ; Az. Ospedaliera S. Croce e Carle, Cuneo, Italy ; University Department of Hematology, Aarhus, Denmark ; Gustave Roussy, institut de cancérologie, Villejuif, France ; Ospedale La Maddalena - Dpt. Oncologico, Palermo, Italy ; University Hospital Gent, Gent, Belgium ; Hematology Division, Chaim Sheba Medical Center, Tel-Hashomer, Israel ; Università di Perugia, Perugia, Italy ; Medical University of Gdańsk, Gdańsk, Poland ; Centre Henri Becquerel, Rouen, France ; Gazi Universitesi Tip Fakültesi, Ankara, Turkey ; Hopital Nord, Saint Etienne, France ; Department of Haematology, Oxford, United Kingdom ; Specialized Children`s Oncohematpology Hospital, Sofia, Bulgaria ; American University of Beirut, Beirut, Lebanon ; A.Z. Sint-Jan, Brugge, Belgium ; Polish-American Institute of Paediatrics, Cracow, Poland ; IRCCS, Casa Sollievo della Sofferenza, San Giovanni Rotondo, Italy ; Pesaro Hospital, Pesaro, Italy ; Uni. Modena, Policlinico, Modena, Italy ; University Medical Center Groningen (UMCG), Groningen, Netherlands, The ; Charité - Campus Benjamin Franklin, Berlin, Germany ; Elisabethinen-Hospital, Linz, Austria ; Hospital Ramon y Cajal, Madrid, Spain ; University Hospital VUB, Brussels, Belgium ; Hôpital Percy, Clamart, France ; Children`s University Hospital, Lublin, Poland ; Medical Academy, Wrocław, Poland ; K. Marcinkowski University of Medical Science, Poznań, Poland ; Hospital Infantil La Paz, Madrid, Spain ; Hospital Morales Meseguer, Murcia, Spain ; Tartu University Hospital, Tartu, Estonia ; University of Napoli `Federico II` Medical School, Napoli, Italy ; St. Bartholomew`s and The Royal London Hospital, London, United Kingdom ; IHOP, Lyon, France ; P.O. `R. Binaghi`, Cagliari, Italy ; CHRU Limoges, Limoges, France