

Haematologica
HAEMATOL/2015/136002
Version 4

Stat5 is critical for the development and maintenance of
myeloproliferative neoplasm initiated by Nf1 deficiency

Zohar Sachs, Raha A. Been, Krista J. DeCoursin, Hanh T. Nguyen,
Nurul A. Mohd Hassan, Klara E. Noble-Orcutt, Craig E. Eckfeldt, Emily
J. Pomeroy, Ernesto Diaz-Flores, Jennifer L. Geurts, Meichaleen D.
Diers, Diane E. Hasz, Kelly J. Morgan, Margaret L. MacMillan, Kevin M.
Shannon, David A. Largaespada, and Stephen M. Wiesner

Disclosures: none to report

Contributions: Zohar Sachs: planned study and experiments, collected data, analyzed and interpreted data, generated figures, supervised and performed experiments. Wrote manuscript. Raha Been: planned experiments, supervised and performed experiments, collected data Krista Decoursin: performed experiments, organized and collected data Hahn Nguyen, Nurul Azyan Mohd Hassan, Klara E. Noble-Orcutt, Ernesto Diaz-Flores, Meichaleen D. Diers, Jennifer L. Geurts, Diane E Hasz⁵, Kelly J. Morgan, Craig E. Eckfeldt, and Emily J. Pomeroy: performed experiments Margaret MacMillan: obtained samples, organized data collection Kevin M. Shannon: supervised experiments David A. Largaespada: planned study and experiments, interpreted data, supervised experiments Stephen M. Wiesner: planned study and experiments, collected data, analyzed and interpreted data, generated figures, supervised and performed experiments. Helped write manuscript.