

Haematologica  
HAEMATOL/2017/183434  
Version 3

Tocilizumab, tacrolimus and methotrexate for the prevention of acute graft versus host disease: low incidence of lower gastrointestinal tract disease

William R. Drobyski, Aniko Szabo, Fenlu Zhu, Carolyn Keever-Taylor, Kyle M. Hebert, Renee Dunn, Sharon Yim, Bryon Johnson, Anita D'Souza, Mary Eapen, Timothy S. Fenske, Parameswaran Hari, Mehdi Hamadani, Mary M. Horowitz, J. Douglas Rizzo, Wael Saber, Nirav Shah, Bronwen Shaw, and Marcelo Pasquini

Disclosures: The authors declare no competing financial interest.

Contributions: W.R.D designed the study, provided clinical care of patients in the study, analyzed the data, and wrote the paper. A.S. provided statistical analysis. F.Z. performed and analyzed the cytokine studies. S.Y., K.H., and R.D. assisted in the analysis of data and figure construction. C.K.T. and B.J. analyzed the immunological data. A.D., M.E., T.F., P.H., M.H., M.M.H., J.D.R., W.S., N.S., and B.S. provided clinical care of patients in the trial and edited the paper. M.P. designed the study, provided clinical care, analyzed data, assisted with the statistical analysis, and edited the paper.