## Haematologica HAEMATOL/2018/209536 Version 3

Interleukin-17/Interleukin-21 and Interferon-γ producing T cells specific for β2 Glycoprotein I in atherosclerosis inflammation of systemic lupus erythematosus patients with antiphospholipid syndrome

Marisa Benagiano, Maria Orietta Borghi, Jacopo Romagnoli, Michael Mahler, Chiara Della Bella, Alessia Grassi, Nagaja Capitani, Giacomo Emmi, Arianna Troilo, Elena Silvestri, Lorenzo Emmi, Heba Alnwaisri, Jacopo Bitetti, Simona Tapinassi, Domenico Prisco, Cosima Tatiana Baldari, Pier Luigi Meroni, and Mario Milco D'Elios

Disclosures: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be considered as a potential conflict of interest. MM is an employee of Inova Diagnostics Inc. PLM has taken part in speakers' bureaux for INOVA Diagnostics Inc.

Contributions: MB, PLM, and MMDE designed the study. MB, MOB, NC, MM, AG, CDB, JB, ST, HA, JR, GE, AT, ES, LE, JB, DP, CTB, PLM, and MMDE performed research and participated in patient data collection. All authors analyzed and interpreted the data. CDB was the methodologist of the study and AG was the study biostatistician responsible for the statistical analyses. All authors participated in writing of the report, agreed on the content of the manuscript, reviewed drafts, and approved the final version.