

Haematologica
HAEMATOL/2019/235291
Version 3

The long non-coding RNA Cancer Susceptibility 15 is induced by Isocitrate Dehydrogenase mutations and maintains an immature phenotype in adult acute myeloid leukemia

Sarah Grasedieck, Christoph Ruess, Kathrin Krowiorz, Susanne Lux, Nicole Pochert, Adrian Schwarzer, Jan-Henning Klusmann, Mojca Jongen-Lavrencic, Tobias Herold, Lars Bullinger, Jonathan R. Pollack, Arefeh Rouhi, and Florian Kuchenbauer

Disclosures: F.K. was supported by grants from Deutsche Krebshilfe grant 109420 (Max-Eder program); fellowship 2010/04 by the European Hematology Association; and by the Deutsche Forschungsgemeinschaft (DFG) (SFB 1074, project A5) and the Wilhelm Sander Stiftung (2015.153.1). A.R. was supported by the DFG (SFB 1074, project A5) as well as the gender equality program by the DFG (SFB 1074, project Z2), a fellowship from the Canadian Institutes of Health Research and the Baustein Startförderung Program of the Medical Faculty, Ulm University. T.H. was supported by the Wilhelm-Sander-Stiftung (grant 2013.086.2) and by a Physician Scientists Grant (G-509200-004) from the Helmholtz Zentrum München. L.B. was supported by the DFG (SFB 1074, project B3). The authors declare no competing financial interests in relation to the work described.

Contributions: S.G. conducted experiments, performed computational analyses and wrote the manuscript. C.R., K.K., and N.P. performed experiments. S.L., A.S., J-H.K., T.H., M.J-L., L.B., and J.R.P. provided patient datasets and gave advice to the study design. A.R. designed sgRNAs, gave advice to the study design and revised the manuscript. F.K. designed experiments and wrote the manuscript.