

Cancer-specific mortality in multiple myeloma: a population-based retrospective cohort study

Arleigh McCurdy,¹ Hsien Seow,² Gregory P. Pond,² Anastasia Gayowsky,³ Rajshekhar Chakraborty,⁴ Alissa Visram,¹ Rayan Kaedbey,⁵ Anita D'Souza,⁶ Ghulam Rehman Mohyuddin,⁷ Tanya M. Wildes,⁸ Rafael Fonseca⁹ and Hira Mian²

¹The Ottawa Hospital Research Institute, Ottawa, Ontario, Canada; ²Department of Oncology, McMaster University, Hamilton, Ontario, Canada; ³ICES McMaster, McMaster University, Hamilton, Ontario, Canada; ⁴Columbia University, New York, NY, USA; ⁵Department of Medicine, Jewish General Hospital, Montreal, Quebec, Canada; ⁶Division of Hematology/Oncology, Medical College of Wisconsin, Milwaukee, WI, USA; ⁷Department of Hematology, Huntsman Cancer Institute, Salt Lake City, UT, USA; ⁸Division of Hematology/Oncology, University of Nebraska Medical Center, Omaha, NE, USA and ⁹Division of Hematology/Oncology, Mayo Clinic, Phoenix, AZ, USA

Correspondence: A. McCurdy
amccurdy@toh.ca

Received: March 7, 2023.

Accepted: July 4, 2023.

Early view: July 13, 2023.

<https://doi.org/10.3324/haematol.2023.282905>

©2023 Ferrata Storti Foundation

Published under a CC BY-NC license



Supplementary Table 1 : Detailed causes of death

Cause of Death	Non-ASCT Cohort N=2,787	ASCT Cohort N=873	Total N=3,660
Non-Multiple Myeloma			
Dementia	20 (0.7%)	0 (0.0%)	20 (0.5%)
Diseases of the heart	162 (5.8%)	22 (2.5%)	184 (5.0%)
Infectious disease	120 (4.3%)	54 (6.2%)	174 (4.8%)
Kidney and liver diseases	67 (2.4%)	20 (2.3%)	87 (2.4%)
Non-cardiac vascular diseases	66 (2.4%)	11 (1.3%)	77 (2.1%)
Respiratory diseases	20 (0.7%)	0 (0.0%)	20 (0.5%)
Other noncancer	291 (10.4%)	57 (6.5%)	348 (9.5%)
Non-MM cancer	168 (6.0%)	62 (7.1%)	230 (6.3%)
Multiple myeloma	1,873 (67.2%)	647 (74.1%)	2,520 (68.9%)