

Dexamethasone treatment for COVID-19 is related to increased mortality in hematologic malignancy patients: results from the EPICOVIDEHA registry

Authors

Tommaso Francesco Aiello,^{1*} Jon Salmanton-García,^{2*} Francesco Marchesi,³ Barbora Weinbergerová,⁴ Andreas Glenthøj,⁵ Jens Van Praet,⁶ Francesca Farina,⁷ Julio Dávila-Valls,⁸ Sonia Martín-Pérez,⁸ Shaimaa El-Ashwah,⁹ Martin Schönlein,¹⁰ Iker Falces-Romero,¹¹⁻¹² Jorge Labrador,¹³ Uluhan Sili,¹⁴ Caterina Buquicchio,¹⁵ Antonio Vena,¹⁶ Gaëtan Plantefève,¹⁷ Verena Petzer,¹⁸ Monika M. Biernat,¹⁹ Tobias Lahmer,²⁰ Ildefonso Espigado,²¹ Jaap Van Doesum,²² Ola Blennow,²³ Klára Piukovics,²⁴ Carlo Tascini,²⁵ Michail Samarkos,²⁶ Yavuz M. Bilgin,²⁷ Luana Fianchi,²⁸ Federico Itri,²⁹ Toni Valković,³⁰⁻³¹ Nicola S. Fracchiolla,³² Michelina Dargenio,³³ Moraima Jiménez,³⁴⁻³⁵ Ferenc Magyari,³⁶ Alberto López-García,³⁷ Lucia Prezioso,³⁸ Natasha Čolović,³⁹ Evgenii Shumilov,⁴⁰ Ghaith Abu-Zeinah,⁴¹ Carolin Krekeler,⁴² Esperanza Lavilla-Rubira,⁴³ Mario Virgilio Papa,⁴⁴ Tomás José González-López,⁴⁵ László Imre Pinczés,⁴⁶ Fatih Demirkan,⁴⁷ Natasha Ali,⁴⁸ Caroline Besson,⁴⁹ Guillemette Fouquet,⁵⁰ Alessandra Romano,⁵¹ José-Ángel Hernández-Rivas,⁵² María Ilaria Del Principe,⁵³ Avinash Aujayeb,⁵⁴ Maria Merelli,⁵⁵ Sylvain Lamure,⁵⁶ Joyce Marques De Almeida,⁵⁷ Maria Gomes Da Silva,⁵⁸ Noha Eisa,⁵⁹ Joseph Meletiadis,⁶⁰ Ikhwan Rinaldi,⁶¹ Olimpia Finizio,⁶² Ozren Jaksic,⁶³ Mario Delia,⁶⁴ Summiya Nizamuddin,⁶⁵ Monia Marchetti,⁶⁶ Marriyam Ijaz,⁶⁵ Marina Machado,⁶⁷ Rebeca Bailén-Almorox,⁶⁸ Martin Čerňan,⁶⁹ Nicola Coppola,⁷⁰ Eleni Gavriilaki,⁷¹ Chiara Cattaneo,⁷² Ana Groh,⁷³ Zlate Stojanoski,⁷⁴ Nurettin Erben,⁷⁵ Nikola Pantic,³⁹ Gustavo-Adolfo Méndez,⁷⁶ Roberta Di Blasi,⁷⁷ Stef Meers,^{78,79} Cristina De Ramón,⁸⁰⁻⁸¹ Nathan C. Bahr,⁸² Ziad Emarah,⁸³ Gina Varricchio,⁴⁴ Milche Cvetanoski,⁷⁴ Ramón García-Sanz,⁸⁰ Mirjana Mitrovic,³⁹ Raphaël Liévin,⁸⁴ Michaela Hanakova,⁸⁵ Zdeněk Ráčil,⁸⁵ Maria Vehreschild,⁷³ Athanasios Tragiannidis,⁸⁶ Raquel Nunes Rodrigues,⁸⁷ Daniel García-Bordallo,⁴³ Raul Cordoba,³⁷ Alba Cabrita,³⁴ Anna Nordlander,²³ Emanuele Ammatuna,²² Elena Arellano,²¹ Dominik Wolf,¹⁸ Romane Prin,¹⁷ Alessandro Limongelli,¹⁶ Martina Bavastro,¹⁶ Gökçe Melis Çolak,¹⁴ Stefanie Gräfe,² Ditte Stampe Hersby,⁵ Laman Rahimli,² Oliver A. Cornely,² Carolina Garcia-Vidal^{1,12#} and Livio Pagano^{28#}

*TFA and JS-G contributed equally as first authors.

#CG-V and LP contributed equally as senior authors.

¹Infectious Diseases Department, Hospital Clinic of Barcelona-IDIBAPS, Universitat de Barcelona, Barcelona, Spain; ²University of Cologne, Faculty of Medicine and University Hospital Cologne, Translational Research, Cologne Excellence Cluster on Cellular Stress Responses in Aging-Associated Diseases (CECAD), Cologne, Germany; ³Hematology and Stem Cell Transplant Unit, IRCCS Regina Elena National Cancer Institute, Rome, Italy; ⁴Department of Internal Medicine - Hematology and Oncology, Masaryk University Hospital Brno, Brno, Czech Republic; ⁵Department of Hematology, Copenhagen University Hospital - Rigshospitalet, Copenhagen, Denmark; ⁶Department of Nephrology and

Infectious diseases, AZ Sint-Jan Brugge-Oostende AV, Brugge, Belgium; ⁷IRCCS Ospedale San Raffaele, Milan, Italy; ⁸Hospital Nuestra Señora de Sonsoles, Ávila, Spain; ⁹Oncology Center, Mansoura University, Mansoura, Egypt; ¹⁰Department of Oncology, Hematology and Bone Marrow Transplantation with Section of Pneumology, University Medical Center Hamburg-Eppendorf, Hamburg, Germany; ¹¹La Paz University Hospital, Madrid, Spain; ¹²CIBERINFEC, Instituto de Salud Carlos III, Madrid, Spain; ¹³Department of Hematology, Research Unit, Hospital Universitario de Burgos, Burgos, Spain; ¹⁴Department of Infectious Diseases and Clinical Microbiology, School of Medicine, Marmara University, Istanbul, Turkey; ¹⁵Hematology Department, Dimiccoli Hospital, Barletta, Italy; ¹⁶Ospedale San Martino, Genova, Italy; ¹⁷Centre Hospitalier d'Argenteuil, Argenteuil, France; ¹⁸Department of Hematology and Oncology, Medical University of Innsbruck, Innsbruck, Austria; ¹⁹Department of Hematology, Blood Neoplasms, and Bone Marrow Transplantation, Wroclaw Medical University, Wroclaw, Poland; ²⁰Medizinische Klinik II, Klinikum rechts der Isar, TU München, Munich, Germany; ²¹Department of Hematology, University Hospital Virgen Macarena - University Hospital Virgen del Rocío, Instituto de Biomedicina de Sevilla (IBIS/CSIC), Universidad de Sevilla, Seville, Spain; ²²University Medical Center Groningen, Groningen, the Netherlands; ²³Department of Infectious Diseases, Karolinska University Hospital, Stockholm, Sweden; ²⁴Department of Internal Medicine, South Division Faculty of Medicine University of Szeged, Szeged, Hungary; ²⁵Azienda Sanitaria Universitaria del Friuli Centrale, Udine, Italy; ²⁶Laikon Hospital, Athens, Greece; ²⁷Department of Internal Medicine, ADRZ, Goes, the Netherlands; ²⁸Hematology Unit, Fondazione Policlinico Universitario Agostino Gemelli - IRCCS, Rome, Italy; ²⁹San Luigi Gonzaga Hospital - Orbassano, Orbassano, Italy; ³⁰University Hospital Centre Rijeka, Rijeka, Croatia; ³¹Croatian Cooperative Group for Hematological Diseases (CROHEM), Faculty of Medicine and Faculty of Health Studies University of Rijeka, Rijeka, Croatia; ³²Fondazione IRCCS Ca' Granda Ospedale Maggiore Policlinico, Milan, Italy; ³³Hematology and Stem Cell Transplant Unit, Vito Fazzi, Lecce; ³⁴Department of Hematology, Vall d'Hebron Hospital Universitari, Experimental Hematology, Vall d'Hebron Institute of Oncology (VHIO), Vall d'Hebron Barcelona Hospital Campus, Barcelona, Spain; ³⁵Departament de Medicina, Universitat Autònoma de Barcelona, Bellaterra, Spain; ³⁶Division of Hematology, Institution of Internal Medicine, Faculty of Medicine, University of Debrecen, Debrecen, Hungary; ³⁷Fundación Jimenez Diaz University Hospital, Health Research Institute IIS-FJD, Madrid, Spain; ³⁸Hospital University of Parma - Hematology and Bone Marrow Unit, Parma, Italy; ³⁹University Clinical Center Serbia, Medical Faculty University Belgrade, Belgrade, Serbia; ⁴⁰UK Münster, Münster, Germany; ⁴¹Division of Hematology and Oncology, Weill Cornell Medicine, New York, NY, USA; ⁴²Department of Medicine A, Hematology, Oncology and Pneumology, University Hospital Münster (UKM), Münster,

Germany; ⁴³Hospital Lucus Augusti, Lugo, Spain; ⁴⁴Azienda Ospedaliera Sant'Anna e San Sebastiano, Caserta, Italy; ⁴⁵Department of Hematology, Hospital Universitario de Burgos, Burgos, Spain; ⁴⁶Division of Hematology, Department of Internal Medicine, Faculty of Medicine, University of Debrecen, Debrecen, Hungary; ⁴⁷Dokuz Eylul University, Division of Hematology, Izmir, Turkey; ⁴⁸Aga Khan University, Karachi, Pakistan; ⁴⁹Centre Hospitalier de Versailles, Le Chesnay and Université Paris-Saclay, UVSQ, INSERM, Équipe "Exosome et Hérité", CESP, Villejuif, France; ⁵⁰Department of Hematology, CH Sud Francilien, Corbeil Essonnes, France; ⁵¹Divisione Clinicizzata di Ematologia, Ospedale Ferrarotto, Catania, Italy; ⁵²Hospital Universitario Infanta Leonor, Madrid, Spain; ⁵³Hematology, Department of Biomedicine and Prevention, University of Rome Tor Vergata, Rome, Italy; ⁵⁴Northumbria Healthcare, Newcastle, UK; ⁵⁵Azienda Sanitaria Universitaria del Friuli Centrale, Udine, Italy; ⁵⁶Department of Clinical Hematology, Montpellier University Hospital, IGMM UMR5535 CNRS, University of Montpellier, Montpellier, France; ⁵⁷Istituto Oncologico della Svizzera Italiana, Bellinzona, Switzerland; ⁵⁸Portuguese Institute of Oncology, Lisbon, Portugal; ⁵⁹Aseer Central Hospital, Abha, Saudi Arabia; ⁶⁰Clinical Microbiology Laboratory, Medical School, "Attikon" University General Hospital, National and Kapodistrian University of Athens, Athens, Greece; ⁶¹Division of Hematology and Medical Oncology, Department of Internal Medicine, Faculty of Medicine Universitas Indonesia - Cipto Mangunkusumo Hospital, Jakarta, Indonesia; ⁶²UOC Hematology, AORN Cardarelli, Naples, Italy; ⁶³Department of Hematology, University Hospital Dubrava, Zagreb, Croatia; ⁶⁴Hematology and Stem Cell Transplantation Unit, AOUC Policlinico, Bari, Italy; ⁶⁵Memorial Cancer Hospital and Research Center, Lahore, Pakistan; ⁶⁶Azienda Ospedaliera Nazionale SS. Antonio e Biagio e Cesare Arrigo, Alessandria, Italy; ⁶⁷Clinical Microbiology and Infectious Diseases Department, Hospital General Universitario Gregorio Marañón, Madrid, Spain; ⁶⁸Hematology

Department, Hospital General Universitario Gregorio Marañón, Madrid, Spain; ⁶⁹Department of Hemato-Oncology, Faculty of Medicine and Dentistry, Palacky University and University Hospital Olomouc, Olomouc, Czech Republic; ⁷⁰Department of Mental Health and Public Medicine, University of Campania, Naples, Italy; ⁷¹General Hospital of Thessaloniki "George Papanikolaou", Thessaloniki, Greece; ⁷²Hematology Unit, ASST-Ospedali Civili, Brescia, Italy; ⁷³Infektiologie, Universitätsklinikum Frankfurt am Main, Frankfurt am Main, Germany; ⁷⁴University Clinic of Hematology, Skopje, North Macedonia; ⁷⁵Department of Infectious Diseases and Clinical Microbiology, Faculty of Medicine Eskisehir Osmangazi University, Eskisehir, Turkey; ⁷⁶Hospital Escuela de Agudos Dr. Ramón Madariaga, Posadas, Argentina; ⁷⁷Service d'Hematologie-Oncologie, Hopital St Louis, Assistance Publique - Hopitaux de Paris, Université de Paris Diderot, Paris, France; ⁷⁸AZ KLINA, Brasschaat, Belgium; ⁷⁹IBSAL, Centro de Investigación del Cáncer-IBMCC (USAL-CSIC), Salamanca, Spain; ⁸⁰Hematology Department, Hospital Universitario de Salamanca, Salamanca, Spain; ⁸¹IBSAL, Centro de Investigación del Cáncer-IBMCC (USAL-CSIC), Salamanca, Spain; ⁸²University of Kansas Medical Center, Kansas City, MO, USA; ⁸³Oncology Center, Mansoura University, Mansoura, Egypt; ⁸⁴Hospital St Louis, Paris, France; ⁸⁵Institute of Hematology and Blood Transfusion, Prague, Czech Republic; ⁸⁶Aristotle University of Thessaloniki, Thessaloniki, Greece and ⁸⁷Portuguese Institute of Oncology, Lisbon, Portugal

Correspondence:

C. GARCIA-VIDAL - cgarcia@clinic.cat

J. SALMANTON-GARCIA - jon.salmanton-garcia@uk-koeln.de

<https://doi.org/10.3324/haematol.2023.284678>

Supplementary material. Dexamethasone treatment for COVID-19 is related with Increased mortality in haematological malignancy patients: results from the EPICOVIDEHA Registry.

Figure S1. Study population flowchart detailing the received treatment and the causes of exclusion.




Table S1. Antiviral regimens for COVID-19 according to treatment groups.

	Dexamethasone only group (N = 500 patients)		Dexamethasone plus antivirals group (N = 470)		Antiviral strategy group (N = 1297)	
	N	(%)	N	(%)	N	(%)
Antivirals					594	45.8
Antivirals + dexamethasone			211	44.9		
Antivirals + dexamethasone + plasma			43	9.1		
Antivirals + monoclonal antibodies					147	11.3
Antivirals + monoclonal antibodies + dexamethasone			89	18.9		
Antivirals + monoclonal antibodies + dexamethasone + plasma			7	1.5		
Antivirals + monoclonal antibodies + plasma					14	1.1
Antivirals + plasma					72	5.6
Dexamethasone	500	100				
Dexamethasone + plasma			44	9.4		
Monoclonal antibodies					417	32.2
Monoclonal antibodies + dexamethasone			73	15.5		
Monoclonal antibodies + dexamethasone + plasma			3	0.6		
Monoclonal antibodies + plasma					7	0.5
Plasma					46	3.5

Table S2. Complete antiviral regimens for COVID-19 according to treatment groups (absolute numbers).

	Dexamethasone only group (N = 500 patients)	Dexamethasone plus antivirals group (N = 470)	Antiviral strategy group (N = 1297)
Bamlanivimab + Etesivimab	0	0	37
Bamlanivimab + Etesivimab Convalescent plasma	0	0	2
Bamlanivimab + Etesivimab Dexamethasone	0	5	0
Casiririmivab + Imdevimab	0	0	150
Casiririmivab + Imdevimab Convalescent plasma	0	0	2
Casiririmivab + Imdevimab Dexamethasone	0	23	0
Casiririmivab + Imdevimab, Sotrovimab	0	0	1
Casiririmivab + Imdevimab, Tixagevimab + Cilgavimab Dexamethasone	0	1	0
Convalescent plasma	0	0	46

Convalescent plasma Dexamethasone	0	44	0
Dexamethasone	500	0	0
Favipiravir	0	0	53
Favipiravir Casiririmivab + Imdevimab	0	0	2
Favipiravir Convalescent plasma	0	0	6
Favipiravir Convalescent plasma Dexamethasone	0	8	0
Favipiravir Dexamethasone	0	19	0
Favipiravir, Nirmatrelvir	0	0	1
Favipiravir, Remdesivir	0	0	2
Favipiravir, Remdesivir Bamlanivimab + Etesivimab Convalescent plasma	0	0	1
Favipiravir, Remdesivir Convalescent plasma Dexamethasone	0	1	0
Favipiravir, Remdesivir Dexamethasone	0	1	0
Molnupiravir	0	0	92
Molnupiravir Bamlanivimab + Etesivimab	0	0	1
Molnupiravir Casiririmivab + Imdevimab	0	0	2
Molnupiravir Convalescent plasma	0	0	4

Molnupiravir Convalescent plasma Dexamethasone	0	1	0
Molnupiravir Dexamethasone	0	2	0
Molnupiravir Sotrovimab	0	0	16
Molnupiravir Sotrovimab Dexamethasone	0	3	0
Molnupiravir Tixagevimab + Cilgavimab	0	0	1
Molnupiravir, Nirmatrelvir	0	0	1
Molnupiravir, Nirmatrelvir Sotrovimab Dexamethasone	0	1	0
Molnupiravir, Nirmatrelvir, Remdesivir Regdanvimab, Sotrovimab Convalescent plasma Dexamethasone	0	1	0
Molnupiravir, Remdesivir Casiririmivab + Imdevimab	0	0	1
Molnupiravir, Remdesivir Convalescent plasma	0	0	1
Nirmatrelvir	0	0	168
Nirmatrelvir Dexamethasone	0	7	0
Nirmatrelvir Sotrovimab	0	0	6
Nirmatrelvir Tixagevimab + Cilgavimab	0	0	3
Nirmatrelvir Tixagevimab + Cilgavimab Dexamethasone	0	2	0
Nirmatrelvir, Remdesivir	0	0	9

Nirmatrelvir, Remdesivir Casiririmivab + Imdevimab	0	0	1
Nirmatrelvir, Remdesivir Convalescent plasma	0	0	1
Nirmatrelvir, Remdesivir Dexamethasone	0	3	0
Nirmatrelvir, Remdesivir NOS monoclonal antibodies	0	0	1
Nirmatrelvir, Remdesivir Sotrovimab	0	0	1
Nirmatrelvir, Remdesivir Sotrovimab Convalescent plasma Dexamethasone	0	1	0
Nirmatrelvir, Remdesivir Sotrovimab Dexamethasone	0	3	0
Nirmatrelvir, Remdesivir Sotrovimab, Tixagevimab + Cilgavimab	0	0	2
Nirmatrelvir, Remdesivir Tixagevimab + Cilgavimab Dexamethasone	0	1	0
NOS antivirals	0	0	5
NOS antivirals Convalescent plasma Dexamethasone	0	4	0
NOS antivirals Dexamethasone	0	4	0
NOS antivirals Sotrovimab Dexamethasone	0	1	0
NOS monoclonal antibodies	0	0	13
NOS monoclonal antibodies Convalescent plasma Dexamethasone	0	1	0
NOS monoclonal antibodies Dexamethasone	0	6	0

Regdanvimab	0	0	2
Remdesivir	0	0	260
Remdesivir Bamlanivimab + Etesivimab	0	0	5
Remdesivir Bamlanivimab + Etesivimab Convalescent plasma	0	0	1
Remdesivir Bamlanivimab + Etesivimab Convalescent plasma Dexamethasone	0	1	0
Remdesivir Bamlanivimab + Etesivimab Dexamethasone	0	1	0
Remdesivir Bamlanivimab + Etesivimab, Casiririmivab + Imdevimab	0	0	1
Remdesivir Bamlanivimab + Etesivimab, Sotrovimab	0	0	1
Remdesivir Casiririmivab + Imdevimab	0	0	22
Remdesivir Casiririmivab + Imdevimab Convalescent plasma	0	0	1
Remdesivir Casiririmivab + Imdevimab Convalescent plasma Dexamethasone	0	1	0
Remdesivir Casiririmivab + Imdevimab Dexamethasone	0	14	0
Remdesivir Casiririmivab + Imdevimab, Sotrovimab	0	0	1
Remdesivir Casiririmivab + Imdevimab, Sotrovimab Dexamethasone	0	3	0
Remdesivir Casiririmivab + Imdevimab Dexamethasone	0	1	0

Remdesivir Convalescent plasma	0	0	59
Remdesivir Convalescent plasma Dexamethasone	0	29	0
Remdesivir Dexamethasone	0	172	0
Remdesivir NOS monoclonal antibodies	0	0	2
Remdesivir NOS monoclonal antibodies Dexamethasone	0	1	0
Remdesivir Regdanvimab	0	0	2
Remdesivir Regdanvimab Convalescent plasma	0	0	1
Remdesivir Regdanvimab Convalescent plasma Dexamethasone	0	1	0
Remdesivir Sotrovimab	0	0	53
Remdesivir Sotrovimab Convalescent plasma	0	0	7
Remdesivir Sotrovimab Convalescent plasma Dexamethasone	0	2	0
Remdesivir Sotrovimab Dexamethasone	0	57	0
Remdesivir Sotrovimab, Tixagevimab + Cilgavimab	0	0	2
Remdesivir Sotrovimab, Tixagevimab + Cilgavimab Dexamethasone	0	1	0
Remdesivir Tixagevimab + Cilgavimab	0	0	21
Remdesivir Tixagevimab + Cilgavimab Convalescent plasma	0	0	2
Remdesivir Tixagevimab + Cilgavimab Dexamethasone	0	3	0

Remdesivir, Molnupiravir	0	0	3
Remdesivir, Molnupiravir Casiririmivab + Imdevimab Convalescent plasma	0	0	1
Remdesivir, Molnupiravir Convalescent plasma	0	0	1
Sotrovimab	0	0	202
Sotrovimab Convalescent plasma	0	0	2
Sotrovimab Convalescent plasma Dexamethasone	0	2	0
Sotrovimab Dexamethasone	0	35	0
Sotrovimab, Tixagevimab + Cilgavimab	0	0	1
Tixagevimab + Cilgavimab	0	0	11
Tixagevimab + Cilgavimab Convalescent plasma	0	0	1
Tixagevimab + Cilgavimab Dexamethasone	0	3	0

Table S3. Detailed clinical characteristic by treatment group.

	Dexamethasone plus antivirals (n=470)	p value		Antiviral strategies (n=1297)
		dexamethason e only Vs dexamethason e plus antivirals	Dexamethasone only (n=500)	
	n (%)	n (%)	n (%)	n (%)
Sex				
Female	202 (43)	0.057	185(37)	533 (41)
Male	268 (57)		315 (63)	764 (59)
Age (years) – median (IQR)	68 (58-75)	0.021	70 (57-79)	<0.001
Comorbidities at COVID-19 onset		0.776		<0.001
No comorbidities	143 (30.4)		156 (31.2)	575 (44.3)
1 comorbidity	146 (31.1)		159 (31.8)	417 (32.2)
2 comorbidities	120 (25.5)		114 (22.8)	222 (17.1)
3 or more comorbidities	61 (13)		71 (14.2)	83 (6.4)
<i>Chronic cardiopathy</i>	218 (46.4)	0.896	234 (46.8)	<0.001
<i>Chronic pulmonary disease</i>	64 (13.6)	0.921	67 (13.4)	0.001
<i>Diabetes mellitus</i>	96 (20.4)	0.262	88 (17.6)	0.001
<i>Obesity</i>	33 (7.0)	0.362	28 (5.6)	0.614
<i>Liver disease</i>	21 (4.5)	0.421	28 (5.6)	0.032
<i>Renal impairment</i>	31 (6.6)	0.004	60 (12.0)	<0.001
<i>Smoking history</i>	63 (13.4)	0.002	44 (8.8)	0.166
Baseline haematological malignancy		0.013		0.092
Leukaemia	188 (40.0)		214 (42.8)	551 (42.5)
<i>Acute myeloid leukaemia</i>	56 (11.9)		46 (9.2)	229 (17.7)
<i>Chronic myeloid leukaemia</i>	5 (1.1)		10 (2.0)	33 (2.5)
<i>Acute lymphoid leukaemia</i>	20 (4.3)		20 (4.0)	88 (6.8)
<i>Chronic lymphoid leukaemia</i>	77 (16.4)		99 (19.8)	132 (10.2)
<i>Myelodysplastic syndrome</i>	27 (5.7)		31 (6.2)	64 (4.9)
<i>Hairy cell leukaemia</i>	3 (0.6)		8 (1.6)	5 (0.4)
Lymphoma	191 (40.6)		164 (32.8)	484 (37.3)
<i>Hodgkin lymphoma</i>	7 (1.5)		19 (3.8)	48 (3.7)
<i>Non-Hodgkin lymphoma</i>	184 (39.1)		145 (29.0)	436 (33.6)
PH negative myeloproliferative diseases	17 (3.6)		21 (4.2)	39 (3.0)
<i>Essential thrombocythemia</i>	1 (0.2)		6 (1.2)	6 (0.5)

	Dexamethasone plus antivirals (n=470)	p value		Dexamethasone only (n=500)	p value		Antiviral strategies (n=1297)
		dexamethasone only Vs dexamethasone plus antivirals			dexamethasone only Vs antivirals		
	n (%)		n (%)		n (%)		
<i>Myelofibrosis</i>	13 (2.8)		12 (2.4)		16 (1.2)		
<i>Polycythaemia vera</i>	2 (0.4)		1 (0.2)		11 (0.8)		
<i>Systemic macrocytosis</i>	1 (0.2)		2 (0.4)		6 (0.5)		
Plasma cell disorders	74 (15.7)		94 (18.8)		216 (16.7)		
<i>Multiple myeloma</i>	74 (15.7)		91 (18.2)		213 (16.4)		
<i>Amyloid light-chain amyloidosis</i>	-		3 (0.6)		3 (0.2)		
Other haematological malignancies	-		7 (1.4)		7 (0.5)		
<i>Aplastic anaemia</i>	-		7 (1.4)		7 (0.5)		
Status malignancy at COVID-19 onset		0.020			<0.001		
Controlled malignancy	186 (39.6)		188 (37.6)		650 (50.1)		
Stable malignancy	100 (21.3)		148 (29.6)		225 (17.3)		
Active malignancy	166 (35.3)		145 (29.0)		376 (29.0)		
Unknown	18 (3.8)		19 (3.8)		46 (3.5)		
Neutrophils at COVID-19 onset (x 10⁹/mL)		0.313			0.096		
<501	41 (8.7)		37 (7.4)		109 (8.4)		
501 - 999	32 (6.8)		27 (5.4)		84 (6.5)		
>999	35 (75.5)		412 (82.4)		888 (68.5)		
Lymphocytes at COVID-19 onset (x 10⁹/mL)		<0.001			0.660		
<201	89 (18.9)		49 (9.8)		118 (9.1)		
201 - 499	8 (18.3)		98 (19.6)		202 (15.6)		
>499	259 (55.1)		328 (65.6)		760 (58.6)		
CRP level at corticosteroid administration onset (mg/L) - median (IQR)	9.3 (4.8-16.0)	0.504	9.5 (3.9-15.8)				
SARS-CoV-2 vaccination before COVID-19 onset		<0.001			<0.001		
Not vaccinated	185 (39.4)		273 (54.6)		405 (31.2)		
One dose	18 (3.8)		24 (4.8)		47 (3.6)		
Two doses	98 (20.9)		99 (19.8)		307 (23.7)		
Three doses	145 (30.9)		91 (18.2)		441 (34.0)		
Four doses	24 (5.1)		13 (2.6)		97 (7.5)		
<i>One dose, days last injection before COVID-19 diagnosis - median (IQR)</i>	27.5 (12-80)		18 (11-51)		74 (23-261)		

	Dexamethasone plus antivirals (n=470)	p value dexamethasone only Vs dexamethasone plus antivirals	Dexamethasone only (n=500)	p value dexamethasone only Vs antivirals	Antiviral strategies (n=1297)
	n (%)		n (%)		n (%)
<i>Two doses, days last injection before COVID-19 diagnosis - median (IQR)</i>	152.5 (75-216)		115 (67-179)		195 (118-261)
<i>Three doses, days last injection before COVID-19 diagnosis - median (IQR)</i>	73 (43-130)		90 (49-158)		116 (1-175)
<i>Four doses, days last injection before COVID-19 diagnosis - median (IQR)</i>	212 (181-282)		239 (215-279)		258 (183-341)
Season SARS-CoV-2 diagnosis		<0.001		<0.001	
Pre-Delta (before May 2021)	123 (26.2)		175 (35.0)		144 (11.1)
Delta (May 2021-November 2021)	83 (17.7)		125 (25.0)		167 (12.9)
Omicron (December 2021-onwards)	264 (56.2)		200 (40.0)		986 (76.0)
SARS-CoV-2 variant		<0.001		<0.001	
Wild type	16 (3.4)		24 (4.8)		11 (0.8)
Alpha	13 (2.8)		18 (3.6)		17 (1.3)
Beta	1 (0.2)		1 (0.2)		1 (0.1)
Delta	36 (7.7)		32 (6.4)		59 (4.5)
Omicron	143 (30.4)		67 (13.4)		355 (27.4)
Not tested	261 (55.5)		358 (71.6)		854 (65.8)
COVID-19 severity		0.012		<0.001	
Asymptomatic	44 (9.4)		21 (4.2)		251 (19.4)
Mild infection	44 (9.4)		44 (8.8)		329 (25.4)
Severe infection	254 (54.0)		296 (59.2)		654 (50.4)
Critical infection	128 (27.2)		139 (27.8)		63 (4.9)
COVID-19 symptoms at onset		<0.001		<0.001	
Pulmonary	156 (33.2)		181 (36.2)		386 (29.8)
Pulmonary and extrapulmonary	195 (41.5)		238 (47.6)		306 (23.6)
Extrapulmonary	50 (10.6)		50 (10.0)		327 (25.2)
Screening	69 (14.7)		31 (6.2)		278 (21.4)
Stay during COVID-19 episode		0.051		<0.001	
Home	12 (2.6)		28 (5.6)		529 (40.8)
Hospital no ICU	330 (70.2)		333 (66.6)		704 (54.3)
Hospital ICU	128 (27.2)		139 (27.8)		63 (4.9)
Outcome day 90		<0.001		<0.001	

	Dexamethasone plus antivirals (n=470)	p value		Antiviral strategies (n=1297)
		dexamethasone only Vs dexamethasone plus antivirals	Dexamethasone only (n=500)	
	n (%)	n (%)		n (%)
Alive	384 (81.7)		362 (72.4)	1242 (95.8)
Dead	86 (18.3)		138 (27.6)	55 (4.2)
<i>Alive, observation time (days) - median (IQR)</i>	68 (33-90)		60 (23-90)	43 (18-90)
<i>Dead, observation time (days) - median (IQR)</i>	15 (10-22)		12 (6-17)	12 (8-23)
<i>Reason for death</i>		0.798		0.003
COVID-19	55 (64.0)		90 (65.2)	24 (43.6)
COVID-19 + haematological malignancy	28 (32.6)		41 (29.7)	21 (38.2)
Hematological malignancies and/or other reasons	3 (3.5)		7 (5.1)	10 (18.2)