

Acquired thrombotic thrombocytopenic purpura without detectable anti-ADAMTS13 antibodies: a possible underlying autoimmune mechanism

Authors

Delphine Simon,^{1*} Mathilde Leclercq,^{1,2*} Bérangère Joly,^{3,4} Agnès Veyradier,^{3,4} Paul Coppo^{5,6} and Ygal Benhamou^{1,7}

¹Département de Médecine Interne, CHU Charles Nicolle, Rouen;

²Université de Rouen, INSERM U1234 PANTHER, Rouen;

³Département d'Hématologie Biologique, Hôpital Lariboisière, AP-HP, Paris; ⁴Equipe d'Accueil 3518, Institut de Recherche Saint-Louis, Université de Paris, Paris; ⁵Centre de Référence des

Microangiopathies Thrombotiques, Service d'Hématologie, AP-HP et Sorbonne Université, Paris; ⁶INSERM Unité Mixte de Recherche

(UMRS) 1138, Centre de Recherche des Cordeliers, Paris and

⁷Université de Rouen, INSERM U1026 EnVI, Rouen, France

DS and ML contributed equally as first authors.

Correspondence:

Y. BENHAMOU - ygal.benhamou@chu-rouen.fr

<https://doi.org/10.3324/haematol.2024.285391>


Received: March 8, 2024.

Accepted: September 18, 2024.

Early view: September 26, 2024.

©2024 Ferrata Storti Foundation

Published under a CC BY-NC license 



Supplementary Figure 1: Acquired forms of thrombotic thrombocytopenic purpura in the French Reference Centre for Thrombotic Microangiopathies.